# **Team Jelly: Deliverable 3**



CSCC01

October 23, 2016

Team 25

Members: Dennis Tra, Henry Liu, Angelina Choi, Kelly Mo, Kris Lai

### TABLE OF CONTENTS

3
3
4
4
5
5
6,7
8,9
10

# Overview of progress from deliverable 2 to deliverable 3

Our first official sprint has been both challenging and successful. The team had initially planned to complete 1 story point per developer a day but there were setbacks which impeded our developers from starting their development. As a result, 5 story points required from each developer a week was condensed into a two-day timeline. This changed our burndown chart's actual time which resulted in a cliff like curve.

Our team saw changes in the product backlog after a TA meeting where it was established that the previous user story 1 was not a user story, but rather a non-feature requirement. This also changed our task board and allowed us to completed another user story. We are currently still on track as 25 user stories were still completed during this sprint.

## **System Design**

Our Initial system designed was to complete the project using shell script. After consulting with our TA, we decided that a more practical use was to use python for our backend as it is easier to maintain which provides more flexibility in the future if changes are needed.

### **Back End Python**


There are currently two different portions for the backend python scripts

GitHub Push: Which automatically pushes updates from our local system to a shared repository.

Database interaction: Currently pulls data from <a href="http://exoplanetarchive.ipac.caltech.edu/">http://exoplanetarchive.ipac.caltech.edu/</a> and <a href="http://exoplanet.eu/">http://exoplanet.eu/</a>. It then prints out the names of records with a last modified date, on both databases, that is greater than or equal to the last commit date stored in a text file on your local machine.

#### Front End User Interface

The front end interface of our project is a front end python script run through command line. This interface then calls the corresponding back end scripts of Update GitHub or Pull from Database.



# **Product Backlog – Sprint 1**

Our Product Backlog initially contained 4 user stories with only 3 expected to be completed in this sprint. After a meeting with our TA, we established that our first user story was a non-feature requirement. Our revised product backlog contains the following stories.

### Note:

- -Changed Values represented by (OLD -> NEW)
- -1 Story point = 0.5 developer hours = 30 minutes

Priority: P	User Story
Story points: SP	
Developer Hours: H	
P: 2 -> 1	As Anne (an admin), I want a command that will
<b>SP</b> : 8 -> 4	output a manual of all commands and how to use
H: 2	them
P: 3 -> 2	As Hanno (an admin), I want a command to list all, line
<b>SP</b> : 8 -> 10	by line, all planetary systems that have been updated
H: 5	in other catalogues since the last commit
<b>P</b> : 4 -> 3	As Hanno (an admin), I want to be able to manually
SP: 11	push and commit updates from other catalogues
H: 5.5	(Exoplanet.eu, exoplanetarchive.ipac.caltech.edu) to
	OEC so that I can immediately add updated
	information to my catalogue

From our meeting with our TA, we established that the following user story was a non-feature requirement. That allowed us to remove it from our Product backlog for the current sprint and move all other stories up by one priority.

Priority: P	User Story
Story points: SP	
Developer Hours: H	
<b>P</b> : 1 -> 0	As Anne (an admin), I want a command that will
<b>SP</b> : 2 -> 0	output a manual of all commands and how to use
H: 1 -> 0	them

# Sprint Plan – Sprint 1

Dennis -D

Henry – H

Kris Lai – KL

Kelly Mo – KM


Angelina - A

	I — .						l	I I
User Story	Task	D1	D2	D3	D4	D5	D6	D7
	Task 1: Every member does their own						KL 3	
Story #1: As Anne	manual (man) page for each command							
(an admin), I want	within the tool: help, index, main, update							
a command that	Task 2: Need a main.py to be the first						KL 1	
will output a	program to run							
manual of all								
commands and								
how to use them								
Story #2: As Hanno	Task 3: Figure out how to check the updated						D2	D1
(an admin), I want	dates on Exoplanet Catalogue							
a command to list	(http://exoplanet.eu/catalog). Reading the							
of all planetary	source code somehow?							
systems that have	Task 4: Figure out how to check the updated						H1	H2
been updated in	dates on NASA							
other catalogues	(http://exoplanetarchive.ipac.caltech.edu/d							
since the last	ocs/data.html). Reading the source code							
commit.	somehow?							
	Task 5: Figure out how to keep track of last							D1
	commit date. eg. text file?							
	Task 6: Add to the command the ability to							H2
	print a list of catalogues that have been							
	updated after being checked							
	Task 7: Test the command and ensure that it							KL1
	works properly							
	' ' '							


Story #3: As Hanno	Task 8: Figure how to call git commands in			A5	
(an admin), I want	Python			KM 1	
to be able to	Task 9: Commit repository with message			KM 2	KM2
manually push and	option				
commit updates	Task 10 : Test pushing a file to a git				D1
from other	repository				
catalogues					
(Exoplanet.eu,					
exoplanetarchive.i					
pac.caltech.edu) to					
my git repository					
so that I can					
immediately add					
updated					
information to my					
catalogue					

### **Task Board**

Throughout our sprint, our task board underwent many changes as Story 1 that was initially on our task board was removed as that story was not deemed necessary. We also added in another story as this removed story allowed us to fit in another user story which resulted in a projected story point completion of 25 story points for the current sprint.



### Task board at the end of our first sprint



### **Burndown Chart**

Our Estimated project velocity was 25 story points every sprint. We initially planned to complete 1 story point per developer each day over a 5-day work week to complete a total of 5 story points a week per developer.

After our first sprint, we have collectively completed 5 story points per developer but over a 2-day period as oppose to over a 5-day period. As a result, our burn down chart has a straight line the first 5-days and a much steeper slopes the last 2-days.

