

Problem 4 – Ex rugs

Ivcho is the little brother of the infamous Ivancho. He is much more intelligent and much less a dangler than his brother. He was also known to be a very good entrepreneur. As such he was constantly looking for some business opportunity also known as **'dalavera'**. One day he noticed that people are buying more and more **Ex-Persian rugs** to compensate for the lack of heating. Immediately he knew he had to start producing rugs. Being a **computer- and techno- geek** he wanted to automate the process as much as possible.

Your task is to help **Ivcho** with his production by writing a program that prints rug designs on the console. He needs the rugs to come out in different sizes depending on his client's preferences and have variations in the design pattern as well. Draw the two diagonals forming a big X with "\" and "\" and fill in the X with "\" symbols. Put "X" where the two of the "\" and "\" lines cross.

The client will enter two numbers each on separate lines.

- The first number N between 2 and 100 (inclusive) determines the rug's width = height = 2 * N + 1.
- The second number **D** between **1** and **99** (inclusive) is for the horizontal width of the X in the rug's design and is always an **odd** number.

Note: **D** can be larger than **N**.

Input

The input data should be read from the console.

On the first row you have an integer number N between 2 and 100 (inclusive) – determines the height and width of the rug: **height = width = 2 * N + 1**.

On the second row you have an integer number **D** between **1** and **99** (inclusive) – the horizontal width (in "#") of the X as shown in the examples. D will always be an **odd** number.

The input data will always be valid and in the format described. There is no need to check it explicitly.

Output

The output should be printed on the console.

You should print the Ex rug on the console. Each row can contain only the following characters: "" (space),"X" (letter X), "/" (slash), "\" (backslash) and "#" (hashtag). As shown in the example.

Constraints

- The number **N** will be a positive integer number between **2** and **100**, inclusive.
- The number **D** will be a positive integer number between **1** and **99**, inclusive and will always be an odd number.
- Allowed working time for your program: **0.1** seconds.
- Allowed memory: 16 MB.

Examples:

Telerik Academy

Input example	Output example
6 5	###\/### ###\/### ####\/#### ####\./##### \########/. \########\. \#######\. \#######\. \#######\. \########

Input example	Output example
5 1	#\/# \#\/#/ .\#\/#/\#\./#/\X#X\X#X/#X#\/#/.\#\/#/.\#\.

Input example	Output example
4	########
13	########
	########
	########
	########
	########
	########
	########
	########