

Reconstruction



Interuniversity Microelectronics Centre (IMEC) (2009) Wireless Sensor Systems Enable A Better Sleep. *ScienceDaily*. (Photo: Holst Center)

Bayesian estimation

Extend decoding of $s \rightarrow s^*(t)$



NOT FOR REUSE

The role of the conditional mean

Want an estimator s_{Bayes}

Introduce an error function, $L(s, s_{\text{Bayes}})$; minimize error.


$$\int ds L(s, s_{\text{Bayes}}) p[s|\mathbf{r}]$$

For least squares cost $L(s, s_{\text{Bayes}}) = (s - s_{\text{Bayes}})^2$;


Solution:

$$s_{\text{Bayes}} = \int ds p[s|\mathbf{r}] s$$

Stimulus reconstruction



Stimulus reconstruction



Stimulus reconstruction



Reading minds: the LGN



Reading minds: the LGN

NOT FOR REUSE

Reading minds: fMRI




Reading minds: fMRI

$$P(s|r) = P(r|s) P(s)$$




Reading minds: fMRI


A stimulus-response encoding model for one voxel




Reading minds: fMRI



Top 30 highest posterior clips



Cumulative averages / higher posterior clips



Nishimoto et al., Current Biology, 2011

Coming up next

- Guest lecture by retina wizard Fred Rieke!
- Information and coding principles