

<b>1. Approving Competent Authority/Country</b>  EASA		<b>AUTHORISED RELEASE CERTIFICATE</b>  EASA FORM 1			<b>3. Form Tracking Number</b> 20170003782291Y02 330005518	
<b>4. Organisation Name and Address:</b> Honeywell Aerospace Singapore Pte Ltd (Gul Circle) 161 Gul Circle Singapore 629619					<b>5. Work Order/Contract/Invoice</b> 10453748  330006248 Page 1 of 2	
<b>6. Item</b>	<b>7. Description</b>	<b>8. Part No</b>	<b>9. Qty</b>	<b>10. Serial No.</b>	<b>11. Status/Work</b>	
001	ENGINE OUTLINE GAS TURBINE	3800550-1	1	P-2273	OVERHAULED	
<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <b>12. Remarks</b>  THE SERVICE SPECIFIED HAS BEEN ACCOMPLISHED IN ACCORDANCE WITH:  SPM 20-00-02/70-00-01 Rev 20, FEB/24/2016  IRM 49-24-79 Rev 9, APR/29/2016  IPC 49-26-55 Rev 18, DEC/06/2016  EM 49-26-57 Rev 20, SEP/27/2016  CMM 49-42-05 Rev 2, NOV/11/2014   NO AIRWORTHINESS DIRECTIVES APPLICABLE TO THIS APU.  REFER TO FORM GTCP331-500-G16-R.7 ATTACHED FOR LIFE LIMITED PARTS.  REFER TO SERVICE BULLETIN COMPLIANCE ATTACHED FOR ALL SERVICE BULLETINS COMPLIANCE.  TEXT CONTINUED ON RIGHT SIDE </div> <div style="width: 48%;"> <b>CONTINUED:</b>  TSN: 7184:03 CSN: 4819 IS AT POINT OF APU ASSEMBLY AND DERIVED FROM DMM.  DMM HRS/CYCLES ON RELEASE IS 7186:02 / 4825 (1:59 HRS AND 6 CYCLES USED IN APU FINAL TESTING).  APU PRESERVATION AND STORAGE FOR A PERIOD OF UP TO 24 MONTHS AS PER SB 49-7997 REV 5, REV DATE FEB/ 3/2017.  SHIP LESS: STARTER MOTOR PROTECTOR P/N: 2709968-1, GENERATOR BLANK COVER P/N: 3862212-3. </div> </div> <div style="text-align: right; margin-top: 20px;">See continuation page</div>						
<b>13a. Certifies that the items identified above were manufactured in conformity to:</b> <input type="checkbox"/> approved design data and are in condition for safe operation <input type="checkbox"/> non-approved design data specified in block 12			<b>14a</b> <input checked="" type="checkbox"/> Part-145.A.50 Release to Service <input type="checkbox"/> Other regulation specified in block 12 Certifies that unless otherwise specified in block 12, the work identified in block 11 and described in block 12, was accomplished in accordance with Part-145 and in respect to that work the items are considered ready for release to service.			
<b>13b. Authorised Signature</b>		<b>13c. Approval/Authorisation Number</b>		<b>14b. Authorised Signature</b>  		<b>14c. Certificate/Approval Ref. No</b> EASA.145.0076
<b>13d. Name</b>		<b>13e. Date (dd mmm yyyy)</b>		<b>14d. Name</b> Tan Chat Pang		<b>14e. Date (dd mmm yyyy)</b> 17 OCT 2017
<b>USER/INSTALLER RESPONSIBILITIES</b> This certificate does not automatically constitute authority to install the item(s).  Where the user/installer performs work in accordance with regulation of an airworthiness authority different than the airworthiness authority specified in block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts items from the airworthiness authority specified in block 1.  Statements in blocks 13a and 14a do not constitute installation certification. In all cases aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.						



Form Tracking Number :

12. Remarks (Continued) :

	HH.DD	(HH:MM)
TSN	7184.05	(7184:03)
CSN	4819.00	
TSO	0.00	(0:00)
CSO	0.00	

SERIES/ISSUE/AMDTS:62

1. Approving Civil Aviation Authority/Country: <b>FAA/United States</b>	<b>2. AUTHORIZED RELEASE CERTIFICATE</b> <b>FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG</b>	3. Form Tracking Number: 20170003782292Y03 330005518
4. Organization Name and Address: Honeywell Aerospace Singapore Pte Ltd (Gul Circle) 161 Gul Circle Singapore 629619		Repair Station FT4Y192M
5. Work Order/Contract/Invoice Number: 10453748 330006248 Page 1 of 2		

6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status / Work:
001	ENGINE OUTLINE GAS TURBINE	3800550-1	1	P-2273	OVERHAULED

12. Remarks:

THE SERVICE SPECIFIED HAS BEEN ACCOMPLISHED IN ACCORDANCE WITH:

SPM 20-00-02/70-00-01 Rev 20, FEB/24/2016

IRM 49-24-79 Rev 9, APR/29/2016

IPC 49-26-55 Rev 18, DEC/06/2016

EM 49-26-57 Rev 20, SEP/27/2016

CMM 49-42-05 Rev 2, NOV/11/2014

NO AIRWORTHINESS DIRECTIVES APPLICABLE TO THIS APU.

REFER TO FORM GTCF331-500-G16-R.7 ATTACHED FOR LIFE LIMITED PARTS.

REFER TO SERVICE BULLETIN COMPLIANCE ATTACHED FOR ALL SERVICE BULLETINS COMPLIANCE.

TEXT CONTINUED ON RIGHT SIDE

SEE ATTACHED DOCUMENTS AS APPLICABLE FOR WORK PERFORMED

**CONTINUED:**

TSN: 7184:03 CSN: 4819 IS AT POINT OF APU ASSEMBLY AND DERIVED FROM DMM.

DMM HRS/CYCLES ON RELEASE IS 7186:02 / 4825 (1:59 HRS AND 6 CYCLES USED IN APU FINAL TESTING).

APU PRESERVATION AND STORAGE FOR A PERIOD OF UP TO 24 MONTHS AS PER SB 49-7997 REV 5, REV DATE FEB/ 3/2017.

SHIP LESS: STARTER MOTOR PROTECTOR P/N: 2709968-1, GENERATOR BLANK COVER P/N: 3862212-3.

See Continuation page

13a. Certifies the items identified above were manufactured in conformity to: <input type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 12.	14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.
13b. Authorized Signature:	14b. Authorized Signature: <div style="text-align: center;">   </div>
13c. Approval/Authorization No.:	14c. Approval/Certificate No.: <b>FT4Y192M</b>
13d. Name (Typed or Printed):	14d. Name (Typed or Printed): <b>Tan Chat Pang</b>
13e. Date(dd/mm/yyyy):	14e. Date (dd/mm/yyyy): <b>17/OCT/2017</b>

**User / Installer Responsibilities**

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block1. Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

## 12. Remarks (Continued) :

HH.DD (HH:MM)



TSN 7184.05 (7184:03)

CSN 4819.00

TSO 0.00 (0:00)

CSO 0.00

SERIES/ISSUE/AMDTs: 62

1. Country <b>SINGAPORE</b>		2. <b>CIVIL AVIATION AUTHORITY OF SINGAPORE AUTHORIZED RELEASE CERTIFICATE CAAS(AW)95</b>				3. Form Tracking Number: 20170003782293Y06 330005518	
4. Organization Name and Address: Honeywell Aerospace Singapore Pte Ltd (Gul Circle) 161 Gul Circle Singapore 629619					Repair Station AWI/38		
					5. Work Order/Contract/Invoice Number: 10453748 330006248 Page 1 of 2		
6. Item:	7. Description:	8. Part Number:	9. Eligibility:*	10. Quantity:	11. Serial / Batch Number:	12. Status / Work:	
001	ENGINE OUTLINE GAS TURBINE	3800550-1	N/A	1	P-2273	OVERHAULED	
13. Remarks : THE SERVICE SPECIFIED HAS BEEN ACCOMPLISHED IN ACCORDANCE WITH: SPM 20-00-02/70-00-01 Rev 20, FEB/24/2016 IRM 49-24-79 Rev 9, APR/29/2016 IPC 49-26-55 Rev 18, DEC/06/2016 EM 49-26-57 Rev 20, SEP/27/2016 CMM 49-42-05 Rev 2, NOV/11/2014  NO AIRWORTHINESS DIRECTIVES APPLICABLE TO THIS APU. REFER TO FORM GTCP331-500-G16-R.7 ATTACHED FOR LIFE LIMITED PARTS. REFER TO SERVICE BULLETIN COMPLIANCE ATTACHED FOR ALL SERVICE BULLETINS COMPLIANCE. TEXT CONTINUED ON RIGHT SIDE  SEE ATTACHED DOCUMENTS AS APPLICABLE FOR WORK PERFORMED							
CONTINUED: TSN: 7184:03 CSN: 4819 IS AT POINT OF APU ASSEMBLY AND DERIVED FROM DMM. DMM HRS/CYCLES ON RELEASE IS 7186:02 / 4825 (1:59 HRS AND 6 CYCLES USED IN APU FINAL TESTING). APU PRESERVATION AND STORAGE FOR A PERIOD OF UP TO 24 MONTHS AS PER SB 49-7997 REV 5, REV DATE FEB/ 3/2017. SHIP LESS: STARTER MOTOR PROTECTOR P/N: 2709968-1, GENERATOR BLANK COVER P/N: 3862212-3.							
See continuation Page							
14. NEW PARTS Certifies the items identified above were manufactured in conformity to: <input type="checkbox"/> Approved design data and are in condition for safe operation <input type="checkbox"/> Non-approved design data specified in Block 13				19. USED PARTS <input checked="" type="checkbox"/> SAR-145.50 Release to Service <input type="checkbox"/> Other regulation specified in Block 13. Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with SAR 145 and the Air Navigation Order and in respect to that work the items are considered ready for release to service.			
15. Authorized Signature:		16. CAAS Approval No.:		20. Authorized Signature:		21. CAAS Approval No.:	
				 		AWI/38	
17. Name (Typed or Printed):		18. Date (dd mmm yyyy):		22. Name (Typed or Printed):		23. Date (dd mmm yyyy):	
				Tan Chat Pang		17 OCT 2017	
<b>User / Installer Responsibilities</b> 1. It is important to understand that the existence of the Certificate alone does not automatically constitute authority to install the part/component/assembly. 2. Where the user/installer works in accordance with the national regulations of an Airworthiness Authority different from the Civil Aviation Authority of Singapore(CAAS), it is essential that the user/installer ensures that his/her Airworthiness Authority accepts parts/components/assemblies from the CAAS. 3. Statements 14 and 19 do not constitute installation certification. In all cases, the aircraft maintenance record must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.							

13. Remarks (Continued) :

	HH.DD	(HH:MM)
TSN	7184.05	(7184:03)
CSN	4819.00	
TSO	0.00	(0:00)
CSO	0.00	

SERIES/ISSUE/AMDTs:62