

Dynamical Systems in State-Space Form

Dynamical Systems

Systems where the effects of actions do not occur immediately.

Evolution of the system's states is governed by a set of ordinary differential equations.

Ordinary differential equations are often rearranged into *state-space form*.

$$\dot{\mathbf{x}} = f(\mathbf{x}, \mathbf{u})$$



Matrices

State-Space Form

Given an ordinary differential equation:

1. Identify the order, n , of the system

2. Define the states $x_1 = y(t), x_2 = \dot{y}(t), \dots, x_n = y^{(n-1)}(t)$

($n-1$)st derivative



3. Create the *state vector* $\mathbf{x} = [x_1 \ x_2 \ \dots \ x_n]^T = [y \ \dot{y} \ \dots \ y^{(n-1)}]^T$

4. Write the coupled first-order differential equations:

$$\frac{d}{dt}x_1 = \frac{d}{dt}y = \dot{y} = x_2$$

$$\frac{d}{dt}x_2 = \frac{d}{dt}\dot{y} = \ddot{y} = x_3$$

...

$$\frac{d}{dt}x_n = \frac{d}{dt}y^{(n-1)} = g(y, \dot{y}, \dots, y^{(n-1)}, \mathbf{u}) = g(x_1, x_2, \dots, x_n, \mathbf{u}) \leftarrow \text{From governing ODEs}$$

State-Space Form

5. Write system of first-order differential equations as matrix:

$$\begin{bmatrix} \dot{x}_1 \\ \dot{x}_2 \\ \dots \\ \dot{x}_n \end{bmatrix} = \begin{bmatrix} x_2 \\ x_3 \\ \dots \\ g(x_1, x_2, \dots, x_n, \mathbf{u}) \end{bmatrix}$$


$$\dot{\mathbf{x}} = f(\mathbf{x}, \mathbf{u})$$

Example I: Mass-Spring System

$$m\ddot{y}(t) + ky(t) = u(t)$$

1. Identify $n = 2$
2. Define states $x_1 = y, x_2 = \dot{y}$
3. Create the state vector $\mathbf{x} = [x_1 \ x_2]^T = [y \ \dot{y}]^T$
4. Write the coupled first-order differential equations:

$$\frac{d}{dt}x_1 = \frac{d}{dt}y = \dot{y} = x_2$$

$$\frac{d}{dt}x_2 = \frac{d}{dt}\dot{y} = \ddot{y} = \frac{u(t) - ky(t)}{m} = \frac{u(t) - kx_1}{m}$$

Example I: Mass-Spring System

$$m\ddot{y}(t) + ky(t) = u(t)$$

5. Write system of first-order differential equations as matrix:

$$\begin{bmatrix} \dot{x}_1 \\ \dot{x}_2 \end{bmatrix} = \begin{bmatrix} x_2 \\ \frac{u(t) - kx_1}{m} \end{bmatrix}$$

This system is actually *linear*:

$$\begin{bmatrix} \dot{x}_1 \\ \dot{x}_2 \end{bmatrix} = \begin{bmatrix} 0 & 1 \\ -\frac{k}{m} & 0 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \end{bmatrix} + \begin{bmatrix} 0 \\ \frac{1}{m} \end{bmatrix} u(t)$$


$$\dot{\mathbf{x}} = \mathbf{A}\mathbf{x} + \mathbf{B}\mathbf{u}$$

Example 2: Planar Quadrotor Model

$$m\ddot{y} = -\sin(\phi)u_1$$

$$m\ddot{z} = \cos(\phi)u_1 - mg$$

$$I_{xx}\ddot{\phi} = u_2$$

1. Identify $n = 2$

2. Define states $x_1 = y, x_2 = z, x_3 = \phi, x_4 = \dot{y}, x_5 = \dot{z}, x_6 = \dot{\phi}$

3. Define the state vector

$$\mathbf{x} = [x_1 \ x_2 \ x_3 \ x_4 \ x_5 \ x_6]^T = [y \ z \ \phi \ \dot{y} \ \dot{z} \ \dot{\phi}]^T$$

Example 2: Planar Quadrotor Model

$$m\ddot{y} = -\sin(\phi)u_1$$

$$m\ddot{z} = \cos(\phi)u_1 - mg$$

$$I_{xx}\ddot{\phi} = u_2$$

4. Define the system of first-order differential equations:

$$\frac{d}{dt}x_1 = \frac{d}{dt}y = \dot{y} = x_4$$

$$\frac{d}{dt}x_2 = \frac{d}{dt}z = \dot{z} = x_5$$

$$\frac{d}{dt}x_3 = \frac{d}{dt}\phi = \dot{\phi} = x_6$$

$$\begin{aligned}\frac{d}{dt}x_4 &= \frac{d}{dt}\dot{y} = \ddot{y} \\ &= \frac{-\sin(\phi)u_1}{m} = \frac{-\sin(x_3)u_1}{m}\end{aligned}$$

$$\begin{aligned}\frac{d}{dt}x_5 &= \frac{d}{dt}\dot{z} = \ddot{z} \\ &= \frac{\cos(\phi)u_1}{m} - g = \frac{\cos(x_3)u_1}{m} - g\end{aligned}$$

$$\frac{d}{dt}x_6 = \frac{d}{dt}\dot{\phi} = \ddot{\phi} = \frac{u_2}{I_{xx}}$$

Example 2: Planar Quadrotor Model

$$m\ddot{y} = -\sin(\phi)u_1$$

$$m\ddot{z} = \cos(\phi)u_1 - mg$$

$$I_{xx}\ddot{\phi} = u_2$$

5. Write system of first-order differential equations as matrix:

$$\begin{bmatrix} \dot{x}_1 \\ \dot{x}_2 \\ \dot{x}_3 \\ \dot{x}_4 \\ \dot{x}_5 \\ \dot{x}_6 \end{bmatrix} = \begin{bmatrix} x_4 \\ x_5 \\ x_6 \\ \frac{-\sin(x_3)u_1}{m} \\ \frac{\cos(x_3)u_1}{m} - g \\ \frac{u_2}{I_{xx}} \end{bmatrix}$$