



IUBAT

Project Report on Military Management System

Course Name: Database Management Lab
Course Code: CSC 434

Submitted To

Mahmudul Hasan
Lecturer
Department of Computer Science and Engineering

Team Name: LOOPS

Name	Id	Signature
FARSHID HOSSAIN	21103068	
Osman Gani Mridul	21103005	
Afroza Khandakar Sumi	21103046	
Md.Shahriar Hossen	21103076	

Section-A

Program: BCSE

Date of Submission: 05/12/2023

Military Management System

Introduction: The assigned project is a comprehensive military management system designed to streamline and enhance various aspects of military operations. This system encompasses strategic planning, personnel management, resource allocation, logistics, and communication networks. Its primary goal is to ensure efficient and effective coordination within the military to support mission success.

Objectives: The objectives of the military management system are multifaceted, aiming to address key challenges faced by modern military organizations.

These objectives include:

- a. **Strategic Planning:** Develop a robust strategic planning module to facilitate the creation, analysis, and adaptation of military strategies. This should include scenario modeling, threat assessment, and long-term planning capabilities.
- b. **Personnel Management:** Implement a comprehensive personnel management system that covers recruitment, training, performance evaluation, and career progression. This system should optimize the deployment of personnel based on skills, experience, and mission requirements.
- c. **Resource Allocation:** Create a module for efficient allocation of military resources, including budgeting, procurement, and distribution of equipment. This aims to ensure that resources are allocated strategically to maximize operational effectiveness.
- d. **Logistics:** Streamline logistical processes to enhance the supply chain, transportation, and maintenance of equipment. An effective logistics module is crucial for sustaining military operations in diverse environments.
- e. **Communication Networks:** Establish a secure and reliable communication network that enables real-time information sharing among military units. This includes encrypted channels for classified information and interoperability with allied forces.

System Architecture: The military management system will be built on a robust and scalable architecture, incorporating the latest technologies in data management, security, and analytics. The system will be designed to accommodate future upgrades and expansions, ensuring its relevance in an ever-evolving military landscape.

- a. **Database Management:** Utilize a centralized database to store and retrieve information

related to personnel, resources, logistics, and strategic plans. Implement data encryption and access controls to ensure the security of sensitive information.

b. User Interface: Develop an intuitive and user-friendly interface for easy navigation and efficient use by military personnel. The interface should provide dashboards and visualizations to aid decision-making at various levels of command.

c. Integration: Ensure seamless integration with existing military systems and interoperability with allied forces' systems. This will facilitate smooth data exchange and collaborative efforts during joint operations.

d. Security Measures: Implement robust cybersecurity measures to protect against unauthorized access, data breaches, and cyber threats. Regular security audits and updates will be conducted to address emerging risks.

Command Structure Management:

Command Role Authority Organisationa Unit Personnel Deployment and Tracking: Personnel Deployment Tracking Record Skills Resource Allocation and Logistics Budget Procurement Inventory Logistics Plan Strategic Planning and Decision Support: Strategy Scenario Decision Support Tool Historical Data Communication Network Management Communication Channel Technology Integration Network Control Center Intelligence. Gathering and Analysis Intelligence Data Analysis Tool Information Sharing Allied Forces Training Program Coordination Training Program Schedule Training Record Simulation Tool Equipment Maintenance Tracking: Equipment Maintenance Schedule Alert Maintenance Record Risk Assessment and Mitigation: Risk Assessment Mitigation Strategy Monitoring Plan Crisis Response and Contingency Planning: Contingency Plan Rapid Deployment Protocol Communication Protocol Integration: Data Integration Protocol Cross-Functional Collaboration Security Measures Encryption Access Control Security Audit Record These entities represent the core components that the Military Management System will manage and interact with to fulfil its various functionalities. Depending on the specific requirements and design of the system additional entities may be identified or some of these entities may be further decomposed.

Implementation Plan:

The implementation of the military management system will follow a phased approach, starting with a pilot deployment in a controlled environment before full-scale integration across military branches. Training programs will be conducted to familiarize, personnel with the new system, and feedback mechanisms will be established for continuous improvement.

Entities from the Functionalities:

1. Command
2. Personnel
3. Resources
4. Logistics
5. Planning
6. Communication
7. Intelligence
8. Training
9. Equipment

Relationships and Cardinality Ratio:

- Command has many Personnel (1:N)
- Command allocates Resources (1:N)
- Logistics manages Resources (M:N)
- Planning involves Communication (M:N)
- Intelligence is gathered by Personnel (M:N)
- Training involves Personnel (M:N)
- Equipment is maintained by Personnel (M:N)
- Risk is assessed by Planning (M:N)

Participation Constraints:

- All Personnel must be part of a Command.
- Every Resource must be allocated by a Command.
- Logistics and Planning must involve at least one Resource.
- Intelligence involves at least one Personnel.
- Training involves at least one Personnel.
- Equipment is maintained by at least one Personnel.
- must assess at least one Risk.

Command Structure Management:

Command (1) Role Command (1) Authority Command (1) Organizational Unit

Personnel Deployment and Tracking: Personnel (M) Deployment Personnel (1) (M)

Tracking Record Resource Allocation and Logistics: Budget (1) Procurement (M) Inventory Logistics Plan (1) (M)

Inventory items Strategic Planning and Decision Support: Strategy (1) (M) Scenario Strategy (M) Decision Support Tool Historical Data (1) (M)

Decision Making Communication Network Management: Communication Channel (M) Technology Integration Communication Channel (1) (M)

Network Control Center Intelligence Gathering and Analysis: Intelligence Data (1) (M) Analysis Intelligence Data (M)

Allied Forces Training Program Coordination: Training Program (1) (M) Schedule Personnel (M) Training Simulation Tool (M)

Training Program Equipment Maintenance Tracking: Equipment (1) (M) Maintenance Schedule Equipment (1) (M) Maintenance Alert Maintenance Record (M)

Equipment Risk Assessment and Mitigation: Risk (1) (M) Assessment Risk (M) Mitigation Strategy Mitigation Strategy (1) (M)


Monitoring Plan Crisis Response and Contingency Planning: Contingency Plan (1) (M) Rapid Deployment Protocol Contingency Plan (1) (M)

Communication Protocol Integration: Data Integration Protocol (M) Entities Cross-Functional Collaboration (M)

Entities Security Measures:

Encryption (1) (M) Access Control Access Control (M) Security Audit Record In this classroom-style representation, (1) indicates one instance, (M) indicates many instances, indicates a variable number of instances, and (M:N) indicates a many-to-many relationship. This format is often used in educational settings to convey the relationships and cardinality between entities in a database schema.

ER-Diagram :



Database :

The screenshot shows the phpMyAdmin interface. On the left is the database navigation tree with 'military_management_system' selected. The main panel displays the 'Structure' view of this database. At the top, there's a 'Filters' section with a search box. Below it is a table listing the database's tables. The table has columns for 'Table', 'Action' (with icons for Browse, Structure, Search, Insert, Empty, Drop), 'Rows', 'Type', and 'Collation'. The tables listed are: command, commandresources, communication, equipment, intelligence, logistics, personnel, planning, resources, risk, and training. At the bottom, a summary row shows '11 tables' and 'Sum'. The right side of the table indicates 22 InnoDB tables with utf8mb4_general_ci collation.

Table	Action	Rows	Type	Collation
☐ command	★ Browse Structure Search Insert Empty Drop	2	InnoDB	utf8mb4_general_ci
☐ commandresources	★ Browse Structure Search Insert Empty Drop	2	InnoDB	utf8mb4_general_ci
☐ communication	★ Browse Structure Search Insert Empty Drop	2	InnoDB	utf8mb4_general_ci
☐ equipment	★ Browse Structure Search Insert Empty Drop	2	InnoDB	utf8mb4_general_ci
☐ intelligence	★ Browse Structure Search Insert Empty Drop	2	InnoDB	utf8mb4_general_ci
☐ logistics	★ Browse Structure Search Insert Empty Drop	2	InnoDB	utf8mb4_general_ci
☐ personnel	★ Browse Structure Search Insert Empty Drop	2	InnoDB	utf8mb4_general_ci
☐ planning	★ Browse Structure Search Insert Empty Drop	2	InnoDB	utf8mb4_general_ci
☐ resources	★ Browse Structure Search Insert Empty Drop	2	InnoDB	utf8mb4_general_ci
☐ risk	★ Browse Structure Search Insert Empty Drop	2	InnoDB	utf8mb4_general_ci
☐ training	★ Browse Structure Search Insert Empty Drop	2	InnoDB	utf8mb4_general_ci
11 tables	Sum	22	InnoDB	utf8mb4_general_ci

SQL CODE:

phpMyAdmin SQL Dump

version 5.1.1

<https://www.phpmyadmin.net/>

Host: 127.0.0.1

Generation Time: Nov 29, 2023 at 07:26 PM

Server version: 10.4.21-MariaDB

PHP Version: 8.0.11

```
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO"; START TRANSACTION;
```

```
SET time_zone = "+00:00";
```

```
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
```

```
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS
```

```
*/;
```

```
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
```

```
/*!40101 SET NAMES utf8mb4 */-- Database: `military_management_system`
```

Table structure for table `command`

```
CREATE TABLE `command` (  
  
  `command_id` int(11) NOT NULL,  
  
  `command_name` varchar(255) NOT NULL,  
  
  `command_location` varchar(255) DEFAULT NULL,  
  
  `command_leader` varchar(255) DEFAULT NULL
```

Dumping data for table `command`

```
INSERT INTO `command` (`command_id`, `command_name`, `command_location`,  
  
  `command_leader`) VALUES  
  
(1, 'Alpha Command', 'Base A', 'General Smith'),  
  
(2, 'Bravo Command', 'Base B', 'Colonel Johnson');
```

Table structure for table `commandresources`

```
CREATE TABLE `commandresources` (  
  
  `command_id` int(11) DEFAULT NULL,  
  
  `resource_id` int(11) DEFAULT NULL,  
  
  `allocation_date` date DEFAULT NULL
```



```
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

Dumping data for table `commandresources`

```
INSERT INTO `commandresources` (`command_id`, `resource_id`, `allocation_date`)
```

```
VALUES
```

```
(1, 1, '2023-01-01'),
```

```
(1, 2, '2023-02-15');
```

Table structure for table `communication`

```
CREATE TABLE `communication` (
```

```
`communication_id` int(11) NOT NULL,
```

```
`communication_details` varchar(255) NOT NULL,
```

```
`communication_type` varchar(50) DEFAULT NULL
```

```
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

Dumping data for table `communication`

```
INSERT INTO `communication` (`communication_id`, `communication_details`,
```

```
`communication_type`) VALUES
```

```
(1, 'Secure channel established', 'Secure'),
```

(2, 'Mission briefing transmitted', 'Regular');

Table structure for table `equipment`

```
CREATE TABLE `equipment` (  
  
  `equipment_id` int(11) NOT NULL,  
  
  `personnel_id` int(11) DEFAULT NULL,  
  
  `equipment_type` varchar(50) DEFAULT NULL,  
  
  `maintenance_status` varchar(50) DEFAULT NULL  
  
  ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

Dumping data for table `equipment`

```
INSERT INTO `equipment` (`equipment_id`, `personnel_id`, `equipment_type`,  
  
  `maintenance_status`) VALUES  
  
(1, 1, 'Rifle', 'Operational'),  
  
(2, 2, 'First aid kit', 'Under maintenance');
```

Table structure for table `intelligence`

```
CREATE TABLE `intelligence` (  
  
  `intelligence_id` int(11) NOT NULL
```

```
`personnel_id` int(11) DEFAULT NULL,
```

```
`intel_details` varchar(255) DEFAULT NULL
```

```
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

Dumping data for table `intelligence`

```
INSERT INTO `intelligence` (`intelligence_id`, `personnel_id`, `intel_details`) VALUES
```

```
(1, 1, 'Enemy troop movements reported'),
```

```
(2, 2, 'Satellite imagery analysis completed');
```

Table structure for table `logistics`

```
CREATE TABLE `logistics` (
```

```
`logistics_id` int(11) NOT NULL,
```

```
`resource_id` int(11) DEFAULT NULL,
```

```
`logistics_details` varchar(255) DEFAULT NULL
```

```
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

Dumping data for table `logistics`

```
INSERT INTO `logistics` (`logistics_id`, `resource_id`, `logistics_details`) VALUES
```

```
(1, 1, 'Ammunition shipment received'),
```

```
(2, 2, 'Fuel replenished');
```

Table structure for table `personnel`

```
CREATE TABLE `personnel` (  
  
  `personnel_id` int(11) NOT NULL,  
  
  `personnel_name` varchar(255) NOT NULL,  
  
  `command_id` int(11) DEFAULT NULL,  
  
  `rank` varchar(50) DEFAULT NULL,  
  
  `birthdate` date DEFAULT NULL  
  
  ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

Dumping data for table `personnel`

```
INSERT INTO `personnel` (`personnel_id`, `personnel_name`, `command_id`, `rank`,  
  
  `birthdate`) VALUES  
  
(1, 'John Doe', 1, 'Captain', '1990-05-15'),  
  
(2, 'Jane Smith', 1, 'Lieutenant', '1995-08-20');
```

Table structure for table `planning`

```
CREATE TABLE `planning` (  

```

```
`planning_id` int(11) NOT NULL,
```

```
`communication_id` int(11) DEFAULT NULL,
```

```
`plan_details` varchar(255) DEFAULT NULL
```

```
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

Dumping data for table `planning`

```
INSERT INTO `planning` (`planning_id`, `communication_id`, `plan_details`) VALUES
```

```
(1, 1, 'Operation XYZ briefing'),
```

```
(2, 2, 'Training exercise coordination');
```

Table structure for table `resources`

```
CREATE TABLE `resources` (
```

```
`resource_id` int(11) NOT NULL,
```

```
`resource_name` varchar(255) NOT NULL,
```

```
`resource_type` varchar(50) DEFAULT NULL,
```

```
`quantity` int(11) DEFAULT NULL
```

```
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

Dumping data for table `resources`

```
INSERT INTO `resources` (`resource_id`, `resource_name`, `resource_type`, `quantity`)
```

```
VALUES
```

```
(1, 'Ammunition', 'Munitions', 10000),
```

```
(2, 'Fuel', 'Supplies', 5000);
```

Table structure for table `risk`

```
CREATE TABLE `risk` (
```

```
`risk_id` int(11) NOT NULL,
```

```
`planning_id` int(11) DEFAULT NULL,
```

```
`risk_description` varchar(255) DEFAULT NULL
```

```
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

Dumping data for table `risk`

```
INSERT INTO `risk` (`risk_id`, `planning_id`, `risk_description`) VALUES
```

```
(1, 1, 'Potential enemy ambush'),
```

```
(2, 2, 'Weather-related risks'); --
```

Table structure for table `training`

```
CREATE TABLE `training` (
```

`training\_id` int(11) NOT NULL,

`personnel\_id` int(11) DEFAULT NULL,

`training\_details` varchar(255) DEFAULT NULL

) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;Dumping data for table `training`

INSERT INTO `training` (`training\_id`, `personnel\_id`, `training\_details`) VALUES

(1, 1, 'Combat training'),

(2, 2, 'Medical emergency response');

Indexes for dumped tables

Indexes for table `command`

ALTER TABLE `command`

ADD PRIMARY KEY (`command\_id`);

Indexes for table `commandresources`

ALTER TABLE `commandresources`

ADD KEY `command\_id` (`command\_id`),

ADD KEY `resource\_id` (`resource\_id`);

Indexes for table `communication`

```
ALTER TABLE `communication`
```

```
ADD PRIMARY KEY (`communication_id`);
```

Indexes for table `equipment`

```
ALTER TABLE `equipment`
```

```
ADD PRIMARY KEY (`equipment_id`),
```

Indexes for table `intelligence`

```
ALTER TABLE `intelligence`
```

```
ADD PRIMARY KEY (`intelligence_id`),
```

```
ADD KEY `personnel_id` (`personnel_id`);
```

Indexes for table `logistics`

```
ALTER TABLE `logistics`
```

```
ADD PRIMARY KEY (`logistics_id`),
```

Indexes for table `personnel`

```
ALTER TABLE `personnel`
```

```
ADD PRIMARY KEY (`personnel_id`),
```

```
ADD KEY `command_id` (`command_id`);
```


Indexes for table `planning`

```
ALTER TABLE `planning`
```

```
ADD PRIMARY KEY (`planning_id`),
```

```
ADD KEY `communication_id` (`communication_id`);
```

Indexes for table `resources`

```
ALTER TABLE `resources`
```

```
ADD PRIMARY KEY (`resource_id`);
```

Indexes for table `risk`

```
ALTER TABLE `risk`
```

```
ADD PRIMARY KEY (`risk_id`),
```

```
ADD KEY `planning_id` (`planning_id`);
```

Indexes for table `training`

```
ALTER TABLE `training`
```

```
ADD PRIMARY KEY (`training_id`),
```

```
ADD KEY `personnel_id` (`personnel_id`);
```

Constraints for dumped tables

Constraints for table `commandresources`

```
ALTER TABLE `commandresources`
```

```
ADD CONSTRAINT `commandresources_ibfk_1` FOREIGN KEY (`command_id`)
```

```
REFERENCES `command` (`command_id`),
```

```
ADD CONSTRAINT `commandresources_ibfk_2` FOREIGN KEY (`resource_id`)
```

```
REFERENCES `resources` (`resource_id`);
```

Constraints for table `equipment`

```
ALTER TABLE `equipment`
```

```
ADD CONSTRAINT `equipment_ibfk_1` FOREIGN KEY (`personnel_id`) REFERENCES
```

```
`personnel` (`personnel_id`);
```

Constraints for table `intelligence`

```
ALTER TABLE `intelligence`
```

```
ADD CONSTRAINT `intelligence_ibfk_1` FOREIGN KEY (`personnel_id`) REFERENCES
```

```
`personnel` (`personnel_id`);
```

Constraints for table `logistics`

```
ALTER TABLE `logistics`
```

```
ADD CONSTRAINT `logistics_ibfk_1` FOREIGN KEY (`resource_id`) REFERENCES
```

```
`resources` (`resource_id`);
```

Constraints for table `personnel`

```
ALTER TABLE `personnel`
```

```
ADD CONSTRAINT `personnel_ibfk_1` FOREIGN KEY (`command_id`) REFERENCES  
`command` (`command_id`);
```

Constraints for table `planning`

```
ALTER TABLE `planning`
```

```
ADD CONSTRAINT `planning_ibfk_1` FOREIGN KEY (`communication_id`)
```

```
REFERENCES `communication` (`communication_id`);
```

Constraints for table `risk`

```
ALTER TABLE `risk`
```

```
ADD CONSTRAINT `risk_ibfk_1` FOREIGN KEY (`planning_id`) REFERENCES `planning`
```

```
(`planning_id`);
```

Constraints for table `training`

```
ALTER TABLE `training`
```

```
ADD CONSTRAINT `training_ibfk_1` FOREIGN KEY (`personnel_id`) REFERENCES
```

```
`personnel` (`personnel_id`);
```

```
COMMIT;
```

```
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
```

```
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
```

Conclusion:

In conclusion, the comprehensive military management system is a strategic initiative to modernize and optimize military operations. By addressing key challenges and incorporating advanced technologies, this system aims to enhance the agility, coordination, and overall effectiveness of military forces in fulfilling their mission objectives.

Thank You