HUST

TRƯỜNG ĐẠI HỌC BÁCH KHOA HÀ NỘI

HANOI UNIVERSITY OF SCIENCE AND TECHNOLOGY

ONE LOVE. ONE FUTURE.

SOICT

School of Information and Communication Technology

ONE LOVE. ONE FUTURE.

TRƯỜNG ĐẠI HỌC
BÁCH KHOA HÀ NỘI
HANOI UNIVERSITY
OF SCIENCE AND TECHNOLOGY

IT3180 – Introduction to Software Engineering

6 – Project Management

ONE LOVE. ONE FUTURE.

The Aim of Project Management

To complete a project:

- On time
- On budget
- With required functionality
- To the satisfaction of the client
- Without exhausting the team

To provide visibility about the progress of a project

To give early warning of problems so that corrections can be made

The challenge of Project Management (1)

What do clients want to know?

- Will the system do what was promised? (**Function**)
- When will it be delivered? If late, how late? (**Time**)
- How does the cost compare with the budget? (**Cost**)

The challenge of Project Management (2)

Often, the software is a part of larger activity:

- If the system is a product, marketing and development must be combined (e.g., Microsoft Office)
- If the system has to work with other systems, developments must be coordinated (e.g., embedded systems in an automobile)

The challenge of Project Management (3)

BUT:

- Every software system is different.
- Most systems are not well specified, or the requirements change during development.
- Estimate time and effort is full of errors, even when the system is well understood.

Aspects of Project Management (1)

- **Planning**
  - Outline schedule during feasibility study
  - Full schedule for each part of a project (e.g., each process step, iteration, or sprint)
- **Contingency planning**
  - Anticipate possible problems (risk management)

Aspects of Project Management (2)

- **Progress tracking**
  - Regular comparison of progress against plan
  - Regular modification of the plan
  - Changes of scope, etc. made jointly by client and developers
- **Final analysis**
  - Analysis of project for improvements during next project

Terminology (1)

- **Deliverable**
  - Work product that is provided to the client (mock-up, demonstration, prototype, report, presentation, documentation, code, etc.)
  - Release of a system or subsystem to customers and users
- **Milestone**
  - Completion of a specified set of activities (e.g., delivery of a deliverable, completion of a process step, end of a sprint)

Terminology (2)

- **Activity**
  - Part of a project that takes place over time (also known as a **task**)
  - Release of a system or subsystem to customers and users
- **Event**
  - The end of a group of activities, e.g., agreement by all parties on the budget and plan
- **Dependency**
  - An activity that cannot begin until some event is reached
- **Resource**
  - Staff time, equipment, or other limited resource required by an activity

Standard approach to Project Management

- The **scope** of the project is defined early in the process.
- The development is divided into **tasks** and **milestones**.
- **Estimates** are made of the **time** and **resources** needed for each task.
- The estimates are combined to create a **schedule** and a **plan**.
- **Progress** is continually **reviewed** against the plan, perhaps weekly.
- The **plan** is **modified** by changes to scope, time, resources, etc.

Typically the plan is managed by a **separate project management team**, not by the software developers.

Used with the Modified Waterfall Model and Iterative Refinement.

Agile Approach to Project Management

- Planning is divided into high level **release forecasting** and low level **detailed planning**.
- Release planning is a best guess, high level view of what can be achieved in a sequence of **time-boxes**.
- Release plans are continually **modified**, perhaps daily.
- **Clients** and **developers** take joint control of the release plans and choice of sprints.
- For each **time-box**, the **team** plans what it can achieve.

The team may use **Gantt charts** or other conventional planning tools.

Project Planning Tools

Critical Path Method, Gantt Charts

- Build a work-plan from activity data
- Display work-plan in graphical or tabular form.

Project planning software (e.g., Microsoft Project)

- Maintain a database of activities and related data
- Calculate and display schedules
- Manage progress reports

A Simple Gantt Chart



Source: Advanced Software Engineering Limited

Gantt Chart (1)

Used for small projects, single time-boxes, and sprints

- Dates run along the top (days, weeks, or months).
- Each row represents an activity.
- Activities may be sequential, in parallel or overlapping.
- The schedule for an activity is a horizontal bar.
- The left end marks the planned beginning of the task.
- The right end marks the expected end date.
- The chart is updated by filling in each activity to a length proportional to the work accomplished. This is often difficult.
- Progress to date can be compared with the plan by drawing a vertical line through the chart at the current date.

Activity Graph

A group of scheduling techniques that emphasizes dependencies:



Example: Activity Graph



Scheduling using Activity Graphs: History

PERT

- Program Evaluation and Review Technique introduced by the U.S. Navy in 1957 to support the development of its Polaris submarine missile program.

PERT/Time

- Activity graph with three time estimates (shortest, most probable, longest) on each activity to compute schedules.
- Because of the difficulty of obtaining good time estimates, usually only one esDmate is made. This is called the **Critical Path Method**.

PERT/Cost

- Added scheduling of resources (e.g., facilities, skilled people, etc.)

Time Estimates for Activities (weeks)



Example: Building a house

Project activities:

- install landscaping
- pour foundations
- frame walls
- install plumbing systems
- get permits
- install electrical systems
- move in

Example: Building a house

Activities in order, Durations, Labels, Dependencies

Project tasks	Durations	Labels	Preds.	Post
Get permits				
Pour foundations				
Frame walls				
Install plumbing systems				
Install electrical systems				
Install landscaping				
Move in				

Example: Building a house

Activities in order, Durations, Labels, Dependencies

Project tasks	Durations	Labels	Preds.	Post
Get permits	2			
Pour foundations	6			
Frame walls	5			
Install plumbing systems	4			
Install electrical systems	6			
Install landscaping	9			
Move in	3			

Example: Building a house

Activities in order, Durations, Labels, Dependencies

Project tasks	Durations	Labels	Preds.	Post
Get permits	2	A		
Pour foundations	6	B		
Frame walls	5	C		
Install plumbing systems	4	D		
Install electrical systems	6	E		
Install landscaping	9	F		
Move in	3	G		

Example: Building a house

Activities in order, Durations, Labels, Dependencies

Project tasks	Durations	Labels	Preds.	Post
Get permits	2	A	--	B
Pour foundations	6	B	--	C, F
Frame walls	5	C	B	D
Install plumbing systems	4	D	A, C	E
Install electrical systems	6	E	D	G
Install landscaping	9	F	B	G
Move in	3	G	E, F	--

Example: Building a house

Create a precedency diagram



Example: Building a house

Add duration to each node in the diagram



Critical Path Method

- Uses an **Activity Graph** with single time estimate for each activity
- A standard method for managing large construction projects
- On big projects, activity graphs with more than 10,000 activities are common
- Based on the estimated duration, calculate the theoretical Early Start , Early Finish, Late Start and Late Finish for each activity

ES, EF, LF, LS

- **Earliest start date (ES)**: the earliest date that it is possible to start an activity, given that its precedent activities must be completed first

- **Earliest finish date (EF)**: the date that all the activities ending at that node will be completed, assuming that every activity begins at its earliest start date
  - Equal to the earliest start time for the activity plus the time required to complete the activity

- **Latest finish time (LF):** the latest time at which the activity can be completed without delaying the project
- **Latest start time (LS):** equal to the latest finish time minus the time required to complete the activity

Identify Critical Path

- The critical path is the longest-duration path through the network
- Determining the following four parameters for each activity

- **Slack time** (float time): how much extra time you have available for a particular activity?

Example: Building a house

How many paths are there in this network?



A-D-E-G = 15

B-C-D-E-G = 24

B-F-G = 18

Example: Building a house

Which is the longest path?



A-D-E-G = 15

B-C-D-E-G = 24

B-F-G = 18

Calculate Slack time

For each activity, calculate ES, EF, LS, LF and slack time

ES	**Duration**	**EF**
Activity		
LS	**Slack**	**LF**

Calculate Slack time (2)

- The float is how long an activity's duration can extend before it lengthens the project duration
- The float for any activity on the critical path is **zero**
- The float for **non-critical activities** is the critical path duration ***minus*** the duration of the activity's path
- If **an activity** is on **multiple paths**, its float is the one that is **least**

Calculate Slack time (3)

- The critical path has a duration of 24
- The Slack time of activities B, C, D, E, G are all 0.



Calculate Slack time (4)

- With path B-F-G has a duration of 18, the Slack time of F (non-critical path activities) is 24–18 = 6
- What's about the activity A?



Calculate Slack time (5)



Calculate ES and EF (1)

- ES and EF are calculated by doing a **forward** pass through the diagram
- The **ES** of *activities after the start node* is **1**
- The **EF** of an activity is its **ES** *plus* **its duration** *minus* **1**
- The **ES** is the **EF** of the predecessor activity *plus* **1**
- If there are multiple predecessor activities, use the *greatest EF*

Calculate ES and EF (2)



Calculating LS and LF (1)

- Late start is the latest time that an activity can start
  - If an activity is on a path that's much **shorter** than the critical path, then it can start very **late without delaying** the project

- Late finish is the latest time that an activity can finish
  - If an activity is on a **shorter** path than the critical path and all of the other activities on that path start and finish early, then it can finish very **late without delaying** the project

Calculating LS and LF (2)

- LS and LF are calculated by doing a backward pass through the diagram

- Start with the longest path and work your way from the end node to the start node
  - Do the same thing for the next longest path, and so on
  - Don’t recalculate the LS or LF for an activity that’s already been calculated on a prior backward pass.

Calculating LS and LF (3)

- The **LS** and **LF** of the **last activity** in the **critical path** will be *the same as its ES and EF*
- The **LF** of **non-critical activities** with the end node as their successor will be the **LF** of the last critical path activity
- The **LF** of an activity is the **LS** of its successor *minus* **1**
  - If there are multiple successor activities, use the *least LS*
- The **LS** is the **LF** of the activity *minus* its **duration** *plus* **1**

Calculating LS and LF (4)



Discussion

- What are the critical activities?
- How long will it take to complete this project?
- Can activity D be delayed without delaying the entire project? If so, how many weeks?
- Can activity F be delayed without delaying the entire project? If so, how many weeks
- What is the schedule for activity C?

7. Project Management

(end of lecture)

ONE LOVE. ONE FUTURE.