CITRUS REFERENCE BOOK

Florida Department of Citrus

Economic and Market Research Department

May 2007

www.floridajuice.com

Florida Department of Citrus

Economic and Market Research Department

GAINESVILLE OFFICE:

2125 McCarty Hall, P.O. Box 110249 University of Florida Gainesville, FL 32611-0249 USA

PHONE: 352-392-1874 • FAX: 352-392-8634

CAROLYN BROWN Data Base Analyst	E-Mail: CBrown1@ufl.edu
MARK G. BROWN Senior Research Economist	E-Mail: MGBrown@ufl.edu
JONQ-YING LEE Senior Research Economist	E-Mail: jonqying@ufl.edu
VERA SODEK Administrative Assistant	E-Mail: VMSodek@ufl.edu

LAKELAND OFFICE:

1115 East Memorial Boulevard, P.O. Box 148 Lakeland, FL 33802-0148 USA PHONE: 863-499-2494 ● FAX: 863-499-2436

ROBERT P. NORBERG Dep. Ex. Dir. of Research & Operations	E-Mail: BNORBERG@citrus.state.fl.us
VALERIE BARNHARDT Market Research Analyst	E-Mail: VBARNHARDT@citrus.state.fl.us
SHELBY COE Administrative Assistant	E-Mail: SCOE@citrus.state.fl.us

Table of Contents

	<u>Page</u>
ACREAGE, PRODUCTION AND UTILIZATION	4
Bearing Acreage: Oranges	
Bearing Acreage: Grapefruit	
Florida Commercial Citrus Acreage	
Florida Commercial Citrus Bearing Acreage	
Florida Commercial Citrus Trees	
Florida Commercial Citrus Bearing Trees	. 6
Production: Oranges	. 7
Production: Grapefruit	. 8
Production: Specialty Fruit	. 9
USDA Orange Crop Estimates Versus Actual Production	. 10
USDA Florida Temple Crop Estimates Versus Actual	
Production	. 11
USDA Grapefruit Crop Estimates Versus Actual Production	. 12
USDA Crop Estimates (Current)	. 13
USDA Florida FCOJ Gallons-per-Box Yield Estimates	. 14
USDA Specialty Crop Estimates Versus Actual Production	. 15
Utilization of Florida Oranges	. 16
Utilization of Florida Grapefruit	. 17
Total Shipments of Florida Fresh Citrus	. 18
Florida Fresh Grapefruit Shipments	. 19
Florida Fresh Orange and Temple Shipments	
World Orange Production	. 21
World Grapefruit Production	
World Tangerine Production	
BRAZIL	
Brazil: Bearing Trees, Production and Utilization of Oranges	
in the State of São Paulo	. 24
Brazil FCOJ Exports and Prices	. 25

	<u>Page</u>
SUPPLY AND AVAILABILITY	
Estimated U.S. Orange-Juice Availability	. 26
Estimated U.S. Orange-Juice Supply and Demand	. 27
Estimated U.S. Grapefruit-Juice Availability	. 28
Estimated U.S. Grapefruit-Juice Supply and Demand	. 29
ECONOMIC INDICATORS	
General Economic Indicators	. 30
Estimated FOB Value of the Florida Citrus Industry, 2005-06	. 31
Estimated Economic Impact of the Citrus Industry on Florida's Economy, 2003-04	. 31
Florida Land Value Survey, Estimated Value Per Acre by Geographic Area and Land Use (Weighted Estimates)	
FCOJ FUTURES	
Certification and Carrying Costs for FCOJ Futures Contracts	. 33
New York FCOJ Monthly Average Nearby Futures	
Settlement Price	. 34
New York NFC-OJ Monthly Average Nearby Futures Settlement Price	25
Semiement Price	. 33
CONVERSIONS AND EQUIVALENTS	
Single-Strength & Chilled Juice	. 37
Canned & Chilled Sections	. 37
Concentrate Factors (3+1)	. 38
FCOJ 42.0° Brix Equivalent Conversion Factors Bulk	
for Manufacturing	
Canned Citrus Fruit & Single-Strength Juice	. 39
Citrus Box Weights: Approximate Net Weight in Pounds by	40
Fruit Type and States	
Florida Citrus Product Seasons	
Significant Florida Citius Den Fleeze and Humbane Dates	. 40

<u>P</u>	<u>age</u>
Case Equivalents	40
Concentrate	
Chilled	40
Canned	40
Basic Metric Conversions	
Commonly Used Brix Equivalents	41
Pounds Solids and Weight per Gallon at Various Degrees	40
Brix	
International Marketing Conversion Tables	44
IMPORTS AND EXPORTS	
U.S. Orange-Juice Imports	45
U.S. Citrus-Juice Exports	46
U.S. Imports of Fresh Citrus	47
U.S. Exports of Fresh Citrus	48
Florida and Imported FCOJ Prices	49
History of the U.S. Orange Juice Tariff	50
MOVEMENT, PACK AND INVENTORY	
Florida FCOJ Movement by Product Type	51
Florida FCOJ Inventories, Pack and Movement	52
Florida COJ Inventories, Pack and Movement	53
Florida CSSOJ Inventories, Pack and Movement	54
Florida FCGJ Inventories, Pack and Movement	55
Florida CGJ Inventories, Pack and Movement	56
Florida CSSGJ Inventories, Pack and Movement	57
PRICES, SALES, VALUES AND CONSUMPTION	
Florida Orange On-Tree Earnings Per Box	58
Florida Grapefruit On-Tree Earnings Per Box	59
Total On-Tree Earnings of the Florida Citrus Industry	60
Delivered-In Prices Reported by Florida Citrus Processors Association for Oranges Purchased	61
^>>Ualiye> Fululla564	UI

	<u>Page</u>
Delivered-In Prices Reported by Florida Citrus Processors Association for Grapefruit Purchased	
Nielsen Retail OJ Sales in Grocery Stores > \$2 Million Annual Sales	
Nielsen Retail OJ Sales in All-Outlet Stores	
Nielsen Retail GJ Sales in All-Outlet Stores	
Nielsen Retail GJ Sales, U.S	
Annual Sales Nielsen Retail GJ and GJ Cocktail Sales in Grocery Stores	
>\$2 Million Annual Sales	
U.S. Per Capita Beverage Consumption	70
INDUSTRY STANDARDS / NUTRITION	
Nutrition Values of Citrus	71
U.S. Grade A Frozen Concentrated Juice Standards	72
U.S. Grade A Concentrated Juice for Manufacturing	
Standards	
U.S. Grade A Juice from Concentrate Standards	
U.S. Grade A Juice Standards	
Florida Orange Standards	
Florida Grapefruit Standards	
Florida Grapefruit-Juice Requirements	78
Florida Temple Orange Standards	79
Florida Tangerine Standards (November 15-July 31)	80
Florida Tangerine Standards (August 1-November 14)	
Florida Tangelo Standards	82
GLOSSARY OF ACRONYMS	83

Bearing Acreage: Oranges

Season	Florida	Texas	Calif.	Arizon a	U.S.ª	Florida Temples
			1,000	acres		
1981-82	560.2	23.7	180.2	13.6	777.7	16.8
1982-83	536.8	24.0	177.4	12.6	750.8	15.8
1983-84	474.2	24.3	177.1	12.6	688.2	13.5
1984-85	420.1	11.4	175.3	10.9	617.7	12.2
1985-86	367.6	8.3	174.6	11.0	561.5	10.0
1986-87	375.4	10.3	172.9	10.9	569.5	9.4
1987-88	380.2	11.1	172.6	10.6	574.5	9.3
1988-89	388.7	12.0	177.6	10.4	588.7	9.3
1989-90	399.5	13.0	175.1	10.2	597.8	8.0
1990-91	420.9	3.5	178.4	9.9	612.7	7.7
1991-92	444.4	3.5	181.8	10.4	640.1	7.1
1992-93	489.2	4.4	184.0	10.6	688.2	7.3
1993-94	510.8	5.5	185.0	10.6	711.9	6.7
1994-95	562.8	7.0	191.0	10.4	771.2	6.8
1995-96	594.8	7.9	196.0	9.4	808.1	6.6
1996-97	624.9	8.7	200.0	10.0	843.6	6.7
1997-98	609.2	9.5	200.2	9.1	828.0	6.2
1998-99	612.6	9.1	201.5	6.9	830.1	6.0
1999-00	602.1	9.1	195.5	6.2	812.9	5.8
2000-01	605.0	9.1	194.5	6.4	815.0	5.5
2001-02	586.9	9.3	195.0	6.4	797.6	4.7
2002-03	587.6	8.8	189.5	5.8	791.7	4.2
2003-04	564.8	8.8	184.0	5.5	763.1	3.4
2004-05	541.8	8.8	182.0	5.0	737.6	2.9
2005-06 ^b	491.0	8.8	181.0	4.3	685.1	2.5
2006-07						

^aMay not add up due to rounding.

^bPreliminary.

Bearing Acreage: Grapefruit

		<u> </u>		_	
Season	Florida	Texas	Calif.	Arizona	U.S.
			- 1,000 acres	S	
1981-82	127.8	41.1	22.0	8.2	199.1
1982-83	128.6	42.2	21.7	6.8	199.3
1983-84	119.6	43.3	21.9	6.8	191.6
1984-85	115.5	19.1	21.1	7.1	162.8
1985-86	105.1	13.5	20.9	5.7	145.2
1986-87	106.0	15.2	20.8	5.9	147.9
1987-88	106.0	16.0	20.7	6.0	148.7
1988-89	106.9	16.9	19.9	6.5	150.2
1989-90	103.0	18.7	19.2	6.4	147.3
1990-91	104.2	4.5	18.3	6.2	133.2
1991-92	104.7	7.5	18.5	5.9	136.6
1992-93	111.9	10.1	17.8	5.9	145.7
1993-94	118.3	12.8	18.0	5.9	155.0
1994-95	127.3	15.0	18.4	5.7	166.4
1995-96	132.8	17.7	18.8	5.1	174.4
1996-97	139.2	20.4	18.0	4.4	182.0
1997-98	127.8	23.1	16.8	4.0	171.7
1998-99	116.6	20.0	16.6	3.3	156.5
1999-00	114.1	20.0	16.6	2.8	153.5
2000-01	107.8	20.0	15.4	2.0	145.2
2001-02	101.3	19.0	14.0	2.0	136.3
2002-03	95.5	18.5	13.0	1.5	128.5
2003-04	82.3	18.5	12.5	1.5	114.8
2004-05	71.0	18.5	12.0	1.5	103.0
2005-06 ^b	59.8	18.5	11.5	1.2	91.0
2006-07					

^aPreliminary.

Florida Commercial Citrus Acreage

Census Year	Oranges	Grapefruit	Specialty Fruit ^a	Total	
	acres				
1970	715,806	124,050	101,615	941,471	
1972	659,418	124,142	94,459	878,019	
1974	642,431	130,326	91,341	864,098	
1976	628,567	137,909	85,893	852,369	
1978	616,020	136,342	78,873	831,235	
1980	627,174	139,944	78,165	845,283	
1982	636,864	139,939	71,053	847,856	
1984	573,991	134,680	52,694	761,365	
1986	466,252	117,845	40,395	624,492	
1988	536,737	119,606	41,586	697,929	
1990	564,809	125,300	42,658	732,767	
1992	608,636	135,166	47,488	791,290	
1994	653,370	146,915	53,457	853,742	
1996	656,598	144,416	56,673	857,687	
1998	658,390	132,817	54,053	845,260	
1999	_	121,258	_	_	
2000	665,529	118,145	48,601	832,275	
2002	648,806	105,488	43,009	797,303	
2004	622,821	89,048	36,686	748,555	
2006	529,241	63,419	28,713	621,373	
2008					

^aIncludes lemons, limes and other citrus.

Florida Commercial Citrus Bearing Acreage

Census Year	Oranges	Grapefruit	Specialty Fruit ^a	Total
		ac	res	
1970	636,128	98,702	82,308	817,138
1972	624,209	112,554	87,485	824,248
1974	614,608	115,767	86,961	817,336
1976	596,432	117,856	81,871	796,159
1978	578,968	120,310	75,191	774,469
1980	576,615	126,395	72,757	775,767
1982	560,203	127,826	66,028	754,057
1984	474,269	119,630	48,983	642,882
1986	367,581	105,134	37,996	510,711
1988	380,163	105,962	35,677	521,802
1990	399,505	102,959	33,854	536,318
1992	444,421	104,719	36,511	585,651
1994	510,819	118,298	38,404	667,521
1996	594,775	132,838	47,742	775,355
1998	609,194	127,839	50,599	787,632
1999	_	116,599	_	_
2000	602,136	114,089	46,174	762,399
2002	586,859	101,338	41,334	729,531
2004	564,844	82,318	34,833	681,995
2006	490,971	59,776	27,839	578,586
2008				

^aIncludes lemons, limes and other citrus.

Florida Commercial Citrus Trees

Census Year	Oranges	Grapefruit	Specialty Fruit ^a	Total
		1,000	O trees	
1970	57,801.5	8,925.4	9,935.7	76,662.6
1972	53,731.1	9,012.7	9,345.8	72,089.6
1974	52,521.7	9,647.2	9,140.2	71,309.1
1976	51,595.3	10,398.1	8,553.6	70,547.0
1978	50,843.2	10,412.5	7,881.1	69,136.8
1980	51,977.8	10,768.7	7,905.9	70,652.4
1982	53,504.5	10,833.1	7,232.3	71,569.9
1984	49,884.7	10,582.9	5,507.9	65,975.5
1986	43,461.4	9,624.0	4,443.4	57,528.8
1988	54,536.6	10,081.2	4,690.4	69,308.2
1990	62,613.4	11,193.2	5,074.7	78,881.3
1992	72,826.3	13,119.2	6,070.2	92,015.7
1994	81,614.4	15,004.0	7,114.0	103,732.4
1996	84,155.4	15,116.9	7,824.5	107,096.8
1998	85,430.6	14,079.1	7,600.5	107,110.2
1999	-	12,961.2	_	_
2000	87,200.1	12,668.6	6,810.0	106,678.7
2002	85,751.1	11,329.2	6,091.7	103,172.0
2004	82,978.5	9,748.3	5,218.2	97,945.0
2006	70,849.4	6,971.4	4,088.2	81,909.0
2008				

^aIncludes lemons, limes and other citrus.

Florida Commercial Citrus Bearing Trees

Census Year	Oranges	Grapefruit	Specialty Fruit ^a	Total
		1,000) trees	
1970	49,404.2	6,746.6	7,603.8	63,754.6
1972	49,786.5	8,032.1	8,373.4	66,192.0
1974	49,466.9	8,362.6	8,559.6	66,389.1
1976	48,373.8	8,598.9	8,075.0	65,047.7
1978	47,454.5	8,969.7	7,416.8	63,841.0
1980	47,366.3	9,586.2	7,196.5	64,149.0
1982	46,078.5	9,753.9	6,555.4	62,387.8
1984	39,777.7	9,192.8	5,044.9	54,015.4
1986	32,708.0	8,367.7	4,154.6	45,230.3
1988	35,537.3	8,654.7	3,928.7	48,120.7
1990	40,666.0	8,748.5	3,882.1	53,296.6
1992	49,577.1	9,556.9	4,427.3	63,561.3
1994	61,707.7	11,514.1	4,825.8	78,047.6
1996	75,286.6	13,632.8	6,340.1	95,259.5
1998	78,586.5	13,469.6	7,034.1	99,090.2
1999	-	12,431.4	_	_
2000	78,721.0	12,204.1	6,461.4	97,386.5
2002	77,595.9	10,869.7	5,854.3	94,319.9
2004	75,391.7	8,967.9	4,972.2	89,331.8
2006	65,954.4	6,543.2	3,973.7	76,471.3
2008				

^aIncludes lemons, limes and other citrus.

Production: Oranges

Season	Florida	Texas	Calif.	Arizon a	U.S.ª	Florida Temples
			- million 90-p	ound boxes	8	
1981-82	125.8	5.6	34.9	2.5	168.9	3.2
1982-83	139.6	5.4	63.4	3.2	211.5	4.7
1983-84	116.7	2.4	40.4	1.5	161.0	2.9
1984-85	103.9	.0	43.7	2.0	149.6	3.3
1985-86	119.2	.3	44.9	1.7	166.1	3.0
1986-87	119.7	.8	48.3	2.3	171.0	3.4
1987-88	138.0	1.4	49.2	1.5	190.0	3.6
1988-89	146.6	1.7	49.1	1.4	198.8	3.8
1989-90	110.2	1.1	59.5	1.3	172.2	1.4
1990-91	151.6		21.3	1.5	174.4	2.5
1991-92	139.8	b	56.2	2.0	198.0	2.4
1992-93	186.6	.5	55.7	1.5	244.3	2.5
1993-94	174.4	.5	53.0	1.6	229.5	2.3
1994-95	205.5	1.0	46.7	.9	254.0	2.6
1995-96	203.3	.9	48.3	1.4	253.9	2.2
1996-97	226.2	1.3	53.3	1.2	282.0	2.4
1997-98	244.0	1.4	57.5	.8	303.8	2.3
1998-99	186.0	1.4	30.0	1.0	218.3	1.8
1999-00	233.0	1.6	53.3	.9	288.8	2.0
2000-01	223.3	2.1	45.4	.8	271.6	1.3
2001-02	230.0	1.6	42.9	.4	275.0	1.6
2002-03	203.0	1.5	51.7	.4	256.5	1.3
2003-04	242.0	1.6	42.1	.4	286.0	1.4
2004-05	149.8	1.7	53.8	.4	205.6	.7
2005-06°	147.9	1.5	47.9	.5	197.7	.7
2006-07						d

^aMay not add up due to rounding.

^bLess than 50,000 boxes.

^cPreliminary.

^dTemples included in Oranges beginning 2006-07.

Production: Grapefruit

Season	Florida	Texas	Calif.	Arizona	U.S.
		millio	on 85-pound b	oxes	
			•		
1981-82	48.1	13.1	4.7	1.8	67.7
1982-83	39.4	10.5	5.6	2.0	57.6
1983-84	40.9	3.0	5.5	1.7	51.2
1984-85	44.0	.0	6.7	2.3	53.0
1985-86	46.8	.2	6.2	2.1	55.3
1986-87	49.8	1.8	7.1	2.1	60.8
1987-88	53.9	3.6	7.0	1.5	65.9
1988-89	54.8	4.5	6.1	1.5	66.9
1989-90	35.7	1.9	7.2	1.7	46.4
1990-91	45.1		6.1	1.8	53.0
1991-92	42.4	.1	7.6	2.1	52.2
1992-93	55.2	1.8	7.0	1.6	65.6
1993-94	51.1	2.8	7.3	1.4	62.6
1994-95	55.7	4.4	7.3	1.1	68.5
1995-96	52.4 ^a	4.3	6.4	.9	64.0
1996-97	55.8⁵	5.0	6.5	.6	67.9
1997-98	49.6 ^b	4.5	6.3	.6	61.0
1998-99	47.1	5.7	5.8	.6	59.1
1999-00	53.4	5.6	5.7	.4	65.0
2000-01	46.0°	6.8	5.0	.2	57.9
2001-02	46.7	5.6	4.7	.1	57.0
2002-03	38.7	5.3	4.4	.1	48.5
2003-04	40.9	5.4	4.6	.1	50.9
2004-05	12.8	6.2	4.8	.1	23.9
2005-06 ^d	19.3	4.9	4.7	.1	29.0
2006-07					

^aExcludes 3 million boxes of economic abandonment. ^bExcludes 6 million boxes of economic abandonment. ^cExcludes 2 million boxes of economic abandonment. ^dPreliminary. SOURCE: FASS.

Production: Specialty Fruit

Saasan	Ta	ngerine	es	F	Florida		Lemons		
Season	Florida	Calif.	Arizona	Tangelos	K-Early	Limes	Calif.	Arizona	
				1,000 b	oxes				
1981-82	4,100	1,730	750	5,100	400	1,300	18,500	6,300	
1982-83	3,400	2,150	1,100	3,800	280	1,700	20,300	5,050	
1983-84	2,975	1,850	1,150	3,600	520	1,440	17,250	4,000	
1984-85	1,840	1,680	1,100	3,600	125	1,640	19,800	5,650	
1985-86	1,950	1,800	950	2,950	160	1,725	15,100	3,100	
1986-87	2,340	2,230	900	4,000	220	1,450	21,500	7,100	
1987-88	2,450	2,090	600	4,200	240	1,300	17,000	3,650	
1988-89	2,900	2,040	650	3,800	320	1,250	16,200	3,800	
1989-90	1,700	1,650	600	2,950	210	1,650	15,800	2,800	
1990-91	1,950	1,350	600	2,650	160	1,450	14,800	4,100	
1991-92	2,600	2,440	1,200	2,600	165	1,600	15,100	5,100	
1992-93	2,800	2,100	950	3,050	185	1,000	20,400	4,400	
1993-94	4,100	2,300	1,000	3,350	210	200	20,700	5,200	
1994-95	3,550	2,500	650	3,150	120	230	20,000	3,600	
1995-96	4,500	2,600	1,000	2,450	160	300	21,000	5,100	
1996-97	6,300	2,600	750	3,950	150	320	22,600	2,700	
1997-98	5,200	2,400	600	2,850	40	440	21,000	2,600	
1998-99	4,950	1,500	950	2,550	80	500	16,200	3,450	
1999-00	7,000	2,500	850	2,200	110	600	19,000	3,100	
2000-01	5,600	2,200	650	2,100	40	250	22,600	3,600	
2001-02	6,600	2,200	620	2,150	30	150	18,300	2,800	
2002-03	5,500	2,800	430	2,350	а	а	24,000	3,000	
2003-04	6,500	2,200	690	1,000	а	а	18,000	3,000	
2004-05	4,450	2,900	400	1,550	а	а	20,500	2,400	
2005-06 ^b	5,500	3,600	550	1,400	a	а	21,000	3,800	
2006-07			eliminar				Citrus S		

^aNo longer reported.

^bPreliminary.

USDA Orange Crop Estimates Versus Actual Production

Canada		Florida	9 0		Californi	a		Texas			Arizona		Total
Season	Oct.	Actual	+/-	Oct.	Actual	+/-	Oct.	Actual	+/-	Oct.	Actual	+/-	Oct.
						millio	n boxe	s ^b					
1991-92	136.0	139.8	3.8	53.0	67.4	14.4	.1	С	-	2.1	2.4	.3	191.2
1992-93	186.0	186.6	.6	68.0	66.8	-1.2	.5	.5	-	1.9	1.9	-	256.4
1993-94	172.0	174.4	2.4	65.0	63.6	-1.4	.5	.6	.1	2.0	1.9	1	239.5
1994-95	196.0	205.5	9.5	65.0	56.0	-9.0	1.0	1.1	.1	1.7	1.1	6	263.7
1995-96	202.0	203.3	1.3	66.0	58.0	-8.0	1.2	.9	3	1.1	1.7	.6	270.3
1996-97	220.0	226.2	6.2	63.0	64.0	1.0	1.5	1.4	1	1.5	1.4	1	286.0
1997-98	254.0	244.0	-10.0	74.0	69.0	-5.0	1.6	1.5	1	1.0	1.0	-	330.6
1998-99	190.0	186.0	-4.0	62.0	36.0	-26.0	1.4	1.4	-	1.0	1.2	.2	254.4
1999-00	211.0	233.0	22.0	67.0	64.0	-3.0	1.6	1.7	.1	.9	1.1	.2	280.5
2000-01	240.0	223.3	-16.7	59.0	54.5	-4.5	2.0	2.2	.2	1.1	.9	2	302.1
2001-02	231.0	230.0	-1.0	54.0	51.5	-2.5	2.2	1.7	5	.8	.5	3	288.0
2002-03	197.0	203.0	6.0	63.0	62.0	-1.0	1.6	1.6	-	.5	.5	-	262.0
2003-04	252.0	242.0	-10.0	59.0	50.5	-8.5	1.6	1.7	.1	.5	.5	_	313.0
2004-05	176.0	149.8	-26.2	62.0	64.5	+2.5	1.9	1.8	1	.4	.4	-	240.3
2005-06	190.0	147.9	-42.1	55.0	57.5	+2.5	1.5	1.6	+.1	.5	.5	-	247.0
2006-07	135.0 ^d			46.0			1.8			.4			183.1

^aMay not add up due to rounding. SOURCE: FASS.

^cLess than 50,000 boxes.

dIncludes Temples.

USDA Florida Temple Crop Estimates Versus Actual Production

	Versus Actual Production										
Season	October	Actual	+/-								
	millio	on 90-pound boxes									
1984-85	3.7	3.3	4								
1985-86	3.5	3.0	5								
1986-87	3.6	3.4	2								
1987-88	3.4	3.6	.2								
1988-89	3.8	3.8	_								
1989-90	3.0	1.4	-1.6								
1990-91	3.1	2.5	6								
1991-92	2.6	2.4	2								
1992-93	2.7	2.5	2								
1993-94	2.3	2.3	_								
1994-95	2.6	2.6	_								
1995-96	2.2	2.2	_								
1996-97	2.5	2.4	1								
1997-98	2.3	2.3	_								
1998-99	2.0	1.8	2								
1999-00	2.1	2.0	1								
2000-01	1.8	1.3	5								
2001-02	1.4	1.6	.2								
2002-03	1.4	1.3	1								
2003-04	1.4	1.4	_								
2004-05	.8	.7	1								
2005-06	.9	.7	2								

NOTE: 2006-07 Temples included in round oranges.

USDA Grapefruit Crop Estimates Versus Actual Production

										_			
Sacan		Florida			Californi	aª		Texas	i		Arizona	1	Total
Season	Oct.	Actual	+/-	Oct.	Actual	+/-	Oct.	Actual	+/-	Oct.	Actual	+/-	Oct.
						millio	n boxe	s ^b					
1991-92	42.5	42.4	1	9.5	10.0	.5	.1	.1	_	2.3	2.8	.5	54.4
1992-93	54.0	55.2	1.2	9.5	9.2	3	1.2	1.9	.7	2.2	2.2	_	66.9
1993-94	49.0	51.1	2.1	8.8	9.3	.5	2.7	3.0	.3	2.2	1.8	4	62.7
1994-95	55.5	55.7	.2	9.4	9.3	1	3.6	4.7	1.1	1.7	1.4	3	70.2
1995-96	54.0	52.4°	-1.6	8.5	8.1	4	5.0	4.6	4	1.2	1.2	-	68.7
1996-97	59.0	55.8d	-3.2	8.0	8.2	.2	5.7	5.3	4	1.1	.8	3	73.8
1997-98	54.0	49.6 ^d	-4.4	9.0	8.0	-1.0	5.0	4.8	2	.8	.8	-	68.8
1998-99	50.0	47.1	-2.9	8.4	7.3	-1.1	5.0	6.1	1.1	.7	.8	.1	64.1
1999-00	50.0	53.4	3.4	8.0	7.2	8	5.5	5.9	.4	.7	.5	2	64.2
2000-01	50.0°	46.0	-4.0	7.2	6.3	9	6.5	7.2	.7	.6	.3	3	64.3
2001-02	48.0	46.7	-1.3	6.0	5.9	1	7.8	5.9	-1.9	.2	.2	-	62.0
2002-03	42.0	38.7	-3.3	6.2	5.6	6	5.6	5.7	.1	.1	.1	_	53.9
2003-04	42.0	40.9	-1.1	5.5	5.8	.3	5.3	5.7	.4	.1	.1	_	52.9
2004-05	15.0	12.8	-2.2	5.2	6.1	.9	5.9	6.6	.7	.2	.1	1	26.3
2005-06	24.0	19.3	-4.7	5.8	6.0	.2	5.4	5.2	2	.1	.1	-	35.3
2006-07	26.0			5.7			6.7			.1			38.5

^aIncludes April forecast for California.

^bBox sizes: FL, 85#; CA & AZ, 67#; TX 80#.

^cExcludes 3 million boxes of economic abandonment.

dExcludes 6 million boxes of economic abandonment.

eExcludes 2 million boxes of economic abandonment.

USDA Crop Estimates (Current)

Time		Oran	ges		Grapefruit				
Period ^a	FL⁵	TX	CA	AZ	FL	TX	CA	AZ	
				million b	oxes ^c			-	
<u>2006-07</u>									
ОСТ	135.0	1.8	46.0	.4	26.0	6.7	5.7	.1	
DEC	140.0	1.8	46.0	.4	26.0	6.7	5.7	.1	
JAN	140.0	2.0	46.0	.4	26.0	6.5	6.0	.1	
FEB	140.0	2.0	46.0	.4	26.0	6.5	6.0	.1	
MAR	132.0	2.0	37.0	.4	28.0	6.5	4.8	.1	
APR	130.7	1.9	37.0	.4	28.0	6.5	4.8	.1	
MAY									
JUN									
JUL									

^aNo November crop estimate is made.

°FL oranges and Temples 90# box, grapefruit 85# box. CA and AZ oranges 75# box, grapefruit 67# box. TX oranges 85# box, grapefruit 80# box.

^bIncludes Temples.

USDA Florida FCOJ Gallons-per-Box Yield Estimates

Season	ост	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL
					42° Bri	x gallons	s			
1990-91	1.52	1.52	1.50	1.48	1.48	1.48	1.47	1.45	1.45	1.45
1991-92	1.50	1.50	1.50	1.50	1.51	1.52	1.52	1.54	1.55	1.55
1992-93	1.48	1.48	1.48	1.52	1.55	1.57	1.57	1.58	1.58	1.58
1993-94	1.55	1.55	1.55	1.56	1.57	1.57	1.57	1.57	1.57	1.57
1994-95	1.54	1.54	1.52	1.51	1.51	1.51	1.50	1.50	1.50	1.50
1995-96	1.54	1.54	1.50	1.47	1.47	1.48	1.48	1.52	1.52	1.52
1996-97	1.53	1.53	1.53	1.53	1.54	1.54	1.57	1.58	1.58	1.58
1997-98	1.55	1.55	1.55	1.55	1.56	1.56	1.56	1.58	1.58	1.58
1998-99	1.57	1.57	1.57	1.57	1.60	1.62	1.63	1.64	1.63	1.63
1999-00	1.60	1.60	1.60	1.57	1.54	1.54	1.54	1.54	1.55	1.55
2000-01	1.55	1.55	1.55	1.55	1.54	1.58	1.58	1.58	1.58	1.58
2001-02	1.55	1.55	1.55	1.58	1.58	1.58	1.58	1.58	1.58	1.58
2002-03	1.57	1.57	1.57	1.57	1.57	1.55	1.55	1.53	1.52	1.54
2003-04	1.55	1.55	1.55	1.53	1.53	1.53	1.54	1.55	1.56	1.56
2004-05	1.56	1.56	1.56	1.56	1.58	1.58	1.58	1.60	1.60	1.58
2005-06	1.58	1.58	1.55	1.55	1.58	1.58	1.61	1.62	1.63	1.63
2006-07	1.58	1.58	1.58	1.58	1.61	1.62	1.65			

USDA Specialty Crop Estimates Versus Actual Production

		rida			Tange	erines				ornia/ zona		rida
Season	Tanç	jelos	Floi	rida	Calif	California		zona	Lemons		Lin	nes
	Oct.	Actual	Oct.	Actual	Oct.	Actual	Oct.	Actual	Oct.	Actual	Oct.	Actual
	mil. 90-l	b. boxes	mil. 95-l	b. boxes		- mil. 75-lb	. boxes -		mil. 76-l	b. boxes	mil. 88-l	b. boxes
1991-92	2.6	2.6	2.6	2.6	1.5	2.4	.7	1.2	18.1	20.2	1.6	1.6
1992-93	3.3	3.1	2.6	2.8	2.5	2.1	1.0	1.0	22.7	24.8	1.3	1.0
1993-94	3.1	3.4	3.8	4.1	2.5	2.3	1.1	1.0	24.3	25.9	.2	.2
1994-95	3.2	3.2	4.0	3.6	2.2	2.5	.8	.7	25.2	23.6	.3	.2
1995-96	2.5	2.5	4.1	4.5	2.3	2.6	1.0	1.0	27.5	26.1	.3	.3
1996-97	3.8	4.0	6.0	6.3	2.6	2.6	.9	.8	26.7	25.3	.4	.3
1997-98	3.3	2.9	5.5	5.2	2.4	2.4	.5	.6	24.6	23.6	.4	.4
1998-99	2.5	2.6	4.2	5.0	2.5	1.5	.7	1.0	23.7	19.7	.6	.5
1999-00	2.6	2.2	6.4	7.0	2.3	2.5	.7	.9	24.4	22.1	.6	.6
2000-01	2.1	2.1	6.3	5.6	2.0	2.2	.9	.7	24.6	26.2	.3	.3
2001-02	2.3	2.2	7.0	6.6	2.5	2.2	.6	.6	26.1	21.1	.2	.2
2002-03	2.4	2.4	5.2	5.5	2.3	2.8	.5	.4	23.8	27.0	а	а
2003-04	1.3	1.0	6.6	6.5	2.5	2.2	.6	.7	26.0	21.0	а	a
2004-05	1.4	1.6	4.7	4.5	2.9	2.9	.5	.4	21.9	22.9	а	а
2005-06	1.4	1.4	6.0	5.5	3.2	3.6	.5	.6	22.8	24.8	а	а
2006-07	1.1		4.6		3.8		.4		22.5		а	а

^aNo longer forecast or reported.

SOURCE: FASS, Citrus Summary.

Utilization of Florida Oranges

Season	Fresh	Frozen Concen- trate	Chilled Juice	Non- Certified	Other	Totalª				
	million 90-pound boxes									
1992-93	9.4	128.3	47.3 ^b	1.3	.3	186.6				
1993-94	8.6	111.7	51.0	1.3	1.8	174.4				
1994-95	8.9	140.8	53.4	1.5	.9	205.5				
1995-96	8.5	129.3	62.1	1.5	1.9	203.3				
1996-97	9.3	147.9	65.7	1.4	1.9	226.2				
1997-98	8.7	156.4	74.8	2.5	1.6	244.0				
1998-99	8.6	93.7	80.1	2.2	1.4	186.0				
1999-00	6.9	129.5	90.1	2.5	4.0	233.0				
2000-01	6.7	120.5	89.6	3.0	3.5	223.3				
2001-02	6.9	132.2	85.9	2.5	2.5	230.0				
2002-03	6.3	98.7	92.5	3.4	2.1	203.0				
2003-04	6.2	137.0	93.4	3.7	1.7	242.0				
2004-05	4.9	52.2	88.5	2.5	1.7	149.8				
2005-06	4.5	49.1	90.2	2.8	1.3	147.9				

^a May not add up due to rounding.

^bIncludes Florida non-member.

Utilization of Florida Grapefruit

Season	Fresh	Frozen Concen- trate	Chilled Juice	Non- Certified	Other	Total
1992-93	22.1	26.6	4.5	1.1	.9	55.2
1993-94	21.5	22.3	5.7	1.0	.6	51.1
1994-95	21.2	27.3	5.6	1.1	.5	55.7
1995-96	21.8	23.0	6.1	1.0	.5	52.4 ^a
1996-97	22.1	25.0	7.1	1.1	.5	55.8 ^b
1997-98	20.0	20.6	7.2	1.2	.6	49.6 ^b
1998-99	18.7	19.0	7.5	1.2	.7	47.1
1999-00	17.0	24.1	10.4	1.3	.6	53.4
2000-01	15.9	21.2	6.4	1.6	.9	46.0 ^c
2001-02	15.9	21.7	6.4	1.5	1.2	46.7
2002-03	14.1	16.0	6.2	1.5	.9	38.7
2003-04	15.2	17.2	6.6	1.5	.4	40.9
2004-05	6.7	2.5	2.8	.7	.2	12.8
2005-06	6.2	8.0	4.1	.7	.3	19.3

^a Excludes 3 million boxes of economic abandonment.

^b Excludes 6 million boxes of economic abandonment.

^c Excludes 2 million boxes of economic abandonment.

Total Shipments of Florida Fresh Citrus^a

Aug-July Season	Grapefruit	Oranges	Temples	Tangelos	Honey Tangerines	Tangerines	Total
			thous	and 4/5-bushel	cartons		
1991-92	43,863	20,724	1,540	2,236	1,795	1,907	72,065
1992-93	44,196	19,096	1,671	2,241	1,823	2,091	71,118
1993-94	43,027	17,480	1,391	1,838	2,385	3,352	69,473
1994-95	42,405	18,002	1,378	1,804	1,595	3,387	68,570
1995-96	43,535	16,985	1,204	1,614	2,114	3,875	69,326
1996-97	44,224	18,690	879	1,584	1,958	5,163	72,498
1997-98	39,922	17,411	851	1,339	2,610	3,837	65,968
1998-99	37,399	17,303	956	1,199	2,651	4,102	63,610
1999-00	33,925	13,906	694	1,076	3,427	4,972	58,002
2000-01	31,850	13,397	585	1,096	2,368	4,517	53,813
2001-02	31,783	13,860	592	967	2,627	5,162	54,992
2002-03	28,270	12,552	471	837	3,380	3,883	49,392
2003-04	30,350	12,310	552	646	3,968	4,284	52,111
2004-05	13,409	9,810	313	628	2,771	3,336	30,267
2005-06	12,473	9,065	284	658	3,252	3,435	29,167

^aColumns may not add up due to rounding.

Florida Fresh Grapefruit Shipments

Aug-July Season	Domestic	Canada	Europe	Japan	Other Pacific Rim	Other	Total
			thousa	nd 42.5-pound	cartons		
1991-92	22,244	2,983	6,630	11,011	973	22	43,863
1992-93	22,909	3,809	7,094	9,184	1,183	17	44,196
1993-94	19,472	3,206	7,499	11,541	1,287	22	43,027
1994-95	19,561	3,133	8,118	10,428	1,138	27	42,405
1995-96	18,230	2,960	9,512	11,324	1,482	27	43,535
1996-97	18,638	3,042	9,536	11,045	1,922	41	44,224
1997-98	18,062	2,833	8,846	9,309	843	29	39,922
1998-99	15,273	2,617	8,298	9,967	1,224	20	37,399
1999-00	13,197	2,254	6,700	10,912	846	16	33,925
2000-01	11,602	2,236	6,637	10,719	635	21	31,850
2001-02	11,103	2,183	6,549	11,227	696	25	31,783
2002-03	9,936	1,619	6,227	10,150	325	13	28,270
2003-04	8,995	1,780	6,912	12,123	529	11	30,350
2004-05	4,888	768	2,786	4,833	119	15	13,409
2005-06	4,787	773	2,115	4,559	232	7	12,473

Florida Fresh Orange and Temple Shipments

Aug-July Season	Domestic	Canada	Europe	Japan	Other Pacific Rim	Other	Total				
	thousand 45-pound cartons										
1991-92	20,507	1,358	49	37	284	29	22,264				
1992-93	19,034	1,549	40	11	113	20	20,767				
1993-94	17,245	1,280	12	55	257	22	18,871				
1994-95	17,250	1,376	130		602	21	19,379				
1995-96	16,340	1,201	100	27	479	42	18,189				
1996-97	17,788	1,334	57	22	345	23	19,569				
1997-98	16,778	1,149	27	22	271	15	18,262				
1998-99	16,162	1,051	9	149	863	25	18,259				
1999-00	13,341	873	7	20	355	5	14,601				
2000-01	12,465	870	24	11	594	18	13,982				
2001-02	13,264	1,033	43	4	95	13	14,452				
2002-03	11,977	797	24	3	215	7	13,023				
2003-04	11,417	867	178	2	330	68	12,862				
2004-05	9,119	580	194	1	204	25	10,123				
2005-06	8,661	540	6	0	119	23	9,349				

World Orange Production

			Average			
Country	1961- 1969	1970- 1979	1980- 1989	1990- 1999	2000- 2004	2005
			1,000 me	etric tons		
United States	5,235	8,491	7,808	9,513	11,251	8,266
% of U.S. to World	26.8%	27.4%	18.5%	16.5%	18.0%	13.8%
Florida ^a	3,932	6,636	5,669	7,461	9,237	6,107
% of Florida to World	20.1%	21.4%	13.4%	12.9%	14.8%	10.2%
Brazil	2,281	5,785	13,335	20,009	18,406	17,805
Mexico	1,262	1,672	1,954	3,159	3,926	3,970
India	864	1,214	1,386	2,228	3,030	3,100
Italy	1,079	1,552	1,860	1,785	1,859	2,534
China	67	162	631	1,707	1,727	2,412
Spain	1,748	1,878	1,976	2,622	2,844	2,150
Iran	92	266	730	1,604	1,878	1,900
Egypt	398	775	1,183	1,558	1,747	1,789
Indonesia	96	166	454	508	1,181	1,312
Turkey	306	541	694	869	1,224	1,250
Pakistan	307	437	946	1,294	1,240	1,169
South Africa	450	543	581	854	1,230	993
Greece	362	493	729	930	993	962
Morocco	548	679	763	907	768	810
Argentina	582	781	645	749	786	770
Viet Nam	54	85	102	294	466	550
Australia	210	326	431	504	501	500
Cuba	100	137	400	417	472	490
All Others	3,516	5,005	5,597	6,153	6,929	7,174
WORLD TOTAL	19,558	30,987	42,205	57,664	62,458	59,905

^aTemples included.

SOURCE: FAO-FAOSTAT-Agricultural Data.

World Grapefruit Production

		-	Average			
Country	1961- 1969	1970- 1979	1980- 1989	1990- 1999	2000- 2004	2005
			1,000 me	etric tons		
United States	1,631	2,433	2,370	2,316	2,155	914
% of U.S. to World	68.8%	64.2%	55.7%	48.6%	44.0%	25.1%
Florida	1,311	1,802	1,861	1,889	1,740	494
% of Florida to World	55.3%	47.6%	43.8%	39.6%	35.5%	13.5%
China	18	21	53	217	356	443
Mexico	13	55	105	157	273	258
Israel	165	410	422	384	266	250
Cuba	12	31	210	295	267	226
South Africa	60	101	90	137	252	212
Argentina	70	159	161	200	195	170
Turkey	4	13	25	65	132	150
India	22	26	40	94	137	142
Tunisia	2	10	30	49	66	72
Sudan	40	49	56	62	67	68
Brazil	25	33	46	60	67	68
Belize	8	12	22	40	49	56
Jamaica	45	32	26	42	42	44
Paraguay	16	38	75	66	45	43
Philippines	24	25	36	28	44	40
Iran	2	7	21	52	38	37
Swaziland	15	34	39	41	37	37
Cyprus	27	50	56	59	29	30
All Others	175	251	371	401	384	386
WORLD TOTAL	2,372	3,790	4,253	4,766	4,902	3,646

SOURCE: FAO-FAOSTAT-Agricultural Data.

World Tangerine Production

			Average							
Country	1961- 1969	1970- 1979	1980- 1989	1990- 1999	2000- 2004	2005				
			1,000 me	tric tons						
United States	302	572	539	474	513	390				
% of U.S. to World	12.7%	15.1%	12.7%	9.9%	10.5%	10.7%				
Florida	173	202	141	162	269	192				
% of Florida to World	7.3%	5.3%	3.3%	3.4%	5.5%	5.3%				
China	251	453	1,575	5,481	9,137	11,395				
Spain	181	623	1,083	1,684	2,029	1,945				
Brazil	282	420	620	731	1,173	1,270				
Japan	1,450	3,232	2,463	1,438	1,152	1,100				
Iran	21	62	176	611	708	720				
Thailand	261	318	464	634	661	670				
Egypt	66	88	115	355	584	665				
Italy	183	316	409	462	572	662				
Turkey	45	110	246	421	590	585				
Korea	2	55	355	585	613	580				
Argentina	165	238	423	556	608	450				
Pakistan	108	156	350	481	461	434				
Morocco	75	174	293	335	424	425				
Mexico	86	101	129	223	352	360				
Peru	8	18	27	78	146	172				
Venezuela	0	0	24	111	161	145				
Algeria	109	147	93	93	117	128				
Israel	42	71	120	125	94	120				
All Others	263	402	620	847	1,101	1,099				
WORLD TOTAL	3,899	7,554	10,122	15,724	21,198	23,314				

SOURCE: FAO-FAOSTAT-Agricultural Data.

Production	Bearing	Oranges			Frozen Concer	trate Production
Season ^a	Trees	Produced	Frozen (Concentrate	65° Brix	SSE
	- million -	million b	oxes	- % of total -	- thousand MT -	- million gallons -
1975-76	56	85	53	62	189	263
1980-81	66	170	138	81	492	685
1985-86	87	239	220	92	860	1,198
1990-91	109	242	202	83	838	1,167
1995-96	163	357	263	74	1,062	1,479
1997-98	178	420	320	76	1,353	1,884
1998-99	169	342	280	82	1,156	1,610
1999-00	165	395	300	76	1,310	1,824
2000-01	162	355	270	76	1,140	1,588
2001-02	161	280	220	79	953	1,327
2002-03	160	365	305	84	1,309	1,823
2003-04	159	290	230	79	1,040	1,448
2004-05	160	380	318	84	1,335	1,859
2005-06	162	320	261	82	1,150	1,601
2006-07 ^b	164	347	269	78	1,130	1,574
2007-08°	165	340	263	77	1,105	1,539

^aJuly-June.

Estimate.

Projected.

Brazil FCOJ Exports and Prices

Year	Exports	U.S. \$ per MT ^a	Season	Exports	U.S. \$ per MT ^a
	MT 65° Brix	dollars	July- June	MT 65° Brix	dollars
1974	108,460	546	1996-97	1,153,799	1,024
1975	180,897	454	1997-98	1,280,921	877
1976	209,841	481	1998-99	1,140,606	1,112
1977	213,524	829	1999-00	1,295,725	969
1978	335,629	991	2000-01	1,235,679	691
1979	308,328	965	2001-02	1,033,628	767
1980	401,144	845	2002-03	998,851	875
1981	639,143	1,032	2003-04	1,071,045	831
1982	502,034	1,101	2004-05	1,076,942	755
1983	552,373	1,104	2005-06	1,001,714	839
1984	905,231	1,563			
1985	484,782	1,544			
1986	808,262	844			
1987	754,968	1,100			
1988	663,600	1,716			
1989	710,114	1,381			
1990	899,801	1,527			
1991	913,747	985			
1992	968,627	1,087			
1993	1,165,241	709			
1994	1,146,758	859			
1995	960,905	1,150			
1996	1,202,427	1,156			
1997	1,179,572	850			

^aFOB value of product, Brazil.

SOURCES: CACEX, DECEX, FAS.

Estimated U.S. Orange-Juice Availability

Oct-		Flor	ida				U.S. Ir	nports		Tota	
Sept Season	FCOJ 11.8° Brix	CSSOJ	COJ	Total	Texasª			Total	U.S. Exports	Dome Availal	stic
					- million	SSE gallon	s				1,000 MT 65° Brix
1993-94	736.0	1.4	320.9	1,058.2	.3	68.8	215.0	424.9	110.3	1,441.9	1,035
1994-95	874.4	1.7	330.3	1,206.5	2.0	44.7	98.8	240.4	141.5	1,352.1	971
1995-96	817.3	1.4	394.6	1,213.3	.9	52.2	130.6	221.0	128.1	1,359.3	976
1996-97	976.6	1.1	410.6	1,388.3	2.7	48.4	177.5	294.9	149.0	1,585.3	1,138
1997-98	1,024.8	NA	462.0	1,486.8	2.3	56.7	127.7	280.8	146.3	1,680.2	1,207
1998-99	641.7	NA	512.9	1,154.6	1.8	69.6	188.5	350.2	146.6	1,429.7	1,027
1999-00	838.9	NA	583.5	1,422.4	2.2	86.6	139.4	339.4	145.2	1,705.4	1,225
2000-01	791.8	NA	565.2	1,357.1	5.6	36.0	125.2	257.7	122.9	1,533.5	1,101
2001-02	868.6	NA	546.5	1,415.0	2.0	30.4	96.6	188.8	181.2	1,455.1	1,045
2002-03	633.5	NA	574.6	1,208.1	2.6	50.6	155.2	290.9	104.8	1,447.4	1,039
2003-04	881.7	NA	569.4	1,451.1	2.8	24.7	84.8	222.3	123.0	1,578.0	1,133
2004-05	347.3	NA	564.0	911.3	3.2	63.4	129.9	357.5	119.1	1,216.3	873
2005-06	341.7	NA	583.2	924.9	1.9	66.6	97.8	298.8	137.7	1,154.6	829

^aBased on assumed yields.

SOURCES: FCPA, FASS Citrus Summary, FAS, NASS, U.S. Department of Commerce, FDOC-EMRD.

Estimated U.S. Orange-Juice Supply and Demand

Oct-Sep	Total Domestic	Net Carry-	Total Presumed	sumed Sales		Popula-	Per Capita
Season	Availability	over ^a	Consump- tion	Retail⁵	Other ^c	tion	Consump- tion
		millior	n SSE gallons			millions	SSE gal.
1991-92	1,093	-33	1,126	NA	NA	256	4.4
1992-93	1,381	94	1,286	NA	NA	259	5.0
1993-94	1,442	61	1,381	NA	NA	262	5.3
1994-95	1,352	-30	1,382	NA	NA	266	5.2
1995-96	1,359	-15	1,374	807	567	269	5.1
1996-97	1,585	151	1,434	832	602	272	5.3
1997-98	1,680	84	1,596	865	732	275	5.8
1998-99	1,430	-117	1,547	853	694	278	5.6
1999-00	1,705	107	1,599	873	726	281	5.7
2000-01	1,534	52	1,482	889	593	284	5.2
2001-02	1,455	-5	1,460	861	598	287	5.1
2002-03	1,447	15	1,433	836	596	290	4.9
2003-04	1,578	110	1,468	807	661	293	5.0
2004-05	1,216	-178	1,394	795	599	296	4.7
2005-06	1,155	-182	1,337	746	590	299	4.5

^a2004-05 forward based on FCOJ inventories for the United States (NASS, Cold Storage Reports) plus Florida COJ inventories (FCPA); in 2003-04 and prior years, based on Florida FCOJ and COJ inventories.

SOURCES: FCPA, FASS Citrus Summary, U.S. Census Bureau, Nielsen.

^bAll outlets.

^cIncludes unidentified inventory.

Estimated U.S. Grapefruit-Juice Availability

Oct-		Flori	da			Calif./ª	U.S.	Total	U.S.	Total
Sept Season	FCGJ	CSSGJ	CGJ	Total	Texas	Arizona	Imports	Supply	Exports	Domestic Availability
					- million S	SSE gallons	§			
1993-94	105.9	1.4	30.5	137.8	4.1	10.8	1.0	153.7	22.5	131.2
1994-95	125.4	1.5	30.7	157.5	7.0	9.8	.8	175.1	28.4	146.7
1995-96	107.7	.7	33.1	141.5	7.3	7.2	.6	156.6	27.6	129.0
1996-97	121.3	.8	37.2	159.3	7.6	7.1	.2	174.4	23.4	151.0
1997-98	96.9	NA	39.2	136.1	6.3	7.8	.2	150.4	18.6	131.8
1998-99	98.0	NA	42.3	140.4	9.7	2.5	.3	152.8	24.3	128.5
1999-00	114.6	NA	55.3	169.9	9.9	3.6	5.0	188.4	32.9	155.5
2000-01	108.8	NA	37.8	146.6	15.1	2.7	.9	165.3	39.0	126.3
2001-02	109.2	NA	39.9	149.1	9.6	2.3	.3	161.3	36.3	125.1
2002-03	77.5	NA	37.3	114.8	11.2	2.0	.4	128.4	39.5	89.0
2003-04	83.6	NA	36.7	120.3	11.0	2.0	.5	133.8	55.5	78.3
2004-05	12.2	NA	16.9	29.1	16.7	2.0	11.4	59.2	23.9	35.3
2005-06	38.9	NA	23.4	62.2	9.6	2.0	5.6	79.4	18.7	60.8

^aBased on assumed yields.

SOURCES: FCPA, FASS Citrus Summary, NASS, U.S. Department of Commerce.

Estimated U.S. Grapefruit-Juice Supply and Demand

Oct-Sep Season	Total Domestic Availability	Net Florida Carry- over	Total Presumed Consump- tion	Sa Retail ^a	les Other ^b	Popula- tion	Per Capita Consump- tion
			SSE gallons			millions	SSE gal.
		111111101	i 33L gallolis			11111110115	33L yai.
1991-92	90	-23	112	NA	NA	256	.44
1992-93	147	26	121	NA	NA	259	.47
1993-94	131	5	126	NA	NA	262	.48
1994-95	147	16	131	NA	NA	266	.49
1995-96	129	-2	131	48	83	269	.49
1996-97	151	20	131	50	81	272	.48
1997-98	132	-17	149	57	91	275	.54
1998-99	129	-32	160	60	101	278	.58
1999-00	156	24	132	52	80	281	.47
2000-01	126	1	126	46	79	284	.44
2001-02	125	12	114	40	74	287	.39
2002-03	89	-14	103	37	66	290	.35
2003-04	78	-10	88	34	54	293	.30
2004-05	35	-32	67	25	42	296	.23
2005-06	61	8	53	22	31	299	.18

^aAll outlets.

SOURCES: FCPA, FASS Citrus Summary, U.S. Census Bureau, Nielsen.

^bIncludes unidentified inventory.

General Economic Indicators

Year		Price Indices 4 = 100)	Population	Disposable Personal
	All Food	All Items	·	Income
			- millions -	- billion \$ -
1983	99.4	99.6	233.8	2,608.4
1984	103.2	103.9	235.8	2,912.0
1985	105.6	107.6	237.9	3,109.3
1986	109.0	109.6	240.1	3,285.1
1987	113.5	113.6	242.3	3,458.3
1988	118.2	118.3	244.5	3,748.7
1989	125.1	124.0	246.8	4,021.7
1990	132.4	130.7	249.6	4,285.8
1991	136.3	136.2	253.0	4,464.3
1992	137.9	140.3	256.5	4,751.4
1993	140.9	144.5	259.9	4,911.9
1994	144.3	148.2	263.1	5,151.8
1995	148.4	152.4	266.3	5,408.2
1996	153.3	156.9	269.4	5,688.5
1997	157.3	160.5	272.6	5,988.8
1998	160.7	163.0	275.9	6,395.9
1999	164.1	166.6	279.0	6,695.0
2000	167.8	172.2	282.2	7,194.0
2001	173.1	177.1	285.2	7,486.8
2002	176.2	179.9	288.1	7,830.1
2003	180.0	184.0	290.8	8,162.5
2004	186.2	188.9	293.6	8,681.6
2005	190.7	195.3	296.5	9,036.1
2006	195.2	201.6	299.4	9,523.1ª

^aPreliminary.

SOURCES: U.S. Dept. of Commerce, Bureau of Labor Statistics, and Bureau of the Census.

Estimated FOB Value of the Florida Citrus Industry, 2005-06

Item	Estimated FOB Value
	real million \$a
FRESH ^a	
Oranges	81.4
Grapefruit	164.6
<u>Specialty</u>	<u> 102.5</u>
TOTAL FRESH	348.6
PROCESSED ^{b,c}	
Oranges ^d	3,165.2
<u> Grapefruit</u>	<u> 142.0</u>
TOTAL PROCESSED	3,307.2
TOTAL VALUE	3,655.8

^aCAC. ^bFCM preliminary estimates. ^dIncludes specialty.

Estimated Economic Impact^a of the Citrus Industry on Florida's Economy, 2003-04

Item	Value Added ^b	Output/Sales	Employment
million \$		full-time equivalent jobs	
Fresh	8.308	1,282.7	15,029
Processed	4,066.3	8,006.1	61,307
TOTAL	4,873.2	9,288.8	76,336

^aTotal effect (direct, indirect and induced).

SOURCE: T.H. Spreen, et al., An Economic Assessment of the Future Prospects for the Florida Citrus Industry, Special Report, UF-IFAS-FRED, Gainesville, FL, March 16, 2006.

Frozen concentrated and chilled product; excludes canned juice.

^bWages earned by industry employees, income to business owners, and business taxes paid.

Florida Land Value Survey
Estimated Value Per Acre by Geographic Area and Land Use (Weighted Estimates)

and Land Use (Weigh				Lea Latina	163)	
	S	outh Floric	la	Central Florida		
Date	Oranges	Grape- fruit	5-7 Year Citrus	Oranges	Grape- fruit	5-7 Year Citrus
			\$/ac	cre		
5/1984	9,166	6,992		9,314	6,925	
5/1985	10,071	7,889		9,254	6,365	
5/1986	8,685	8,289		8,798	6,918	
5/1987	9,661	8,833		8,792	7,701	
5/1988	10,911	10,012		10,550	8,835	
5/1989	11,873	10,420		11,800	10,265	
5/1990	13,351	12,169		12,863	10,058	
5/1991	11,274	10,890	8,888	10,771	9,215	6,823
5/1992	10,756	10,804	9,136	10,250	8,695	7,193
5/1993	9,046	9,478	7,432	8,796	7,119	6,526
5/1994	8,097	8,188	6,677	7,822	6,749	6,342
5/1995	7,477	6,182	6,121	7,253	5,836	5,231
5/1996	7,457	4,986	6,159	6,774	4,980	5,053
5/1997	7,290	4,053	6,096	6,776	4,216	4,981
5/1998	6,882	3,035	5,691	6,763	3,322	4,875
5/1999	6,956	3,759	5,799	6,780	3,543	4,871
5/2000	7,073	4,824	5,909	6,899	4,431	4,941
5/2001	6,410	4,344	5,802	6,139	4,241	4,783
5/2002	5,687	3,658	5,211	5,438	3,614	4,668
5/2003	5,932	3,929	5,440	5,721	3,914	4,889
5/2004	6,540	5,264	5,920	6,409	4,518	5,340
5/2005	9,956	9,897	8,944	9,805	8,192	8,461

SOURCE: Dr. John E. Reynolds, "Florida Land Value Survey," FRED-IFAS-UF, various surveys.

Certification and Carrying Costs for FCOJ Futures Contracts^a

Iter	ltem			e Costs
Delivery Only	Commission Service Fee Labor Total per Contract Total Points	\$ 20.00 ^b 25.00 ^b <u>250.00^c</u> \$ 295.00 197		
Carry for <u>Two</u> Months	Cost per Pound Storage (per contract) Interest ^d Total per Contract Total Points	\$ 1.70 \$ 600.00 <u>412.47</u> \$1,012.47 675	\$ 1.90 \$ 600.00 <u>459.35</u> \$1,059.35 706	\$ 2.10 \$ 600.00 <u>506.23</u> \$1,106.23 737
Receive, Carry for Two Months, and Redeliver	Storage (per contract) Commission-In ^b Commission-Out ^b Service Fee ^b Interest ^d Total per Contract Total Points	\$ 600.00 20.00 20.00 50.00 412.47 \$1,102.47 735	\$ 600.00 20.00 20.00 50.00 <u>459.35</u> \$1,149.35 766	\$ 600.00 20.00 20.00 50.00 <u>506.23</u> \$1,196.23 797

If inspection is necessary, the following charges must be added to the above cost:
Warehouse In-Store Labor Charge \$ 56.00 (average)
USDA Inspection Fee \$111.00 (drums only)

NOTE: Prompt payment of monthly storage is advised, as all warehouses are charging interest on late payments.

Tank Facilities

Services	Current Rate Per Contract
Handling In/Out	\$ 500.00
Storage per Month	\$ 300.00
Reinspection	\$ 100.00

^aStorage and handling costs may vary by warehouse.

^bRate is negotiable.

^cHandling out only. Total storage cost ÷ 4.

dInterest is calculated as 9.75% per annum (1.5% over prime).

SOURCE: Citrus Associates of the New York Board of Trade, FCOJ Deliverer's and Receiver's Guide (Revised 2/07).

New York FCOJ Monthly Average Nearby Futures Settlement Price

Month	2001	2002	2003	2004	2005	2006	2007
cents per pound solids							
JAN	76.01	89.41	92.04	62.95	82.11	123.07	200.33
JAN	70.01	03.41	32.04	02.93	02.11	123.07	200.33
FEB	75.69	89.64	87.08	60.97	85.02	130.18	195.62
MAR	74.80	92.68	84.68	61.21	95.57	139.94	199.98
APR	74.25	89.61	85.49	59.45	95.29	144.84	171.73
MAY	78.33	91.17	85.74	65.65	93.71	155.09	
JUN	77.02	91.40	85.30	57.66	96.24	158.23	
JUL	81.36	95.42	81.31	66.74	98.26	163.04	
AUG	77.68	100.93	78.66	67.27	91.59	177.49	
SEP	80.81	100.30	77.17	88.52	95.72	174.78	
ОСТ	85.26	95.14	70.77	82.49	108.03	184.62	
NOV	93.76	100.53	70.11	74.99	119.95	197.72	
DEC	91.67	97.36	67.01	83.46	125.06	201.23	

SOURCE: New York Board of Trade.

New York NFC-OJ Monthly Average Nearby Futures Settlement Price

Month	2006	2007
	cents per p	ound solids
JAN		237.78
FEB		231.37
MAR		243.18
APR		216.10
MAY		
JUN		
JUL		
AUG		
SEP		
ОСТ	231.25	
NOV	237.90	
DEC	242.05	

SOURCE: New York Board of Trade.

NOTES

Single-Strength & Chilled Juice Factors to convert cases of single-strength or chilled juice to equivalent cases of 24 No. 2's.

Cans per Case	Container Size	Equivalent Cases of 24/2's	Cans per Case	Container Size	Equivalent Cases of 24/2's
24	4 - ounces	.222	1	1 - gallon	.2963
24	4.25 - "	.236	24	7 - ounces	.389
24	6 - "	.333	48	4.25 - "	.472
24	8 - "	.444	12	24 - "	.667
48	4 - "	.444	12	26 - "	.722
48	5.5 - "	.611	12	32 - "	.889
48	6 - "	.667	64	6 - "	.889
24	12 - "	.667	6	64 - "	.889
48	8 - "	.889	12	1 - quart	.889
24	18 - "	1.000	12	1 - liter	.939
12	46 - "	1.278	72	6 - ounces	1.000
6	No.10	1.333	4	1 - gallon	1.185
			20	1 - quart	1.482

Canned & Chilled Sections

Factors to convert cases of canned and chilled sections to equivalent cases of 24 No. 2's.

Cans per Case	Container Size	Equivalent Cases of 24/2's
12	303	.444
12	1 - pound	.444
4	½ - gallon	.592
6	3 - pounds	.667
2	10 - "	.740
48	8 - ounces	.889
24	303	.889
12	32 - ounces	.889
6	4 - pounds	.889
4	8 - "	1.185
4	1 - gallon	1.185
12	No. 3 cyl. (404)	1.278
12	48 - ounces	1.333

Concentrate Factors (3+1)

Factors to convert cases concentrate (retail size containers) to equivalent cases of 24 No. 2's. These factors apply to FCOJ, FCGJ, FCBJ, FCTJ, sugar-added FCOJ, FCGJ, FCBJ, lemonade, limeade, and/or other concentrated with 3+1 reconstitution.

Cans per Case	Container Size	Equivalent Cases of 24/2's	Cans per Case	Container Size	Equivalent Cases of 24/2's
24	6 - ounces	1.333	9	32 - ounces	2.666
24	8 - "	1.778	12	25.6 - "	2.844
48	4 - "	1.778	24	16 - "	3.555
6	42 - "	2.333	48	8 - "	3.555
6	46 - "	2.555	12	32 - "	3.555
48	6 - "	2.666	72	6 - "	3.999
24	12 - "	2.666	36	12 - "	3.999
			96	6 - "	5.332

FCOJ -- 42.0° Brix Equivalent Conversion Factors -- Bulk for Manufacturing

Brix	Factor	Brix	Factors
42°	Gallons X 1.0000	59°	Gallons X 1.5159
43°	" X 1.0284	60°	" X 1.5486
43.4°	" X 1.0397	61°	" X 1.5818
44°	" X 1.0570	62°	" X 1.6150
45°	" X 1.0857	63°	" X 1.6487
46°	" X 1.1148	64°	" X 1.6826
47°	" X 1.1441	65°	" X 1.7168
48°	" X 1.1735	66°	" X 1.7512
49°	" X 1.2033	67°	" X 1.7861
50°	" X 1.2334	68°	" X 1.8210
51°	" X 1.2637	69°	" X 1.8566
52°	" X 1.2943	70°	" X 1.8922
53°	" X 1.3253	71°	" X 1.9281
54°	" X 1.3564	72°	" X 1.9644
55°	" X 1.3876	73°	" X 2.0010
56°	" X 1.4194	74°	" X 2.0380
57°	" X 1.4512	75°	" X 2.0751
58°	" X 1.4834		

Canned Citrus Fruit & Single-Strength Juice

Factors to convert cases of canned citrus products in different sized cans to the equivalent number of cases packed 24 No. 2 cans per case.

	equivalent number of case	S packed 24 IN	o. Z cans per	case.
Cans/	Name of Can	Dimensions	SSE	Equivalent
Case	Name of Can	of Can	Gal./Case ^a	Cases 24/2's
24	4 - ounces (baby juice)	202 x 214	.793	.235
24	4 - ounces	211 x 200	.807	.239
24	6 - "	202 x 308	.992	.294
48	6 - "	202 x 308	1.985	.588
24	6 - "	202 x 314	1.110	.329
48	6 - "	202 x 314	2.221	.658
48	8 - ounces (short)	211 x 300	2.599	.770
24	8 - ounces (tall)	211 x 304	1.424	.422
48	8 - ounces	211 x 304	2.849	.844
48	No. 1 (picnic)	211 x 400	3.591	1.064
24	No. 211 (cylinder)	211 x 414	2.228	.660
48	No. 211	211 x 414	4.455	1.320
24	12 - ounces	300 x 400	2.231	.661
24	No. 300	300 x 407	2.498	.740
36	No. 300	300 x 407	3.746	1.110
48	No. 300	300 x 407	4.995	1.480
48	12 - ounces	300 x 411	5.306	1.572
48	No. 1 (tall)	301 x 411	5.468	1.620
24	No. 303	303 x 406	2.771	.821
48	No. 303	303 x 406	5.542	1.642
24	No. 303	303 x 504	3.378	1.001
24	No. 2	307 x 409	3.375	1.000
24	No. 2	401 x 411	4.894	1.450
12	No. 3 (32 - ounces)	404 x 414	2.886	.855
24	No. 3 (32 - ounces)	404 x 414	5.771	1.710
6	No. 3 (cylinder)	404 x 700	2.126	.630
12	No. 3 (cylinder)	404 x 700	4.249	1.259
6	No. 5	502 x 510	2.433	.721
6	No. 10	603 x 700	4.502	1.334
6	No. 12 (gallon)	603 x 812	5.690	1.686
6	No. 12 (gallon)	610 x 800	5.994	1.776

^aBased on a case of 24/2's being 432 ounces.

SOURCE: National Canners Association, Washington, DC.

Cit	Citrus Box Weights: Approximate Net Weight In Pounds by Fruit Type & States					
State	Oranges	Grape- fruit			Limes	
pounds per 1-3/5 bushel box						
FL	90 ^a	85	95	90	88	
CA	75	67 ^b	75	76	_	
TX	85	80	_	_	_	
AZ	75	67 ^b	75	76	_	

^aIncludes Temples & tangelos at 90 pounds.

Florida Citrus Product Seasons				
Fresh:				
AUG 1 - JUL 31				
Frozen Concentrate:				
OCT 1 - SEP 30*				
Chilled & Canned:				
OCT 1 - SEP 30				

*Historical frozen conc. season was Dec 1-Nov 30. Data in this book have been converted to reflect current Oct-Sep season.

Significant Florida Citrus Belt Freeze & Hurricane Dates						
FREEZES	FREEZES		IRRICANES			
DEC 12 - 13	1957	Charley	AUG 13, 2004			
DEC 11,13-16	1962	Frances	SEP 5, 2004			
JAN 19-21	1971	Jeanne	SEP 26, 2004			
JAN 17 - 22	1977	Wilma	OCT 24, 2005			
JAN 12-13	1981					
JAN 11 - 14	1982					
DEC 24 - 25	1983					
JAN 21 - 22	1985					
DEC 23 - 24	1989					

CASE EQUIVALENTS						
Concentrate	Chilled	Canned				
48/6 oz. = 2.25 conc. gal.	12/32 oz. = 3.0 SSE gal.	24/#2's = 3.375 SSE gal.				
24/12 oz. = 2.25 ""	6/64 oz. = 3.0 " "	12/46 oz. = 4.31 ""				
24/6 oz. = 1.125 " "		48/6 oz. = 2.25 " "				
24/16 oz. = 3.0 " "		24/12 oz. = 2.25 " "				
12/32 oz. = 3.0 " "						
6/64 oz. = 3.0 " "						

 $^{^{\}rm b}\text{AZ}$ was 64 lbs. prior to 1993-94. CA was 65 lbs. prior to 1993-94.

Basic Metric Conversions

1 metric ton=2,204.6 pounds
1 pound=.454 kilograms
1 kilogram=2.2046 pounds
1 90-lb. box=40.8 kilograms
1 85-lb. box=38.56 kilograms
1 gallon=3.785 liters
1 liter=.2641 gallons
1 kiloliter=1,000 liters
1 hectare=2.47 acres
1 acre=.405 hectare

	1 Metric Ton						
65° Brix	66° Brix						
= 1,433	= 1,455	pounds solids (PS)					
= 200.84	= 203.92	gallons 65° Brix					
= 196.89	= 191.91	gallons 66° Brix					
= 344.8	= 350.1	gallons 42° Brix					
= 1,392.6	= 1,414.0	gallons 11.8° Brix					
= 760.5	= 772.1	liters 65° Brix					
= 745.5	= 726.7	liters 66° Brix					
= 1,305.6	= 1,325.6	liters 42° Brix					
= 5,273.0	= 5,354.0	liters 11.8° Brix					

One (1) 55-gallon drum 65° Brix

= 370 pounds solids, contains about 52 gallons, & weighs about 625 pounds.

Commonly Used Brix Equivalents

Degrees	PS	Weight/Gallon	Eq	uivalent Gallor	าร
Brix	Per Gallon	in Air at 20°C (pounds)	11.8° Brix	42° Brix	65° Brix
10.0	0.865	8.655	0.84062	0.20813	0.12123
11.8	1.029	8.717	1.00000	0.24759	0.14422
40.0	3.924	9.809	3.81341	0.94418	0.54996
42.0	4.156	9.896	4.03887	1.00000	0.58248
43.4	4.321	9.957	4.19922	1.03970	0.60561
45.0	4.512	10.027	4.38484	1.08566	0.63238
50.0	5.126	10.253	4.98154	1.23340	0.71843
58.0	6.165	10.630	5.99125	1.48340	0.86405
65.0	7.135	10.977	6.93392	1.71679	1.00000
66.0	7.278	11.028	7.07289	1.75120	1.02004
66.5	7.350	11.053	7.14286	1.76853	1.03013

SOURCE: C.S. Chen, "Brix and Pounds Solids Tables," Scientific Research Department, Florida Department of Citrus, Lake Alfred, FL, May 1983.

Pounds Solids and Weight per Gallon at Various Degrees Brix

	Various Degrees Drix					
Degrees Brix	Pounds Solids/ Gallon	Weight/ Gallon in Air at 20°C (pounds)	Degrees Brix	Pounds Solids/ Gallon	Weight/ Gallon in Air at 20°C (pounds)	
8.0	0.687	8.586	12.5	1.093	8.742	
8.5	0.731	8.603	12.6	1.102	8.745	
9.0	0.776	8.621	12.7	1.111	8.749	
9.5	0.821	8.638	12.8	1.120	8.752	
9.6	0.830	8.641	12.9	1.130	8.756	
9.7	0.839	8.645	39.5	3.866	9.788	
9.8	0.848	8.648	39.6	3.878	9.792	
9.9	0.856	8.651	39.7	3.889	9.796	
10.0	0.865	8.655	39.8	3.901	9.801	
10.1	0.874	8.658	39.9	3.912	9.805	
10.2	0.883	8.662	40.0	3.924	9.809	
10.3	0.893	8.665	40.1	3.935	9.814	
10.4	0.902	8.669	40.2	3.947	9.818	
10.5	0.911	8.672	40.3	3.958	9.822	
10.6	0.920	8.676	40.4	3.970	9.827	
10.7	0.929	8.679	41.5	4.098	9.874	
10.8	0.938	8.682	41.6	4.109	9.878	
10.9	0.947	8.686	41.7	4.121	9.883	
11.0	0.956	8.689	41.8	4.133	9.887	
11.1	0.965	8.693	41.9	4.144	9.891	
11.2	0.974	8.696	42.0	4.156	9.896	
11.3	0.983	8.700	42.1	4.168	9.900	
11.4	0.992	8.703	42.2	4.180	9.904	
11.5	1.001	8.707	42.3	4.191	9.909	
11.6	1.010	8.710	42.4	4.203	9.913	
11.7	1.020	8.714	42.5	4.215	9.917	
11.8	1.029	8.717	42.6	4.227	9.922	
11.9	1.038	8.721	42.7	4.238	9.926	
12.0	1.047	8.724	42.8	4.250	9.930	
12.1	1.056	8.728	42.9	4.262	9.935	
12.2	1.065	8.731	43.0	4.274	9.939	
12.3	1.074	8.735	43.1	4.286	9.943	
12.4	1.084	8.738	43.2	4.297	9.948	

Continued...

Pounds Solids and Weight per Gallon at Various Degrees Brix (Cont.)

Degrees Brix	Pounds Solids/ Gallon	Weight/ Gallon in Air at 20°C (pounds)	Degrees Brix	Pounds Solids/ Gallon	Weight/ Gallon in Air at 20°C (pounds)
43.3	4.309	9.952	57.6	6.112	10.611
43.4	4.321	9.957	57.7	6.125	10.616
43.5	4.333	9.961	57.8	6.139	10.620
43.6	4.345	9.965	57.9	6.152	10.625
43.7	4.357	9.970	58.0	6.165	10.630
43.8	4.369	9.974	58.1	6.179	10.635
43.9	4.381	9.978	58.2	6.192	10.640
44.0	4.392	9.983	58.3	6.206	10.645
44.1	4.404	9.987	58.4	6.219	10.649
44.1	4.416	9.992	59.0	6.300	10.679
44.3	4.428	9.996	64.0	6.993	10.927
44.4	4.440	10.000	64.5	7.064	10.952
44.5	4.452	10.005	64.6	7.078	10.957
44.6	4.464	10.003	64.7	7.076 7.092	10.962
44.7	4.476	10.014	64.8	7.092 7.107	10.967
44.8	4.488	10.018	64.9	7.107 7.121	10.972
44.9	4.500	10.013	65.0	7.121 7.135	10.972
45.0	4.512	10.023	65.1	7.133 7.149	10.982
45.0 45.1	4.524	10.027	65.2	7.149 7.164	10.987
45.1 45.2	4.536	10.032	65.3	7.10 4 7.178	10.992
45.2 45.3	4.548	10.030	65.4	7.176 7.192	10.997
45.4	4.560	10.045	65.5	7.192	11.002
49.5	5.064	10.230	65.6	7.201 7.221	11.002
49.6	5.076	10.234	65.7	7.235	11.013
49.7	5.089	10.239	65.8	7.250	11.018
49.8	5.101	10.243	65.9	7.264	11.023
49.8 49.9	5.114	10.248	66.0	7.204 7.278	11.028
50.0 50.1	5.126 5.130	10.253 10.257	66.1 66.2	7.293 7.307	11.033 11.038
	5.139 5.151	10.257			
50.2	5.151 5.164	10.262	66.3	7.322	11.043
50.3	5.164 5.477	10.267	66.4	7.336	11.048
50.4	5.177	10.271	66.5	7.350	11.053
57.5	6.098	10.606	66.6	7.365	11.058

SOURCE: C.S. Chen, "Brix and Pounds Solids Tables," Scientific Research Department, Florida Department of Citrus, Lake Alfred, FL, May 1983.

International Marketing Conversion Tables

One (1) metric ton 65° Brix	=	1,392.6	SSE	gallons	
One (1) metric ton 58° Brix	=	1,242.5	"	"	
One (1) kiloliter 65° Brix	=	1,831.2	"	"	
One (1) kiloliter 58° Brix	=	1,582.3	"	"	
4/5-bushel carton oranges	=	3.0 ^a	"	"	
4/5-bushel carton grapefruit	=	2.4 ^b	"	"	

^aBased on an average yield of 6.0 SSE gallons/box. ^bBased on an average yield of 4.8 SSE gallons/box.

40-foot Shipping Container Capacity				
55-gallon drums 65° Brix	=	84		
55-gallon drums SSE	=	103		
300-gallon bins SSE	=	21		

Concentrate		
One (1) case 24/12-ounce 58° Brix (1:5)	=	13.48 SSE gallons
One (1) case 24/12-ounce 65° Brix (1:6)	=	15.60 " "
One (1) 55-gallon drum 58° Brix (1:5)	=	311.55 " "
One (1) 55-gallon drum 65° Brix (1:6)	=	360.56 ""

Chilled					
One (1) case 6/64-ounce	=	3.00 SSE gallons			
One (1) case 8/64-ounce	=	4.00 ""			

Car	ned	
One (1) case 12/46-ounce	=	4.31 SSE gallons
One (1) case 48/6-ounce	=	2.25 ""

U.S. Orange-Juice Imports

Oct-Sep	FI	orida Por	ts		Total U.S.	
Season	Volu	ıme	Value	Volu	ıme	Value
	mil. SSE gal.	thou. MT 65°	mil.\$	mil. SSE gal.	thou. MT 65°	mil.\$
1985-86	229.5	164.8	186.5	504.4	362.2	417.2
1986-87	273.7	196.5	206.2	553.6	397.5	423.5
1987-88	194.5	139.7	227.6	447.8	321.6	522.8
1988-89	154.3	110.8	197.1	379.5	272.5	493.4
1989-90	292.7	210.2	383.5	527.6	378.9	683.9
1990-91	185.8	133.4	167.8	319.8	229.6	287.0
1991-92	190.1	136.5	209.2	285.4	205.0	310.2
1992-93	165.4	118.8	116.5	298.3	214.2	195.2
1993-94	215.0	154.4	159.5	424.9	305.1	320.1
1994-95	98.8	70.9	74.7	240.4	172.6	191.0
1995-96	130.6	93.8	125.8	221.0	158.7	223.8
1996-97	177.5	127.5	133.9	294.9	211.8	240.1
1997-98	127.7	91.7	86.6	280.8	201.6	211.4
1998-99	188.5	135.3	146.4	350.2	251.5	285.9
1999-00	139.4	100.1	85.1	339.4	243.7	243.4
2000-01	125.2	89.9	77.8	257.7	185.0	185.0
2001-02	96.6	69.3	64.8	188.8	135.6	159.0
2002-03	155.2	111.5	123.5	290.9	208.9	239.8
2003-04	84.8	60.9	60.7	222.3	159.7	147.4
2004-05	129.9	93.3	99.3	357.5	256.7	257.0
2005-06	97.8	70.2	97.1	298.8	214.6	279.0
2006-07						

U.S. Citrus-Juice Exports

Oct-Sep Season	Orange	Juice	Grapefro	Grapefruit Juice		Citrus Juice, NSPF ^a	
Jeason	Volume	Value	Volume	Value	Volume	Value	
	mil. SSE gal.	mil. \$	mil. SSE gal.	mil. \$	mil. SSE gal.	mil. \$	
1985-86	44.4	67.5	12.5	23.0	9.8	11.3	
1986-87	59.3	87.4	17.2	32.8	10.7	11.6	
1987-88	65.3	114.9	23.4	42.5	15.5	20.5	
1988-89	71.4	133.4	17.8	37.6	7.9	12.6	
1989-90	87.9	166.7	15.5	40.0	8.5	13.7	
1990-91	93.9	171.6	15.7	37.9	9.2	14.8	
1991-92	107.2	206.0	23.1	56.1	12.1	18.3	
1992-93	116.8	209.5	23.1	55.3	9.6	16.0	
1993-94	104.8	233.9	16.2	50.9	12.9	18.9	
1994-95	117.2	272.7	22.5	62.4	12.3	21.4	
1995-96	116.7	273.8	23.3	60.4	13.2	25.2	
1996-97	149.0	305.3	21.2	55.5	12.8	28.2	
1997-98	146.3	295.7	18.6	47.2	19.2	32.2	
1998-99	146.6	307.4	24.3	52.4	39.1	57.2	
1999-00	145.2	289.9	32.9	72.4	22.7	43.6	
2000-01	122.9	251.7	39.0	75.3	20.0	36.5	
2001-02	181.2	290.5	36.3	72.0	9.3	22.9	
2002-03	104.8	257.0	38.3	71.6	3.7	11.5	
2003-04	123.0	260.1	42.3	67.4	2.6	8.6	
2004-05	119.1	265.3	23.9	52.3	3.5	11.6	
2005-06	137.7	314.6	18.7	52.4	4.3	14.6	
2006-07							
almoludos lo							

^aIncludes lemon juice.

U.S. Imports of Fresh Citrus

Season	Orar	nges	Grap	efruit	Mandar Tange	
	Volume	Value	Volume	Value	Volume	Value
	mil. lbs.	mil.\$	mil. lbs.	mil.\$	mil. lbs.	mil.\$
1985-86	64.34	12.76	5.68	.30	20.12	3.82
1986-87	43.29	6.27	3.96	.22	29.57	7.35
1987-88	49.67	9.88	11.25	.54	32.98	4.97
1988-89	17.92	4.07	8.48	.75	38.18	6.75
1989-90	25.63	4.74	9.95	.87	36.92	7.54
1990-91	134.81	40.64	16.51	1.00	46.15	12.15
1991-92	30.62	6.62	23.35	1.24	42.63	16.20
1992-93	18.90	3.22	27.33	1.30	43.21	16.98
1993-94	30.15	11.71	32.41	1.43	39.22	17.57
1994-95	42.21	12.65	29.44	1.21	47.43	19.17
1995-96	48.37	17.43	33.01	1.59	42.49	19.05
1996-97	53.70	20.95	28.23	1.24	72.94	35.25
1997-98	84.42	36.90	11.40	.50	88.82	45.45
1998-99	229.01	82.46	34.19	1.30	122.58	65.74
1999-00	97.03	40.93	12.62	.91	207.52	97.16
2000-01	117.11	38.70	41.62	2.02	202.03	113.07
2001-02	118.87	37.99	61.55	2.77	142.42	77.60
2002-03	119.10	50.45	37.96	1.54	185.53	123.92
2003-04	121.22	49.12	40.61	1.76	198.63	126.04
2004-05	140.56	57.63	33.01	1.67	199.24	113.72
2005-06	152.15	73.37	36.62	1.79	225.04	153.45
2006-07						

^aAugust 1 through July 31.

U.S. Exports of Fresh Citrus

Coccon	Orar	nges	Grap	efruit	Tange	rines
Season ^a	Volume	Value	Volume	Value	Volume	Value
	mil. lbs.	mil.\$	mil. lbs.	mil.\$	mil. lbs.	mil.\$
1985-86	875.8	224.9	583.7	122.1	20.1	4.9
1986-87	922.4	236.8	781.9	162.9	34.6	8.3
1987-88	736.8	189.6	1,000.0	220.0	32.7	9.0
1988-89	801.2	210.1	1,059.9	233.8	42.0	10.4
1989-90	1,042.1	256.8	636.0	161.1	31.0	10.6
1990-91	647.1	203.5	1,022.2	270.7	27.9	11.9
1991-92	995.7	254.8	1,011.7	252.2	43.4	17.4
1992-93	1,211.8	266.8	980.3	222.2	33.8	12.6
1993-94	1,183.9	291.4	999.8	224.8	49.3	16.4
1994-95	1,326.0	331.1	1,081.4	242.7	41.3	16.1
1995-96	1,158.0	293.9	1,105.2	261.0	48.5	18.6
1996-97	1,288.3	320.7	1,062.0	240.1	50.6	19.1
1997-98	1,394.8	358.4	865.5	191.5	55.4	19.8
1998-99	659.4	188.7	946.5	222.5	31.9	12.5
1999-00	1,049.4	265.3	855.8	206.3	61.4	19.6
2000-01	1,292.4	332.0	862.2	200.9	32.4	11.4
2001-02	1,114.0	302.3	875.8	201.8	33.6	13.0
2002-03	1,385.4	339.1	784.9	189.8	37.9	15.3
2003-04	1,419.3	379.6	868.7	241.4	44.1	16.1
2004-05	1,234.8	374.8	503.8	152.2	42.7	19.3
2005-06	1,241.7	372.1	553.4	199.3	45.5	22.7
2006-07						

^aAugust 1 through July 31.

Oct-Sept	Flori	ida ^b	Braz	zil	Me	xico	Oth	ner		orted rage
Season	MTc	PS ^d	ΜT ^c	PS ^d	ΜT ^c	PS ^d	MTc	PS ^d	MTc	PS ^d
					dolla	ars				
1991-92	2,289	1.60	1,484	1.04	1,500	1.05	1,809	1.26	1,505	1.05
1992-93	1,516	1.06	889	.62	930	.65	1,041	.73	900	.63
1993-94	1,863	1.30	1,001	.70	1,249	.87	1,206	.84	1,034	.72
1994-95	1,701	1.19	988	.69	1,260	.88	1,229	.86	1,087	.76
1995-96	2,032	1.42	1,316	.92	1,533	1.07	1,573	1.10	1,390	.97
1996-97	1,636	1.14	1,074	.75	1,211	.85	1,197	.84	1,117	.78
1997-98	1,601	1.12	884	.62	1,265	.88	1,299	.91	1,029	.72
1998-99	1,876	1.31	1,015	.71	1,382	.96	1,424	.99	1,110	.77
1999-00	1,518	1.06	782	.55	1,295	.90	1,404	.98	954	.67
2000-01	1,294	.90	681	.48	1,044	.73	1,759	1.23	955	.67
2001-02	1,493	1.04	719	.50	1,147	.80	2,282	1.59	1,115	.78
2002-03	1,562	1.09	907	.63	1,361	.95	1,733	1.21	1,073	.75
2003-04	1,204	.84	763	.53	970	.68	1,112	.78	866	.60
2004-05	1,533	1.07	843	.59	1,001	.70	1,193	.83	940	.66
2005-06	2,178	1.52	1,129	.79	1,363	.95	1,610	1.12	1,256	.88

^aPrice is defined as "market value in the foreign country and therefore excludes U.S. import duties, freight charges from the foreign country to the U.S. and insurance" (U.S. Guide to Foreign Trade Statistics). 1988-89 data include "other orange juice."

SOURCES: FCPA, FCM and U.S. Department of Commerce.

^bFlorida Price = Bulk Price Equivalent.

[°]Metric ton 65° Brix.

^dBased on 1.029 PS per gallon of 11.8° Brix.

History of the U.S. Orange Juice Tariff

		FCOJ		NF	C
Year 	\$/SSE gal.	\$/ liter	\$/ PS	\$/SSE gal.	\$/ liter
TARIFF ACT O	F 1930				
1930-1947	70.00		68.03	70.00	
GATT – GENE	/A SWIT	ZERLAN	ID	i :	
1948-1971	35.00		34.01	35.00	
GATT – KENNE	EDY ROL	JND			
1972-1988	35.00		34.01	20.00	
1989-1994*	35.02	9.25	34.04	20.07	5.3
GATT – URUGU	JAY ROL	JND			
1995	34.15	9.02	33.19	19.69	5.2
1996	33.24	8.78	32.31	18.93	5.0
1997	32.37	8.55	31.46	18.55	4.9
1998	31.50	8.32	30.62	18.17	4.8
1999	30.59	8.08	29.73	17.42	4.6
2000-2011	29.72	7.85	28.89	17.04	4.5

^{*} Beginning 1989, Harmonized Tariff System based on metric units.

Florida FCOJ Movement by Product Type

Oct-Sep Season	Retail	Institutional	Bulk	Total			
	million gallons 42° Brix						
1985-86	92.4	18.4	107.4	218.2			
1986-87	92.5	20.0	112.1	224.6			
1987-88	80.5	21.0	123.9	225.4			
1988-89	74.6	21.1	123.2	218.8			
1989-90	65.7	20.9	100.6	187.2			
1990-91	72.1	21.5	116.0	209.7			
1991-92	68.3	22.8	120.6	211.7			
1992-93	69.5	20.9	153.6	244.0			
1993-94	60.7	20.5	157.0	238.2			
1994-95	54.3	22.7	188.4	265.5			
1995-96	52.3	28.4	196.2	276.9			
1996-97	53.1	24.5	189.7	267.3			
1997-98	49.5	26.2	192.1	267.8			
1998-99	41.1	27.2	170.7	239.1			
1999-00	35.7	27.5	176.5 ^b	239.7 ^b			
2000-01	34.7	27.1	164.2 ^b	226.0 ^b			
2001-02	30.8	25.5	193.7	249.9			
2002-03	25.8	25.0	149.2	200.1			
2003-04	22.8	26.9	167.3	217.0			
2004-05	20.7	23.0	131.4	175.2			
2005-06	18.3	21.4	121.2	160.8			
2006-07							

^aMay not add to total due to rounding.

^bAdjusted.

Florida FCOJ Inventories, Pack and Movement

Oct Son	Roginning	Pa	ck		Ending	
Oct-Sep Season	Beginning Inventory	From Fruit	Other	Movement	Inventory	
		milli	on gallons 42	°Brix		
1985-86	71.35	132.41	78.11	223.62	58.25	
1986-87	58.25	145.06	86.24	230.11	59.44	
1987-88	59.44	169.97	74.43	240.48	63.37	
1988-89	63.37	174.73	58.48	233.17	63.41	
1989-90	63.41	90.28	99.81	195.87	57.64	
1990-91	57.64	151.40	68.67	219.01	58.69	
1991-92	58.69	145.42	68.80	222.64	50.28	
1992-93	50.28	208.66	75.77	261.05	73.67	
1993-94	73.67	182.23	84.27	254.03	86.14	
1994-95	86.14	216.50	59.75	280.95	81.44	
1995-96	81.44	202.35	73.61	286.93	70.48	
1996-97	70.48	241.80	69.65	278.87	105.45°	
1997-98	105.45°	253.73	47.18	271.40	134.97	
1998-99	134.97	158.88	58.02	247.64	105.20 ^d	
1999-00	105.20 ^d	207.71	46.32	246.57	112.65 ^d	
2000-01	112.65 ^d	196.06	49.15	229.59	128.27	
2001-02	128.27	215.06	44.59 ^d	261.26	126.66 ^d	
2002-03	126.66 ^d	156.84	47.35 ^d	206.85	124.03	
2003-04	124.03	218.30	32.18	222.26	151.83	
2004-05	151.83	86.00	45.38	175.15	107.78	
2005-06	107.78	84.60	35.60	160.80	67.17	
2006-07	67.17					

^aIncludes futures contract.

^bMay not calculate due to rounding deliveries.

^cReporting definition change.

dAdjusted.

Florida COJ Inventories. Pack and Movement

<u> FIOHO</u>		ventori	es, rac	k and wid	vement
		Pa	ck		
Oct-Sep Season	Beginning Inventory	From Fruit	From Concen- trate	Movement	Ending Inventory ^a
		m	illion SSE gall	ons	
1985-86	NA	NA	NA	279.84	NA
1986-87	NA	NA	NA	311.42	NA
1987-88	NA	NA	NA	308.87	NA
1988-89	NA	NA	NA	333.34	NA
1989-90	NA	NA	NA	336.16	NA
1990-91	NA	NA	NA	349.86	NA
1991-92	NA	NA	NA	384.73	NA
1992-93	NA	NA	NA	408.42	NA
1993-94 ^b	78.42	311.12	142.20	444.20	89.00
1994-95 ^b	89.00	326.66	126.89	463.99	78.88
1995-96 ^b	78.88	384.12	116.30	472.60	108.27
1996-97 ^b	108.27	400.28	86.35	477.41	119.06
1997-98 ^b	119.06	452.07	96.08	583.61	83.69
1998-99 ^b	83.69	505.51	85.10	588.06	86.69
1999-00 ^b	86.69	558.82	86.71	577.87	163.42
2000-01 ^b	163.42	543.28	72.90	635.17	152.32
2001-02 ^b	152.32	531.27	58.80	602.61	154.36
2002-03 ^b	154.36	561.69	53.36	603.15	179.68
2003-04 ^b	179.68	559.08	39.49	615.81	181.54°
2004-05 ^b	181.54°	553.27	17.34	601.39	167.47
2005-06 ^b	167.47	575.06	20.07	610.30	174.98
2006-07 ^b	174.98				

^aMay not calculate due to rounding.

^bInventories include domestic receipts of non-Florida product and receipts of Florida product from non-members.

^cAdjusted to "standard" 11.8° Brix galllons.

Florida CSSOJ Inventories, Pack and Movement **Pack Beginning Ending** Oct-Sep From Movement From Inventory **Inventory**^a Season Concen-Fruit trate ----- million SSE gallons -----1978-79 33.46 11.16 7.00^b 42.79 8.84 1979-80 8.84 36.49 10.32 47.16 8.48 8.48 28.76 15.15 1980-81 43.98 8.42 8.11 1981-82 39.13 8.42 20.56 18.27 1982-83 36.42 8.11 12.34 20.74 4.77 31.42 1983-84 4.77 10.94 19.72 4.01 6.07 3.00 1984-85 4.01 18.99 26.06 7.10 3.33 1985-86 3.00 18.54 25.31 1986-87 3.33 5.34 22.07 27.28 3.46 2.89 1987-88 3.46 4.80 19.69 25.06 1988-89 2.89 6.39 21.16 27.77 2.67 1989-90 2.67 3.35 19.06 23.01 2.07 1990-91 2.07 3.24 24.30 1.84 20.82 1991-92 1.84 2.65 23.17 25.05 2.62 1992-93 2.62 1.99 24.75 26.79 2.56 1993-94 2.56 1.36 21.76 23.10 2.58 1994-95 2.58 1.73 17.65 19.96 2.01 1995-96 2.01 1.43 16.18 17.80 1.81 1996-97 1.81 1.07 12.20 14.13 .95

.95

1.01

NA

1997-98

1998-99°

SOURCES: FCPA, FDOC.

NA

12.13

1.01

^aMay not calculate due to rounding.

^bAdjusted.

[°]CSSOJ no longer reported.

<u>Florida</u>	<u>i FCGJ I</u>	<u>nvento</u>	<u>ries, Pack</u>	and M	<u>ovemen</u> t
Oat Can	D a seisa seisa se		Movem	ent	Cro eline er
Oct-Sep Season	Beginning Inventory	Pack ^a	Retail and Institutional	Bulk	Ending Inventory ^b
		m	illion 40° Brix gall	ons	
1985-86	6.95	26.03	3.67	21.97	7.34
1986-87	7.33°	30.47	3.30	25.57	8.94
1987-88	8.96°	33.40	3.08	25.10	14.17
1988-89	14.17	33.28	2.88	25.48	19.09
1989-90	19.09	22.59	2.51	22.50	16.67
1990-91	16.50 ^c	22.16	2.38	24.07	12.21
1991-92	12.21	20.55	2.28	23.73	6.76
1992-93	6.76	32.87	2.07	24.42	13.14
1993-94	13.14	27.27	1.72	24.92	13.77
1994-95	13.77	31.48	1.55	26.39	17.31
1995-96	17.31	27.42	1.45	25.92	17.36
1996-97	17.36	30.94	1.42	25.72	21.15
1997-98	21.46 ^d	24.61	1.32	27.10	17.64
1998-99	17.64	24.77	1.37	30.88	10.17
1999-00	10.10 ^c	30.05	.97	23.57	15.60
2000-01	13.47 ^c	27.50	.81	24.74	15.42
2001-02	15.42	27.55	.70	23.92	18.36
2002-03	18.68 ^c	20.41	.68	22.75	15.65
2003-04	15.65	21.11	.60	22.92	13.25
2004-05	13.25	4.85	.39	12.37	5.35
2005-06	5.35	10.25	.38	8.10	7.12
2006-07	7.12				

^aIncludes non-Florida & foreign imports & Florida non-member & chilled GJ in FCGJ.

^bMay not calculate due to rounding.

[°]Adjusted.

dincludes definitional adjustment. SOURCE: FCPA.

Florida CGJ Inventories, Pack and Movemen					
		Pa	ck		
	Beginning Inventory	From Fruit	From Concen- trate	Movement	Ending Inventory ^a
		mi	illion SSE gall	ons	
1985-86	1.57	5.88	28.11	33.60	1.96
1986-87	1.96	6.72	30.77	37.55	1.91
1987-88	1.91	5.71	31.17	36.27	2.52
1988-89	2.52	8.99	28.49	36.22	3.78
1989-90 ^b	3.78	5.71	26.33 ^b	32.87	3.14
1990-91 ^b	3.14	11.13	27.22 ^b	31.66	NA
1991-92 ^b	NA	12.60	25.13 ^b	31.78	NA
1992-93 ^b	NA	23.09	38.10 ^b	37.66	NA
1993-94 ^b	6.77	29.31	16.93	42.99	10.02
1994-95 ^b	10.02	29.31	17.56	44.66	12.25
1995-96 ^b	12.25	31.90	12.02	45.29	10.93
1996-97 ^b	10.93	37.21	13.60	46.90	14.84
1997-98 ^b	14.84	36.30	14.75	53.04	12.89
1998-99 ^b	12.89	39.38	15.50	56.39	11.38
1999-00 ^b	11.38	51.78	6.27	47.53	21.91
2000-01 ^b	21.91	32.88	3.93	45.75	14.86
2001-02 ^b	14.86	33.61	3.81	39.00	13.44
2002-03 ^b	13.44	32.43	2.52	39.62	11.74
2003-04 ^b	11.74	34.28	.03	34.45	12.03°
2004-05 ^b	12.03°	16.01	.03	19.50	11.73
2005-06 ^b	11.73	21.96	.01	20.67	12.51
2006-07 ^b	12.51				

^aMay not calculate due to rounding.

blinventories include domestic receipts of non-Florida and Florida non-member product.

[°]Adjusted to "standard" 10.0° Brix gallons.

Florida CSSGJ Inventories, Pack and Movement **Pack Beginning** Oct-Sep **Ending** From Movement From Inventory **Inventory**^a Season Concen-Fruit trate ---- million SSE gallons --1978-79 12.02 4.52 52.06 58.37 10.23 1979-80 10.23 49.62 6.42 54.75 11.52 1980-81 11.52 38.02 10.01 11.16 48.38 1981-82 11.16 37.90 15.17 49.84 14.40 1982-83 14.40 19.80 19.53 45.55 8.17 1983-84 8.17 14.00 18.10 34.53 5.75 1984-85 5.75 17.58 18.04 37.02 4.35 18.45 1985-86 4.35 15.12 32.81 5.11 1986-87 5.11 12.13 18.19 30.47 4.96 26.57 1987-88 4.96 10.51 15.55 4.46 1988-89 4.46 8.09 18.76 26.61 4.71 4.71 4.78 2.70 1989-90 15.42 22.21 1990-91 2.70 4.30 18.24 22.51 2.73 1991-92 3.14 16.51 20.35 2.73 2.02 1992-93 2.02 2.81 16.60 18.85 2.58 1993-94 2.58 16.78 18.56 2.16 1.36 1994-95 2.16 1.45 16.23 18.02 1.82 1995-96 16.24 1.82 .72 15.17 1.48 1996-97 1.48 .76 14.01 15.00 1.25 1997-98 1.25 NA 16.53 NA 1.47 1998-99^b 1.47

^aMay not calculate due to rounding.

^bCSSGJ no longer reported.

Florida Orange On-Tree Earnings Per Box

Season	Ear Mids	ly & eason	Vale	ncia	Total					
	Fresh	Proc.	Fresh	Proc.	Fresh	Proc.				
dollars per 90-lb. box										
1985-86	6.40	3.70	3.90	3.98	5.33	3.83				
1986-87	6.10	4.43	6.30	6.00	6.18	5.14				
1987-88	7.65	6.64	8.45	8.75	7.96	7.56				
1988-89	7.65	6.63	7.55	8.45	7.61	7.40				
1989-90	9.55	5.74	13.75	6.34	10.31	5.98				
1990-91	8.30	5.17	8.60	6.35	8.46	5.66				
1991-92	9.40	5.03	6.70	6.65	8.52	5.69				
1992-93	4.50	3.15	2.54	3.95	3.81	3.46				
1993-94	6.75	3.56	4.25	4.63	5.98	3.98				
1994-95	4.00	3.21	4.20	4.42	4.07	3.72				
1995-96	4.95	3.54	6.45	5.53	5.46	4.35				
1996-97	4.50	3.11	4.70	4.04	4.57	3.49				
1997-98	3.70	2.76	4.20	4.90	3.85	3.68				
1998-99	8.30	4.12	9.40	5.32	8.78	4.59				
1999-00	5.55	3.07	4.95	4.31	5.37	3.60				
2000-01	4.00	2.53	4.80	3.99	4.29	3.16				
2001-02	4.65	2.79	5.25	4.17	4.84	3.41				
2002-03	5.75	2.42	5.30	3.80	5.61	3.05				
2003-04 ^a	4.65	2.09	2.85	3.67	3.87	2.85				
2004-05 ^a	7.60	2.54	5.80	4.17	6.87	3.31				
2005-06 ^a	6.20	4.41	5.00	6.47	5.80	5.44				

^aPreliminary.

SOURCE: FASS.

Florida Grapefruit On-Tree Earnings Per Box Colored White **Total** Season Fresh Proc. Proc. Fresh Proc. Fresh dollars per 85-lb. box-1985-86 4.20 3.33 5.70 3.17 5.19 3.29 1986-87 4.70 4.36 4.23 5.89 4.32 6.50 1987-88 6.82 4.80 6.86 3.86 6.85 4.61 1988-89 6.22 3.56 5.93 2.23 6.03 3.24 1989-90 10.91 3.55 9.60 1.92 10.00 3.06 1990-91 8.60 8.95 2.08 2.16 1.42 8.83 1991-92 10.20 4.41 8.05 3.71 8.69 4.20 1992-93 5.30 1.26 4.70 .56 4.86 1.06 1993-94 7.55 1.69 4.70 1.13 5.52 1.51 1.39 1994-95 6.75 3.05 -.23 4.00 .83 .56 1995-96 5.88 .88 2.96 -.06 3.71 1996-97 5.23 -.18 3.26 .20 3.74 -.01 1997-98 5.38 2.85 -.05 3.42 -.33 -.65 1998-99 6.80 .29 4.52 .28 5.04 .30 1999-00 9.78 2.35 5.52 1.60 6.52 1.98 2000-01 6.53 .87 4.30 .29 4.81 .59 2001-02 .91 4.92 .17 5.25 6.54 .56 2002-03 7.57 .36 5.13 .21 5.63 .29 2003-04^a 7.50 .50 7.27 .70 7.32 .60 2004-05^a 21.32 5.73 19.11 4.76 19.51 5.13 16.09 7.28 13.40 5.56 13.96 6.26 2005-06^a

SOURCE: FASS.

^aPreliminary.

Total On-Tree Earnings of the Florida Citrus Industry

Season	Oranges	Temples	Grape-	Tanger-	Tangelos	K-Early	Limes	Lemons	Total	
		•	fruit	ines						
1991-92	828,749	15,289	280,629	46,797	18,618	489	14,589	3,784	1,208,944	
1992-93	649,713	7,475	146,432	38,503	10,092	1,015	1,017	1,565	855,812	
1993-94	713,312	6,136	167,211	40,303	7,976	377	2,540	1,998	939,853	
1994-95	767,924	8,848	116,602	42,539	8,318	276	1,989	1,677	948,173	
1995-96	895,465	9,543	101,140	56,646	8,883	365	2,414	1,361	1,075,817	
1996-97	801,344	7,723	86,583	50,343	8,645	210	2,216	2,006	959,070	
1997-98	900,815	6,898	63,000	44,126	4,723	-53	3,035	839	1,023,383	
1998-99	900,044	9,208	108,411	59,763	11,560	145	6,413	1,516	1,097,060	
1999-00	856,052	4,971	188,332	46,622	5,549	68	6,728	201	1,108,523	
2000-01	716,055	2,565	100,869	35,867	2,671	84	2,999	921	862,031	
2001-02	797,602	3,395	107,653	51,554	5,307	36	929	299	966,775	
2002-03	643,804	2,615	94,518	46,217	6,114	b	b	2,061	795,329	
2003-04	699,927	1,502	136,295	48,464	7,484	b	b	b	893,672	
2004-05 ^a	522,892	1,615	172,365	53,503	3,794	b	b	b	754,169	
2005-06 ^a	807,576	2,214	174,084	51,907	7,512	b	b	b	1,043,293	

^aPreliminary.

^bNo longer reported.

SOURCE: FASS, Citrus Summary.

Delivered-In Prices Reported by Florida Citrus Processors Association for Oranges Purchased^a

Season/ Item ^b	To Midseason Break	After Midseason Break	Combined Early/Midseason and Valencia
1997-98 Priced Boxes \$/PS Average \$/Box Average	36,036,571 .68680 4.18520	23,170,962 1.12584 7.77519	59,207,533 .87187 5.59015
1998-99 Priced Boxes \$/PS Average \$/Box Average	30,459,473 1.05238 6.68851	8,793,742 1.11576 7.90036	39,253,215 1.06780 6.96000
1999-00 Priced Boxes \$/PS Average \$/Box Average	33,041,166 .854363 5.196875	16,102,486 .997951 6.860122	49,143,652 .905359 5.741857
2000-01 Priced Boxes \$/PS Average \$/Box Average	24,417,244 .695792 4.357134	11,550,205 .899491 6.104480	35,967,449 .764827 4.918258
2001-02 Priced Boxes \$/PS Average \$/Box Average	22,967,205 .748566 4.565481	17,526,601 .942557 6.229543	40,493,806 .836374 5.285723
2002-03 Priced Boxes \$/PS Average \$/Box Average	23,036,107 .873196 5.128478	14,998,208 1.031572 6.412195	38,034,315 .937849 5.634950
2003-04 Priced Boxes \$/PS Average \$/Box Average	30,633,873 .648933 3.710253	26,910,288 .765150 5.019599	57,544,161 .707271 4.322563
2004-05 Priced Boxes \$/PS Average \$/Box Average	23,252,092 .798043 4.784269	19,881,954 1.028422 6.782594	43,134,046 .909710 5.705365
2005-06 Priced Boxes \$/PS Average \$/Box Average	24,427,462 1.156686 6.864509	29,605,351 1.462930 9.906827	54,032,812 1.334416 8.531439

^aExcludes participation and intermediate prices, and prices for oranges purchased for chilled-orange-juice production.

^bTotal boxes and weighted average price of spot, contract and final prices combined. SOURCE: FCPA.

Delivered-In Prices Reported by Florida Citrus Processors Association for Grapefruit Purchased

Season/ Item	White	Colored	Combined
1997-98 Priced Boxes \$/PS Average \$/Box Average	4,162,430 .20734 .90094	2,856,500 .25901 1.18099	7,018,930 .22897 1.01492
1998-99 Priced Boxes \$/PS Average \$/Box Average	4,520,473 .53982 2.57700	3,431,463 .51271 2.45472	7,951,936 .52810 2.52423
1999-00 Priced Boxes \$/PS Average \$/Box Average	8,981,415 1.163851 5.035492	4,847,195 1.096553 5.031245	13,828,610 1.139355 5.034004
2000-01 Priced Boxes \$/PS Average \$/Box Average	8,251,541 .669177 3.160538	3,732,761 .484440 2.480057	11,984,302 .608396 2.948588
2001-02 Priced Boxes \$/PS Average \$/Box Average	8,286,298 .719602 3.324959	2,813,133 .272997 1.333261	11,099,431 .601665 2.820166
2002-03 Priced Boxes \$/PS Average \$/Box Average	3,901,815 .534171 2.388766	1,606,522 .403529 1.878852	5,508,337 .494971 2.240048
2003-04 Priced Boxes \$/PS Average \$/Box Average	5,641,239 .493767 2.127092	2,372,097 .490457 2.250097	8,013,336 .492743 2.163504
2004-05 Priced Boxes \$/PS Average \$/Box Average	927,887 1.884147 8.395907	1,415,237 1.817692 8.626136	2,343,124 1.843014 8.534964
2005-06 Priced Boxes \$/PS Average \$/Box Average	2,159,375 2.343180 10.119715	3,157,416 1.874818 8.492313	5,316,791 2.059679 9.153270

Nielsen Retail OJ Sales, U.S.a,b

Dec- Nov	FCOJ			R-T-S OJ (except canned)			Canned OJ			Total OJ		
Season	Volume	Value	Price	Volume	Value	Price	Volume	Value	Price	Volume	Value	Price
	mil. SSE gals.	mil. \$	\$/gal.	mil. SSE gals.	mil. \$	\$/gal.	mil. SSE gals.	mil. \$	\$/gal.	mil. SSE gals.	mil. \$	\$/gal.
1972-73	425.0	524.1	1.23	100.3	176.1	1.76	27.1	42.7	1.58	552.4	742.9	1.34
1973-74	460.9	587.4	1.27	110.7	203.6	1.84	28.5	47.8	1.68	600.1	838.8	1.40
1974-75	498.6	687.2	1.38	132.5	250.0	1.89	28.2	53.1	1.88	659.2	990.3	1.50
1975-76	521.3	735.4	1.41	160.9	310.2	1.93	27.4	56.0	2.04	709.5	1,101.6	1.55
1976-77	497.3	849.4	1.71	188.9	411.5	2.18	28.7	65.5	2.28	714.9	1,326.4	1.86
1977-78	446.9	999.7	2.24	204.1	545.2	2.67	30.0	84.7	2.82	681.0	1,629.6	2.39
1978-79	457.1	1,097.0	2.40	223.4	655.1	2.93	28.2	90.3	3.20	708.6	1,842.3	2.60
1979-80	501.1	1,178.1	2.35	277.6	824.8	2.97	29.3	95.1	3.25	808.0	2,098.0	2.60
1980-81	491.7	1,341.9	2.73	289.0	964.8	3.34	27.2	98.4	3.62	807.9	2,405.1	2.98
1981-82	484.0	1,382.3	2.86	295.0	1,020.3	3.46	24.9	95.5	3.83	803.9	2,498.0	3.11
1982-83	493.7	1,380.7	2.80	345.8	1,156.2	3.34	23.1	90.7	3.93	862.6	2,627.6	3.05
1983-84	457.4	1,483.4	3.24	378.3	1,418.3	3.75	20.3	91.0	4.49	856.0	2,992.7	3.50
1984-85	425.9	1,502.3	3.53	373.4	1,511.8	4.05	18.0	87.8	4.89	817.2	3,102.0	3.80
1985-86	429.5	1,244.0	2.90	437.2	1,550.2	3.55	17.3	77.0	4.44	884.0	2,871.0	3.25
1986-87	393.9	1,166.3	2.96	447.6	1,626.1	3.63	16.6	73.8	4.45	858.1	2,866.2	3.34
1987-88	353.1	1,245.2	3.53	427.4	1,840.2	4.31	15.9	77.7	4.89	796.5	3,163.1	3.97

^aThis data series is no longer available. For current data see page 61.

^bNumbers may not calculate due to rounding.

<u>გ</u>

Nielsen Retail OJ Sales in Grocery Stores > \$2 Million Annual Sales

Oct-Sept	t Frozen			Refri	Refrigerated - NFC			Refrigerated - Recon			Total OJ ^a		
Season	Volume	Value	Price ^b	Volume	Value	Price ^b	Volume	Value	Price ^b	Volume	Value	Price ^b	
	mil. SSE gals.	mil. \$	\$/gal.	mil. SSE gals.	mil. \$	\$/gal.	mil. SSE gals.	mil. \$	\$/gal.	mil. SSE gals.	mil. \$	\$/gal.	
1993-94	263.6	720.3	2.73	191.6	882.3	4.60	336.2	1,071.3	3.19	803.8	2,732.6	3.40	
1994-95	243.3	660.8	2.72	207.5	965.5	4.65	345.0	1,090.3	3.16	806.7	2,768.6	3.43	
1995-96	218.8	635.9	2.91	216.4	1,031.2	4.76	344.3	1,159.6	3.37	789.9	2,877.1	3.64	
1996-97	197.1	594.2	3.01	223.8	1,098.4	4.91	365.8	1,289.2	3.52	796.4	3,030.3	3.80	
1997-98	179.4	518.8	2.89	260.9	1,240.7	4.76	369.6	1,277.0	3.46	818.9	3,082.6	3.76	
1998-99	154.7	487.8	3.15	286.4	1,488.7	5.20	344.5	1,320.4	3.83	794.4	3,344.1	4.21	
1999-00	139.6	455.9	3.26	293.8	1,602.1	5.45	366.9	1,429.8	3.90	808.5	3,532.2	4.37	
2000-01	122.9	397.5	3.24	320.0	1,727.1	5.40	356.2	1,397.0	3.92	806.4	3,561.6	4.42	
2001-02	100.2	328.9	3.28	335.1	1,770.9	5.28	322.9	1,255.8	3.89	766.7	3,401.3	4.44	
2002-03	81.7	279.2	3.42	342.3	1,780.4	5.20	293.8	1,139.3	3.88	725.2	3,238.8	4.47	
2003-04	66.6	226.2	3.40	339.6	1,736.2	5.11	266.8	1,004.1	3.76	679.5	3,002.0	4.42	
2004-05	57.4	194.4	3.39	321.5	1,712.2	5.32	266.8	996.4	3.73	651.6	2,935.8	4.51	
2005-06	49.6	177.2	3.57	313.8	1,728.6	5.51	229.4	923.7	4.03	598.5	2,862.1	4.78	
2006-07													

^aTotal includes shelf stable product not listed separately in this table.

^bReflects actual price paid after discounts (coupons, sales, etc.).

5

Nielsen Retail OJ Sales in All-Outlet Stores^a

Oct-Sept	Frozen			Refrigerated - NFC			Refrigerated - Recon			Total OJ		
Season	Volume	Value	Price	Volume	Value	Price	Volume	Value	Price	Volume	Value	Price
	mil. SSE gals.	mil. \$	\$/gal.	mil. SSE gals.	mil. \$	\$/gal.	mil. SSE gals.	mil. \$	\$/gal.	mil. SSE gals.	mil. \$	\$/gal.
1995-96	222.0	645.6	2.91	198.4	960.9	4.84	376.5	1,288.1	3.42	807.4	2,945.6	3.65
1996-97	204.2	615.0	3.01	220.0	1,088.4	4.95	398.2	1,415.8	3.56	832.3	3,169.3	3.81
1997-98	187.6	541.1	2.88	260.3	1,249.3	4.80	407.4	1,416.5	3.48	864.7	3,254.9	3.76
1998-99	165.0	517.2	3.13	287.0	1,508.5	5.26	391.2	1,500.6	3.84	852.6	3,576.4	4.19
1999-00	149.3	479.8	3.21	311.4	1,671.9	5.37	403.4	1,582.9	3.92	872.5	3,780.3	4.33
2000-01	135.5	429.6	3.17	346.4	1,835.4	5.30	398.8	1,578.8	3.96	888.7	3,886.6	4.37
2001-02	112.9	363.7	3.22	363.3	1,906.7	5.25	375.9	1,458.2	3.88	861.2	3,777.7	4.39
2002-03	95.3	317.3	3.33	379.8	1,960.2	5.16	352.8	1,355.0	3.84	836.4	3,677.2	4.40
2003-04	79.2	262.7	3.32	389.3	1,970.7	5.06	331.4	1,238.9	3.74	807.3	3,511.4	4.35
2004-05	70.1	230.6	3.29	374.7	1,967.5	5.25	343.8	1,278.6	3.72	795.3	3,512.8	4.42
2005-06	62.3	215.8	3.46	373.4	2,030.4	5.44	304.2	1,219.4	4.01	746.3	3,501.5	4.69
2006-07												

^aData include supercenter sales through 11/24/01 and Wal-Mart sales estimates thereafter.

6

Nielsen Retail GJ Sales in All-Outlet Stores^a

Oct-Sept	Frozen			R-T-S - NFC			R-T-S - Recon			Total GJ		
Season	Volume	Value	Price	Volume	Value	Price	Volume	Value	Price	Volume	Value	Price
	mil. SSE gals.	mil. \$	\$/gal.	mil. SSE gals.	mil. \$	\$/gal.	mil. SSE gals.	mil. \$	\$/gal.	mil. SSE gals.	mil. \$	\$/gal.
1995-96	4.8	14.6	3.02	16.0	78.2	4.89	27.1 ^b	113.1 ^b	4.17 ^b	48.0	206.0	4.29
1996-97	4.6	14.0	3.02	17.8	89.3	5.03	27.3 ^b	112.7 ^b	4.13 ^b	49.7	216.0	4.35
1997-98	4.5	13.4	2.99	21.2	104.3	4.93	31.8 ^b	128.4 ^b	4.04 ^b	57.4	246.1	4.29
1998-99	4.3	12.9	3.01	23.0	125.8	5.48	32.3 ^b	132.4 ^b	4.10 ^b	59.5	271.2	4.56
1999-00	3.0	10.0	3.29	22.2	125.0	5.64	26.6 ^b	119.4 ^b	4.50 ^b	51.8	254.4	4.91
2000-01	2.5	8.8	3.51	20.4	114.7	5.63	23.4	111.2	4.76	46.3	234.8	5.08
2001-02	2.4	8.1	3.35	18.8	104.0	5.53	18.6	86.7	4.66	39.9	198.8	4.98
2002-03	1.8	6.4	3.48	17.9	94.1	5.26	17.1	78.8	4.60	36.8	179.4	4.87
2003-04	1.6	5.4	3.40	17.1	87.8	5.13	15.5	69.5	4.49	34.2	162.7	4.76
2004-05	1.8	5.6	3.18	11.0	70.3	6.38	12.3	66.2	5.39	25.0	142.0	5.67
2005-06	1.5	4.8	3.32	9.0	63.7	7.05	11.5	65.9	5.72	22.0	134.5	6.11
2006-07												

^aData include supercenter sales through 03/18/00 and Wal-Mart sales estimates thereafter.

^bIncludes unidentified GJ.

3

Nielsen Retail GJ Sales, U.S. a,b

Dec-Nov	FCGJ				R-T-S GJ (except canned)			Canned GJ			Total GJ		
Season	Volume	Value	Price	Volume	Value	Price	Volume	Value	Price	Volume	Value	Price	
	mil. SSE gals.	mil. \$	\$/gal.	mil. SSE gals.	mil. \$	\$/gal.	mil. SSE gals.	mil. \$	\$/gal.	mil. SSE gals.	mil. \$	\$/gal.	
1976-77	10.9	18.7	1.72	21.4	52.6	2.46	64.1	125.0	1.95	96.4	196.3	2.04	
1977-78	12.2	23.7	1.94	25.2	69.4	2.75	68.3	142.0	2.08	105.7	235.1	2.22	
1978-79	14.1	28.6	2.03	29.0	85.7	2.96	61.2	146.7	2.40	104.3	261.1	2.50	
1979-80	13.7	32.4	2.36	29.9	101.5	3.39	53.0	151.2	2.85	96.6	285.1	2.95	
1980-81	14.0	36.5	2.61	29.8	113.6	3.81	47.7	148.9	3.12	91.5	299.1	3.27	
1981-82	13.5	35.3	2.61	27.8	113.0	4.06	49.4	142.2	2.88	90.7	290.4	3.20	
1982-83	13.9	32.0	2.30	28.3	112.8	3.99	47.4	129.4	2.73	89.6	274.1	3.06	
1983-84	13.2	32.4	2.45	28.5	117.9	4.14	39.8	128.7	3.23	81.5	278.9	3.42	
1984-85	14.0	37.6	2.69	34.2	150.4	4.40	42.4	151.8	3.58	90.6	339.8	3.75	
1985-86	12.3	35.8	2.90	36.6	163.0	4.45	36.0	134.4	3.73	85.0	333.2	3.92	
1986-87	10.9	34.1	3.13	37.0	174.3	4.71	30.2	118.7	3.93	78.1	327.1	4.19	
1987-88	9.7	33.1	3.41	35.5	175.4	4.94	26.7	109.9	4.12	71.9	318.4	4.43	

^aThis data series is no longer available. For current data see page 65.

^bNumbers may not calculate due to rounding.

Nielsen Retail GJ Sales in Grocery Stores >\$2 Million Annual Sales a

Oct-Sept		Frozen		Carto	n/Plastic/	Glass	Canned/Aseptic			Total GJ		
Season	Volume	Value	Price ^b	Volume	Value	Priceb	Volume	Value	Price ^b	Volume	Value	Price ^b
	mil. SSE gals.	mil. \$	\$/gal.	mil. SSE gals.	mil. \$	\$/gal.	mil. SSE gals.	mil. \$	\$/gal.	mil. SSE gals.	mil. \$	\$/gal.
1993-94	5.4	17.6	3.23	29.3	140.6	4.80	12.9	47.9	3.72	47.7	206.2	4.32
1994-95	5.0	15.5	3.13	28.9	138.5	4.79	12.0	43.0	3.58	45.9	197.1	4.29
1995-96	4.8	14.5	3.05	28.5	140.3	4.91	12.0	41.8	3.47	45.3	196.6	4.34
1996-97	4.5	13.7	3.07	30.5	150.3	4.93	11.6	40.1	3.46	46.6	204.2	4.38
1997-98	4.2	12.9	3.05	35.2	170.3	4.84	13.5	47.2	3.49	53.0	230.4	4.35
1998-99	4.0	12.2	3.07	38.0	193.8	5.11	12.3	45.6	3.70	54.3	251.7	4.64
1999-00	2.6	9.0	3.42	35.5	192.4	5.42	8.6	36.5	4.27	46.6	237.8	5.10
2000-01	2.3	8.2	3.59	31.5	173.9	5.52	6.6	30.3	4.58	40.5	212.5	5.25
2001-02	2.1	7.4	3.45	26.9	146.8	5.45	5.7	25.9	4.54	34.8	180.1	5.18
2002-03	1.6	5.9	3.60	25.1	132.3	5.26	5.1	23.1	4.49	31.9	161.2	5.05
2003-04	1.3	4.5	3.61	22.8	117.2	5.15	4.1	18.7	4.55	28.1	140.4	4.99
2004-05	1.1	3.8	3.57	15.6	97.9	6.27	3.0	16.4	5.39	19.7	118.1	5.99
2005-06	.8	3.0	3.85	13.3	90.9	6.82	2.3	14.1	6.07	16.4	108.0	6.58
2005-06												

^aNumbers may not calculate due to rounding.

^bReflects actual price paid after discounts (coupons, sales, etc.).

Nielsen Retail GJ and GJ Cocktail Sales in Grocery Stores >\$2 Million Annual Sales

Oct-Sept	R-T-S - NFC			R-T-S - Recon			Total GJ			GJ Cocktail		
Season	Volume	Value	Price	Volume	Value	Price	Volume	Value	Price	Volume	Value	Price
	mil. SSE gals.	mil. \$	\$/gal.	mil. SSE gals.	mil. \$	\$/gal.	mil. SSE gals.	mil. \$	\$/gal.	mil. SSE gals.	mil. \$	\$/gal.
1997-98	20.6	101.8	4.94	28.1 ^a	115.7ª	4.11 ^a	53.0	230.4	4.35	21.2	107.6	5.08
1998-99	22.1	120.4	5.46	28.2 ^a	119.1ª	4.22 ^a	54.3	251.7	4.64	21.3	107.8	5.06
1999-00	20.7	118.2	5.70	23.3ª	110.7ª	4.75°	46.6	237.8	5.10	15.8	78.5	4.97
2000-01	19.2	109.2	5.70	19.0	95.0	5.01	40.5	212.5	5.25	14.1	70.6	5.00
2001-02	18.2	101.3	5.56	14.4	71.5	4.96	34.8	180.1	5.18	12.4	63.2	5.11
2002-03	17.1	90.2	5.29	13.2	65.1	4.93	31.9	161.2	5.05	10.4	54.2	5.20
2003-04	15.7	81.0	5.16	11.2	54.9	4.90	28.1	140.4	4.99	9.6	50.3	5.26
2004-05	9.5	62.1	6.54	9.2	52.3	5.70	19.7	118.1	5.99	8.5	45.2	5.32
2005-06	7.7	55.9	7.31	8.0	49.0	6.14	16.4	108.0	6.58	7.2	39.3	5.48
2006-07												

^aIncludes unidentified GJ.

U.S. Per Capita Beverage Consumption

	Bottled Soft Selected Fruit Juices								
Year	Milk	Water	Soπ Drinks	OJ	GJ	Apple	Grape	TOTAL ^a	
	-			galloı	ns				
1970	31.3	NA	NA	3.7	.6	.5	.2	5.5	
1975	29.5	NA	NA	4.7	.6	.6	.2	6.6	
1980	27.6	2.7	33.6	5.0	.7	1.1	.3	7.6	
1985	26.7	5.1	41.2	4.8	.6	1.6	.2	7.7	
1990	25.7	8.8	47.1	3.3	.5	1.7	.3	6.6	
1991	25.5	8.9	47.3	4.6	.5	1.5	.4	7.8	
1992	25.1	9.2	47.3	4.3	.4	1.6	.4	7.5	
1993	24.4	9.9	47.9	5.2	.6	1.8	.4	8.8	
1994	24.3	10.8	49.4	5.1	.6	1.8	.3	8.5	
1995	23.9	11.6	50.6	4.7	.6	1.6	.5	8.1	
1996	23.8	12.4	51.6	5.3	.5	1.7	.4	8.6	
1997	23.4	13.4	52.7	5.2	.6	1.6	.4	8.5	
1998	23.0	14.4	53.8	5.8	.5	1.8	.3	9.1	
1999	22.9	15.8	53.5	5.5	.5	1.8	.4	9.0	
2000	22.5	16.7	53.2	5.5	.6	1.8	.3	9.0	
2001	22.0	18.2	52.9	5.8	.5	1.8	.3	9.2	
2002	21.9	20.1	52.8	4.7	.5	1.8	.4	8.1	
2003	21.6	21.6	52.5	5.1	.4	1.9	.4	8.6	
2004	21.2	23.2	52.3	5.1	.4	2.1	.4	8.6	
2005	21.0	25.4	51.5	5.0	.1	1.9	.5	8.2	
2006		ne, pineapi							

^aIncludes lemon, lime, pineapple, cranberry & prune juice.

SOURCE: USDA-ERS.

Nutrition Values of Citrus

ITEM	REFER-		JU	ICE				FRE	SH		
ITEM ENCE VALUE		ORANGE		GRAPEFRUIT		ORANGES		GRAPE	FRUIT	TANGE	RINES
SERVING SIZE	1 cup / 8-oz.				154g / 154g / 1 med. fruit ½ med. fruit			109g / 1 med. fruit			
			Amount Per Serving (% Daily Value)								
Calories	2000	110		90		70		60		50	
Calories from Fat	NA	0		0		0		0		0	
Cholesterol	<300 mg	0		0		0		0		0	
Total Fat	65 g	0		0		0		0		0	
Saturated Fat	20 g	0		0		0		0		0	
Sodium	<2400 mg	0		0		0		0		0	
Potassium	3500 mg	450	(13%)	300	(9%)	260	(7%)	230	(7%)	180	(5%)
Total Carbohydrates	300 g	26	(9%)	22	(7%)	21	(7%)	16	(5%)	15	(5%)
Sugar	NA g	22		20		14		10		8	
Protein	50 g	2		1		1		1		1	
Dietary Fiber	25 g	0	(0%)	0	(0%)	7	(28%)	6	(24%)	3	(12%)
<u>Folate</u>	400 mcg	60	(15%)	24	(6%)	40	(10%)	16	(4%)	8	(2%)
Vitamin A	5000 IU	0	(0%)	0	(0%)	100	(2%)			750	(15%)
				600	(12%) ^a			750	$(15\%)^1$		
Vitamin C	60 mg	72	(120%)	60	(100%)	78	(130%)	66	(110%)	30	(50%)
Calcium	1000 mg	20	(2%)	20	(2%)	60	(6%)	20	(2%)	40	(4%)
<u>Thiamin</u>	1.5 mg	.15	(10%)	.09	(6%)	.15	(10%)	.06	(4%)	.12	(8%)
Magnesium	400 mg	24	(6%)	24	(6%)	16	(4%)	16	(4%)	16	(4%)

SOURCES: Daily Values are based on a 2000 calorie diet for moderately active adults. FDA National Fact (61 FR at 42761) 5/21/96; FDOC Scientific Research (04/11/05).

aColored varieties.

U.S. Grade A Frozen Concentrated Juice Standards

Scoring Factors	Orange	Grapefruit
Color	Minimum 36 points, but OJ 5 color tube	Minimum 18 points
Defects	Minimum 18 points	Minimum 18 points
Flavor	Minimum 36 points	Minimum 54 points
Minimum Total Score	90 points ^a	90 points ^a
OTHER FACTORS		
Ratio	12.5:1 to 19.5:1	9.0:1 to 14.0:1
Concentrate Brix	Minimum 41.8°	Minimum 38.0°
Reconstituted Brix	Minimum 11.8°	Minimum 10.6°
Sinking Pulp	No requirement	Maximum 10%
Recoverable Oil	Maximum 0.035%	Maximum 0.020%
Gel Test	No requirement	No requirement
Washed Pulp Solids	In-line permitted	Not permitted

^aThe lowest score of any <u>one</u> factor (color, defects or flavor) determines the grade even though the total score for the product places it in a higher grade. Florida requires that FCOJ scored Grade B must have a Grade A Flavor. SOURCE: Federal Register.

U.S. Grade A
Concentrated Juice for Manufacturing
Standards

Scoring Factors	Orange	Grapefruit
Color	Minimum 36 points, but OJ 6 color tube	Minimum 18 points
Defects	Minimum 18 points	Minimum 18 points
Flavor	Minimum 36 points	Minimum 54 points
Minimum Total Score	90 points	90 points
OTHER FACTORS		
Ratio	8:1 to 24:1	Minimum 6.0:1
Concentrate Brix	Minimum 20°	
Reconstituted Brix	Minimum 11.8°	
Sinking Pulp	No requirement	Maximum 10%
Recoverable Oil	No requirement	No requirement
Gel Test	No requirement	No requirement
Washed Pulp Solids	In-line permitted	Not permitted

SOURCE: Federal Register.

U.S. Grade A
Juice from Concentrate Standards

Scoring Factors	Orange	Grapefruit
Color	Minimum 36 points, but OJ 5 color tube	Minimum 18 points
Defects	Minimum 18 points	Minimum 18 points
Flavor	Minimum 36 points	Minimum 54 points
Minimum Total Score	90 points	90 points
OTHER FACTORS		
Ratio	12:5 to 20.5:1	8.0:1 to 14.0:1
°Brix	Minimum 11.8°	Minimum 10.0°
Sinking Pulp	No requirement	Maximum 10%
Recoverable Oil	Maximum 0.035%	Maximum 0.020%
Washed Pulp Solids	In-line permitted	Not permitted

SOURCE: Federal Register.

U.S. Grade A Juice Standards

Scoring Factors	Pasteurized Orange	Grapefruit
Color	Minimum 36 points	Minimum 18 points
Defects	Minimum 18 points	Minimum 18 points
Flavor	Minimum 36 points	Minimum 54 points
Minimum Total Score	90 points	90 points
OTHER FACTORS		
Ratio	12:5 to 20.5:1	8.0:1 to 14.0:1
°Brix	Minimum 11.0°	Minimum 9.0°
Sinking Pulp	No requirement	Maximum 10%
Recoverable Oil	Maximum 0.035%	Maximum 0.020%
Washed Pulp Solids	Not permitted	Not permitted

SOURCE: Federal Register.

Florida Orange Standards

Minimum Total		Solids to Acid	Minimum Total	Solids to Acid		
Solids (%)		Minimum Ratio	Solids (%)	Minimum Ratio		
^a 8.0 to (not incl)	8.1	— 10.50 to 1	9.6 to (not incl) 9.7	— 9.70 to 1		
8.1 to "	8.2 ·	— 10.45 to 1	9.7 to " 9.8	— 9.65 to 1		
8.2 to "	8.3	— 10.40 to 1	9.8 to " 9.9	— 9.60 to 1		
8.3 to "	8.4	— 10.35 to 1	9.9 to " 10.0	— 9.55 to 1		
8.4 to "	8.5	— 10.30 to 1	10.0 to " 10.1	— 9.50 to 1		
^b 8.5 to "	8.6	— 10.25 to 1	10.1 to " 10.2	— 9.45 to 1		
8.6 to "	8.7 ·	— 10.20 to 1	10.2 to " 10.3	— 9.40 to 1		
°8.7 to "	8.8	— 10.15 to 1	10.3 to " 10.4	— 9.35 to 1		
8.8 to "	8.9	— 10.10 to 1	10.4 to " 10.5	— 9.30 to 1		
8.9 to "	9.0	— 10.05 to 1	10.5 to " 10.6	— 9.25 to 1		
^d 9.0 to "	9.1	— 10.00 to 1	10.6 to " 10.7	— 9.20 to 1		
9.1 to "	9.2	— 9.95 to 1	10.7 to " 10.8	— 9.15 to 1		
9.2 to "	9.3	— 9.90 to 1	10.8 to " 10.9	— 9.10 to 1		
9.3 to "	9.4	— 9.85 to 1	10.9 to " 11.0	— 9.05 to 1		
9.4 to "	9.5	— 9.80 to 1	11.0 and above	— 9.00 to 1 ^e		
9.5 to "	9.6	— 9.75 to 1				

NEW VARIETIES: Ambersweet (orange), Sunburst & Falglo (tangerines) Not exempt.

(Page, Osceola, Lee, Robinson, Dancy, K-Early, Ortanique and Pummelo exempt from inspection.)

NOTE 1: Until December 1 of each year, all oranges for processing must meet fresh fruit requirements unless otherwise noted. From December 1 thru July 31, no juice content, minimum acid or color break requirements for processed fruit. Apply minimum solids and ratio requirements as indicated in table.

NOTE 2: For color break requirements and individual fruit testing, see Citrus Fruit Laws.

SOURCE: FDACS.

^aMinimum solids for processing December 1 thru July 31.

^bMinimum solids for oranges fresh November 16 thru July 31, and processing November 16 thru November 30.

^cMinimum solids for oranges November 1 thru November 15.

^dMinimun solids for oranges August 1 thru October 31.

e11.00 and higher solids, minimum 9.00 to 1 ratio. Juice requirements 4½ gallons per box, minimum acid 0.40.

Florida Grapefruit Standards

Minimum Total Solids to Acid Solids (%) Minimum Ratio				Minimum Total Solids (%)			Solids to Acid Minimum Ratio				
		IVII	IIIIIIIIIIIII	Italio		Jolius (70)		IAII	IIIIIIIIIIIII	itatio	
^a 6.5			7.00		40.4.4	/	40.5		0.40		
^b 7.0		–	7.00	to 1	10.4 to	(not incl)	10.5		6.40	to 1	
^c 7.5			7.50	to 1 ^e	10.5 to		10.6	_	6.375	to 1	
d 8.0			8.00	to 1 ^f	10.6 to	"	10.7		6.35	to 1	
8.1 to (not incl)	9.1	_	7.00	to 1	10.7 to	"	10.8	_	6.325	to 1	
9.1 to ` " ´	9.2	_	6.95	to 1	10.8 to	"	10.9	_	6.30	to 1	
9.2 to "	9.3	_	6.90	to 1	10.9 to	"	11.0	_	6.275	to 1	
9.3 to "	9.4	_	6.85	to 1	11.0 to	"	11.1	_	6.25	to 1	
9.4 to "	9.5	_	6.80	to 1	11.1 to	"	11.2	_	6.225	to 1	
9.5 to "	9.6	_	6.75	to 1	11.2 to	"	11.3	_	6.20	to 1	
9.6 to "	9.7	_	6.70	to 1	11.3 to	"	11.4	_	6.175	to 1	
9.7 to "	9.8	_	6.65	to 1	11.4 to	"	11.5	_	6.15	to 1	
9.8 to "	9.9	_	6.60	to 1	11.5 to	"	11.6	_	6.125	to 1	
9.9 to "	10.0	_	6.55	to 1	11.6 to	"	11.7	_	6.10	to 1	
10.0 to "	10.1	_	6.50	to 1 ^g	11.7 to	"	11.8	_	6.075	to 1	
10.1 to "	10.2	_	6.475	to 1	11.8 to	"	11.9	_	6.05	to 1	
10.2 to "	10.3	_	6.45	to 1	11.9 to	"	12.0	_	6.025	to 1	
10.3 to "	10.4	_	6.425	to 1	12.0 aı	nd above		—	6.00	to 1 ^h	

^a Minimum solids all grapefruit for processing, Jan. 1 thru July 31.

<u>NOTE 2</u>: For color break requirements and individual fruit testing, see *Citrus Fruit Laws*. SOURCE: FDACS.

^b Minimum solids seedless grapefruit fresh, Jan. 1 thru July 31. Minimum solids all grapefruit for processing, Dec. 1 thru Dec. 31.

^cMinimum solids seedy grapefruit fresh, Jan. 1 thru July 31. Minimum solids seedless grapefruit for processing, Aug. 1 thru Nov 30. Minimum solids seedless grapefruit fresh, Aug. 1, thru Dec. 31.

⁴Minimun solids seedy grapefruit for processing, Aug. 1 thru Nov. 30. Minimum solids seedy grapefruit fresh, Aug. 1 thru Dec. 31.

Minimum 7.50 ratio packinghouse eliminations for processing, Aug. 1 thru Jan 31. Less than 7.50 to 1 but meeting minimum maturity, beverage base only.

^{&#}x27;Minimum 8.00 ratio field run grapefruit for processing, Aug. 1 thru Jan. 31. Sections and eliminations thereof must meet minimum maturity.

Minimum 6.50 ratio for sectionizing, Jan. 1 thru April 14. Minimum 6.50 ratio for all grapefruit for processing, Feb. 1 thru April 14.

^hMinimum 6.00 ratio for all grapefruit, April 15 thru July 31.

NOTE 1: Until Dec. 1 of each year, all grapefruit for processing must meet fresh fruit requirements <u>unless otherwise noted</u>. From Dec. 1 thru July 31, no juice content, minimum acid or color break requirements for processed fruit. Apply minimum solids and ratio requirements as indicated in table.

Florida Grapefruit-Juice Requirements

D.O.C. 20-34.006

Weight/Weight Method: 4-1/4" in diameter or less requires a minimum 52% juice content. Greater than 4-1/4" in diameter requires a minimum 49% juice content.

Size	Aug. 1 thru Nov. 15	Nov. 16 thru March 1	March 2 thru July 31	Juice Content
	cubic ce	ntimeters per g	rapefruit	- % -
14	400	380	360	49
18	350	335	320	49
23	305	290	275	49
27	275	265	250	49
32	245	230	220	52
36	230	220	210	52
40	210	200	190	52
48	185	180	170	52
56	170	165	155	52
64	165	160	150	52

SOURCE: FDACS.

Florida Temple Orange Standards

	Min	imum Tot	Solids to Acid					
	S	olids (%)	Minimum Ratio					
^a 9.0	to	(not incl)	9.1		—	9.0	to	1
9.1	to	"	9.2			8.9	to	1
9.2	to	"	9.3		—	8.8	to	1
9.3	to	44	9.4			8.7	to	1
9.4	to	"	9.5			8.6	to	1
9.5	to	"	9.6			8.5	to	1 ^b
9.6	to	"	9.7			8.4	to	1
9.7	to	"	9.8			8.3	to	1
9.8	to	"	9.9		—	8.2	to	1
9.9	to	"	10.0		—	8.1	to	1
10.0	to	"	10.1		—	8.0	to	1
10.1	to	"	10.2		—	7.9	to	1
10.2	to	"	10.3			7.8	to	1
10.3	to	"	10.4			7.7	to	1
10.4	to	"	10.5			7.6	to	1
10.5	and	d above				7.5	to	1°

^aMinimum solids for all Temples.

NOTE 1: Until December 1 of each year, all Temples for processing must meet fresh fruit requirements <u>unless otherwise noted</u>. From December 1 thru July 31, no juice content, minimum acid or color break requirements for processed fruit. Apply minimum solids and ratio requirements as indicated in tables.

<u>NOTE2</u>: For color break requirements and individual fruit testing, see *Citrus Fruit Laws*. SOURCE: FDACS.

^b8.50 to 1 minimum ratio for fresh.

^{°7.50} to 1 minimum ratio for processing.

Florida Tangerine Standards^a

(November 15 through July 31)

(November 15 through only 51)											
	_	imum Tot olids (%)	Solids to Acid Minimum Ratio								
		(70)			•		- 101				
^b 8.75	to	(not incl)	9.1		_	8.75	to	1			
9.10	to	"	9.2		—	8.65	to	1			
9.20	to	"	9.3			8.55	to	1			
9.30	to	"	9.4			8.45	to	1			
9.40	to	"	9.5			8.35	to	1			
9.50	to	"	9.6			8.25	to	1			
9.60	to	"	9.7			8.15	to	1			
9.70	to	"	9.8			8.05	to	1			
9.80	to	"	9.9			7.95	to	1			
9.90	to	"	10.0			7.85	to	1			
10.00	to	"	10.1			7.75	to	1			
10.10	to	"	10.2		_	7.65	to	1			
10.20	to	"	10.3			7.55	to	1			
10.30	to	"	10.4			7.45	to	1			
10.40	to	"	10.5		_	7.35	to	1			
10.50	and	d above		_	7.25	to	1				

^aMurcotts fresh: maximum 1.00 acid any ratio, 1.01 acid and up minimum 12.00 to 1 ratio. Murcotts processed: minimum 10 to 1 ratio.

<u>NOTE 1</u>: Until December 1 of each year, all tangerines for processing must meet fresh fruit requirements <u>unless otherwise noted</u>. From December 1 thru July 31, no juice content, minimum acid or color break requirements for processed fruit. Apply minimum solids and ratio requirements as indicated in tables.

<u>NOTE2</u>: For color break requirements and individual fruit testing, see *Citrus Fruit Laws*. SOURCE: FDACS.

^bMinimum solids November 15 thru July 31.

Florida Tangerine Standards^a

(August 1 through November 14)

(August i till ough November 14)											
		imum Tot Solids (%)	Solids to Acid Minimum Ratio								
		(70)									
^b 9.0	to	(not incl)	9.1		_	9.0	to	1			
9.1	to	"	9.2			8.9	to	1			
9.2	to	"	9.3			8.8	to	1			
9.3	to	"	9.4			8.7	to	1			
9.4	to	"	9.5			8.6	to	1			
9.5	to	"	9.6			8.5	to	1			
9.6	to	"	9.7			8.4	to	1			
9.7	to	"	9.8			8.3	to	1			
9.8	to	"	9.9			8.2	to	1			
9.9	to	"	10.0			8.1	to	1			
10.0	to	"	10.1			8.0	to	1			
10.1	to	"	10.2		_	7.9	to	1			
10.2	to	"	10.3			7.8	to	1			
10.3	to	"	10.4			7.7	to	1			
10.4	to	"	10.5		_	7.6	to	1			
10.5	and	d above			_	7.5	to	1			

^aMurcotts fresh: maximum 1.00 acid any ratio, 1.01 acid and up minimum 12.00 to 1 ratio. Murcotts processed: minimum 10 to 1 ratio.

^bMinimum solids August 1 thru November 14.

<u>NOTE 1</u>: Until December 1 of each year, all tangerines for processing must meet fresh fruit requirements <u>unless otherwise noted</u>. From December 1 thru July 31, no juice content, minimum acid or color break requirements for processed fruit. Apply minimum solids and ratio requirements as indicated in tables.

<u>NOTE2</u>: For color break requirements and individual fruit testing, see *Citrus Fruit Laws*. SOURCE: FDACS.

Florida Tangelo Standards^a

M	Minimum Total Solids (%)			S	Solids to Acid Minimum Ratio			Minimum Total Solids (%)					Solids to Acid Minimum Ratio			
0.8 ^d	to	(not incl)	8.1	_	10.50	to	1	10.1	to	(not incl)	10.2	_	9.45	to	1	
8.1	to	"	8.2	_	10.45	to	1	10.2	to	"	10.3	_	9.40	to	1	
8.2	to	"	8.3	_	10.40	to	1	10.3	to	"	10.4	_	9.35	to	1	
8.3	to	"	8.4	_	10.35	to	1	10.4	to	"	10.5		9.30	to	1	
8.4	to	"	8.5	_	10.30	to	1	10.5	to	44	10.6	_	9.25	to	1	
°8.5	to	"	8.6	_	10.25	to	1	10.6	to	"	10.7	_	9.20	to	1	
8.6	to	"	8.7	_	10.20	to	1	10.7	' to	"	10.8	_	9.15	to	1	
8.7	to	"	8.8	_	10.15	to	1	10.8	to	"	10.9	_	9.10	to	1	
8.8	to	"	8.9	_	10.10	to	1	10.9	to	"	11.0	_	9.05	to	1	
8.9	to	"	9.0	_	10.05	to	1	11.0	to	"	11.1	_	9.00	to	1	
⁴9.0	to	"	9.1	_	10.00	to	1	11.1		"	11.2	_	8.95	to	1	
9.1	to	"	9.2	_	9.95	to	1	11.2		"	11.3	_	8.90	to	1	
9.2	to	"	9.3	_	9.90	to	1	11.3	to	"	11.4	_	8.85	to	1	
9.3	to	"	9.4	_	9.85	to	1	11.4		"	11.5	_	8.80	to	1	
9.4	to	"	9.5	_	9.80	to	1	11.5		"	11.6	_	8.75	to	1	
°9.5	to	"	9.6	_	9.75	to	1	11.6		"	11.7	_	8.70	to	1	
9.6	to	"	9.7	_	9.70	to	1	11.7		"	11.8	_	8.65	to	1	
9.7	to	"	9.8	_	9.65	to	1	11.8		"	11.9	_	8.60	to	1	
9.8	to	"	9.9	_	9.60	to	1	111.9		d above		_	8.55	to	1	
9.9	to	"	10.0	_	9.55	to	1	g See	Belo	W		_	8.00	to	1	
10.0	to	"	10.1	_	9.50	to	1									

^aMinimum acid 0.40 Tangelo.

^bMinimum solids for processing November 16 thru November 30.

Minimum solids for processing November 1 thru November 15. Minimum solids for fresh November 16 thru November 30.

Minimun solids for processing August 1 thru October 31. Minimum solids for fresh November 1 thru November 15.

^{&#}x27;Minimum solids for fresh August 1 thru October 31.

Flat 8.55 to 1 ratio for fresh December 1 thru January 31, with NO minimum solids.

Flat 8 to 1 ratio for fresh Feb. 1 thru July 31, with NO minimum solids. Flat 8 to 1 ratio for processing Dec. 1 thru July 31, with NO minimum solids.

NOTE 1: Until December 1 of each year, all tangelos for processing must meet fresh fruit requirements <u>unless otherwise noted</u>. From December 1 thru July 31, no juice content, minimum acid or color break requirements for processed fruit. Apply minimum solids and ratio requirements as indicated in table.

NOTE 2: For color break requirements and individual fruit testing, see Citrus Fruit Laws.

SOURCE: FDACS.

Glossary of Acronyms

CAC: Citrus Administrative Committee CACEX: Carteira de Comercio Exterior **CGJ:** Chilled Grapefruit Juice COJ: Chilled Orange Juice **CPI:** Consumer Price Index **CSSGJ: Canned Single-Strength Grapefruit Juice CSSOJ: Canned Single-Strength Orange Juice DECEX:** Departamento de Comercio Exterior EMRD: Economic and Market Research Department FAO: Food and Agriculture Organization of the United Nations **FAS:** Foreign Agricultural Service FASS: Florida Agricultural Statistics Service FCBJ: Frozen Concentrated Blended Juice FCGJ: Frozen Concentrated Grapefruit Juice FCM: Florida Citrus Mutual FCOJ: Frozen Concentrated Orange Juice FCPA: Florida Citrus Processors Association **FCTJ:** Frozen Concentrated Tangerine Juice FDACS: Florida Department of Agriculture and Consumer FDOC: Services **FOB:** Florida Department of Citrus FRED: Free on Board GJ: Food and Resource Economics Department IFAS: Grapefruit Juice MT: Institute of Food and Agricultural Sciences NA: Metric Ton NASS: Not Available NFC: National Agricultural Statistics Service **NSPF:** Not From Concentrate **Not Specifically Provided For** OJ: **PS:** Orange Juice RTS: Pounds Solids SSE: Ready to Serve UF: Single Strength Equivalent

United States Department of Agriculture

USDA: University of Florida

NOTES

NOTES

NOTES