## CS 320 - Spring 2023 Instructor: Meenakshi Syamkumar

Exam 2 — 13%

| (Last)         | Surname:  | (First) Given name:   |            |
|----------------|---|---|------------|
| NetID          | (email):  |   | @wisc.edu  |
| 1.<br>2.<br>3. | in these fields (left to right) on the scantron form (use #2 pencil):  1. LAST NAME (surname) and FIRST NAME (given name), fill in bubbles  2. IDENTIFICATION NUMBER is your Campus ID number, fill in bubbles  3. Under ABC of SPECIAL CODES, write your lecture number, fill in bubble 001 - MWF 11:00am  002 - MWF 1:20pm  4. Under F of SPECIAL CODES, write 6 and fill in bubble 6 |   |            |
| grade<br>no b  | e you against the correct   | r do it wrong), the system n<br>t answer key, and your grade<br>randomly guess on each quest<br>k it's correct!         | will be    |
| electro        | onic devices during this exam. Y  | et. You may not use books, calculators You may not sit near your friends or loc ce your student ID face up on your desk | ok at your |

Use a #2 pencil to mark all answers. DO NOT USE PEN on the scantron.

and put away portable electronics (including smart watches) now.

When you're done, please hand in the exam and note sheet and your filled-in scantron form. The note sheet will not be returned.

(Blank Page)

- 1. Which of the following enables us to process query string inside a flask application program?
  - A. flask.request.remote\_addr
  - B. flask.request.args
  - C. flask.Response.remote\_addr
  - D. flask.Response.args
- 2. Given the string "Today is 2023-04-07.", which of the following regular expressions will match the date "2023-04-07"?
  - A.  $d\{2\}-d\{2\}-d\{4\}$
  - B.  $d{2}/-d{2}/-d{4}$
  - C.  $d{4}-d{2}-d{2}$
  - D.  $d{4}/-d{2}/-d{2}$
- 3. In a flask application, how can we specify the response content type?
  - A. request header
  - B. response header
  - C. page extension
  - D. status code
  - E. query string
- 4. What URL should be visited to get the page containing "Hello, World!"?

```
@app.route('/hello.html')
def index():
    return "Hello, World!"

@app.route('/')
def home():
    return "Welcome to my website!"
```

- A. http://127.0.0.1:5000/
- B. http://127.0.0.1:5000/index.html
- C. http://127.0.0.1:5000/hello.html
- D. http://127.0.0.1:5000/home.html
- E. http://127.0.0.1:5000/world.html

5. Which of the following will enable us to extract just United States of America GeoDataFrame from "naturalearth\_lowres"?

```
import geopandas as gpd
from shapely.geometry import box

gdf = gpd.read_file(gpd.datasets.get_path("naturalearth_lowres"))
usa_window = box(-125.0, 24.0, -66.0, 50.0)

A. gdf.union(usa_window)
B. gdf.difference(usa_window)
C. gdf.intersection(usa_window)
D. gdf[~gdf.intersects(usa_window)]
E. gdf[gdf.intersects(usa_window)]
6. What is type(b)?
from shapely.geometry import Polygon, Point, box
b = box(4, 4, 10, 10)
A. shapely.geometry.point.Point
B. shapely.geometry.box
C. shapely.geometry.polygon.Polygon
```

D. shapely.geometry.polygon.Rectangle

7. Which of the following options will enable us to find **all** the table rows in the below HTML? Assume that the variable **b** stores a Selenium WebDriver object instance and the response for the HTTP GET request only contains the below table.

```
    NameAgeCity
    Mirha30New York City
    Iris25Los Angeles
    >

A. b.find_element("id", "people")

B. b.find_elements("id", "people")

C. b.find_element("tag name", "tr")

D. b.find_elements("tag name", "tr")
```

- 8. A single webpage can be represented using which of the following structures? Choose the most specific option that is true.
  - A. binary tree B. BST C. DAG D. directed graph E. tree
- 9. Retry-After is most often specified in the headers for a response with which status code?
  - A. 100 B. 200 C. 404 D. 429 E. 500
- 10. What argument should we pass to the parameter host in app.run(host=???, debug=True, threaded=False), to make sure that our Flask application can accept traffic from any IP address?
  - A. "any" B. "all" C. "localhost" D. "127.0.0.1" E. "0.0.0.0"
- 11. To draw a line that spans across ax1, ax2, and ax3, we should invoke add\_artist using which of the following object instances?

import matplotlib.pyplot as plt

```
fig, (ax1, ax2, ax3) = plt.subplots(ncols=3, figsize=(6, 4))
x1, y1 = ax1.transData.transform((0.2, 0.2))
x2, y2 = ax3.transData.transform((2, 0.5))
arrow = plt.Line2D((x1, x2), (y1, y2), transform=None)
????.add_artist(arrow)
```

- A. fig B. ax1 C. ax2 D. ax3
- 12. What gets printed?

import re

```
msg = "I have 25 strawberries, 3 pears, 5 bananas, and 10 peaches." matches = re.findall(r"((\\d+)\\s(\\w+))", msg) print(len(matches[-1]))
```

- A. 1 B. 2 C. 3 D. 4 E. 5
- 13. Given s = "I have 10 apples and t5 oranges.", which of the will replace all white spaces in the string with "-", returning "I-have-10-apples-and-5-oranges."?
  - A. re.sub(r".+", "-", s)
  - B. re.sub(r"\s+", "-", s)
  - C. re.sub(r" $\S$ +", "-", s)
  - D. re.sub(r" $\d+$ ", "-", s)
  - E. re.sub(r" $\w+$ ", "-", s)

- 14. Which of the following strings can be matched by the regular expression r"^[A-Za-z]+\$"?

  A. "Hello, world!"
  - B. "123 Main Street"
  - C. "email@example.com"
  - D. "Goodbye"
- 15. While creating a matplotlib patch, which of the following parameters enables us to specify Coordinate Reference System?
  - A. transform B. transformer C. crs D. to\_crs
- 16. Assume that the variable text stores a a reference to a WebElement object instance which can accept input. Which of the following will enable us to send 2023 as the input?
  - A. text.send\_keys("2023")
  - B. text.send\_text("2023")
  - C. text.send\_keys(2023)
  - D. text.send\_text(2023)
- 17. Geocoding enables us to:
  - A. convert lat/long to meter-based CRS
  - B. add zip code to street address
  - C. convert lat/long to street address
  - D. convert street address to lat/long
- 18. To correctly compute area of geographic polygons, which of the following should be the axis units of the Coordinate Reference System?
  - A. lat/long B. meters C. pixels D. transData E. transAxes
- 19. Given the below contingency table, what is A's CTR?

|              | click | no-click |
|--------------|-------|----------|
| $\mathbf{A}$ | 500   | 500      |
| В            | 550   | 450      |

A. 0.50 B. 0.55 C. 1 D. 1.2

20. What gets returned by re.sub(r"(\w+), (\w+)", "\g<2> \g<1>", "Lovelace, Ada")?

- A. "Ada Lovelace"
- B. "Ada, Lovelace"
- C. "Lovelace, Ada"
- D. "Lovelace Ada"

(Blank Page)