## CS 320 - Spring 2023 Instructor: Meenakshi Syamkumar

Exam 2 — 13%

(Last)	Surname:	(First) Given name:	
NetID	(email):		_ @wisc.edu
1. 2.	LAST NAME (surname) ar IDENTIFICATION NUMB Under <i>ABC</i> of SPECIAL C 001 - MWF 11:00ar		es
4.	002 - MWF 1:20pm Under <b>F</b> of SPECIAL COD	DES, write <b>4</b> and fill in bubble <b>4</b>	
gråde no be	you against the co	e (or do it wrong), the system sorrect answer key, and your grade to randomly guess on each quest check it's correct!	e will be
electroneighbo	nic devices during this exactors during this exam. Pleas	se sheet. You may not use books, calculators.  You may not sit near your friends or lose place your student ID face up on your des (including smart watches) now.	ook at your

Use a #2 pencil to mark all answers. DO NOT USE PEN on the scantron.

When you're done, please hand in the exam and note sheet and your filled-in scantron form. The note sheet will not be returned.

(Blank Page)

```
1. What gets printed?
  import re
  msg = "I have 25 strawberries, 3 pears, 5 bananas, and 10 peaches."
  matches = re.findall(r"((\d+)\s(\w+))", msg)
  print(len(matches[-1]))
                            E. 5
  A. 1
         B. 2
               C. 3 D. 4
2. What URL should be visited to get the page containing "Hello, World!"?
  @app.route('/hello.html')
  def index():
      return "Hello, World!"
  @app.route('/')
  def home():
      return "Welcome to my website!"
        A. http://127.0.0.1:5000/
        B. http://127.0.0.1:5000/index.html
        C. http://127.0.0.1:5000/hello.html
        D. http://127.0.0.1:5000/home.html
        E. http://127.0.0.1:5000/world.html
3. A single webpage can be represented using which of the following structures? Choose the
  most specific option that is true.
  A. binary tree
                 B. BST
                           C. DAG
                                     D. directed graph
                                                        E. tree
4. To draw a line that spans across ax1, ax2, and ax3, we should invoke add_artist using
  which of the following object instances?
  import matplotlib.pyplot as plt
  fig, (ax1, ax2, ax3) = plt.subplots(ncols=3, figsize=(6, 4))
  x1, y1 = ax1.transData.transform((0.2, 0.2))
  x2, y2 = ax3.transData.transform((2, 0.5))
  arrow = plt.Line2D((x1, x2), (y1, y2), transform=None)
  ???.add_artist(arrow)
  A. fig B. ax1 C. ax2
                            D. ax3
```

- 5. Assume that the variable text stores a a reference to a WebElement object instance which can accept input. Which of the following will enable us to send 2023 as the input?
  - A. text.send\_keys("2023")
  - B. text.send\_text("2023")
  - C. text.send\_keys(2023)
  - D. text.send\_text(2023)
- 6. What argument should we pass to the parameter host in app.run(host=???, debug=True, threaded=False), to make sure that our Flask application can accept traffic from any IP address?
  - A. "any" B. "all" C. "localhost" D. "127.0.0.1" E. "0.0.0.0"
- 7. To correctly compute area of geographic polygons, which of the following should be the axis units of the Coordinate Reference System?
  - A. lat/long B. meters C. pixels D. transData E. transAxes
- 8. While creating a matplotlib patch, which of the following parameters enables us to specify Coordinate Reference System?
  - A. transform B. transformer C. crs D. to\_crs
- 9. Given the string "Today is 2023-04-07.", which of the following regular expressions will match the date "2023-04-07"?
  - A.  $d{2}-d{2}-d{4}$
  - $\mathrm{B.}\ \, \backslash \mathrm{d}\{2\}\backslash\backslash-\backslash\mathrm{d}\{2\}\backslash\backslash-\backslash\mathrm{d}\{4\}$
  - $\mathrm{C.}\ \, \backslash \mathtt{d}\{4\} \text{--} \backslash \mathtt{d}\{2\} \text{--} \backslash \mathtt{d}\{2\}$
  - $\mathrm{D.}\ \, \backslash d\{4\}\backslash\backslash -\backslash d\{2\}\backslash\backslash -\backslash d\{2\}$
- 10. What is type(b)?

from shapely.geometry import Polygon, Point, box

$$b = box(4, 4, 10, 10)$$

- A. shapely.geometry.point.Point
- B. shapely.geometry.box
- C. shapely.geometry.polygon.Polygon
- $\label{eq:decomposition} D. \ \ \text{shapely.geometry.polygon.Rectangle}$

- 11. What gets returned by re.sub(r"(\w+), (\w+)", "\g<2> \g<1>", "Lovelace, Ada")?
  - A. "Ada Lovelace"
  - B. "Ada, Lovelace"
  - C. "Lovelace, Ada"
  - D. "Lovelace Ada"
- 12. Which of the following strings can be matched by the regular expression r"^[A-Za-z]+\$"?
  - A. "Hello, world!"
  - B. "123 Main Street"
  - C. "email@example.com"
  - D. "Goodbye"
- 13. Retry-After is most often specified in the headers for a response with which status code?
  - A. 100 B. 200 C. 404 D. 429 E. 500
- 14. Which of the following options will enable us to find **all** the table rows in the below HTML? Assume that the variable b stores a Selenium WebDriver object instance and the response for the HTTP GET request only contains the below table.

- A. b.find\_element("id", "people")
- B. b.find\_elements("id", "people")
- C. b.find\_element("tag name", "tr")
- D. b.find\_elements("tag name", "tr")
- 15. Geocoding enables us to:
  - A. convert lat/long to meter-based CRS
  - B. add zip code to street address
  - C. convert lat/long to street address
  - D. convert street address to lat/long

- 16. Given s = "I have 10 apples and t5 oranges.", which of the will replace all white spaces in the string with "-", returning "I-have-10-apples-and-5-oranges."?
  - A. re.sub(r".+", "-", s)
  - B. re.sub(r" $\strut_s$ +", "-", s)
  - C. re.sub(r" $\S$ +", "-", s)
  - D. re.sub(r" $\d+$ ", "-", s)
  - E. re.sub(r" $\w+$ ", "-", s)
- 17. Which of the following will enable us to extract just United States of America GeoDataFrame from "naturalearth\_lowres"?

```
import geopandas as gpd
from shapely.geometry import box
```

```
gdf = gpd.read_file(gpd.datasets.get_path("naturalearth_lowres"))
usa_window = box(-125.0, 24.0, -66.0, 50.0)
```

- A. gdf.union(usa\_window)
- B. gdf.difference(usa\_window)
- C. gdf.intersection(usa\_window)
- D. gdf[~gdf.intersects(usa\_window)]
- E. gdf[gdf.intersects(usa\_window)]
- 18. In a flask application, how can we specify the response content type?
  - A. request header
  - B. response header
  - C. page extension
  - D. status code
  - E. query string
- 19. Which of the following enables us to process query string inside a flask application program?
  - A. flask.request.remote\_addr
  - B. flask.request.args
  - C. flask.Response.remote\_addr
  - D. flask.Response.args

20. Given the below contingency table, what is A's CTR?

	click	no-click
A	500	500
В	550	450

A. 0.50 B. 0.55 C. 1 D. 1.2

(Blank Page)