

# Test Quarto [A supprimer]

Difficulté 🐣 🐣 🐣

Marc Thévenin

2023-04-24

## Table des matières

<b>Toto</b>	<b>2</b>
<b>Tableau</b>	<b>2</b>
<b>Caption</b>	<b>2</b>
Astuce . . . . .	2
Info . . . . .	2
Important . . . . .	3
Warning . . . . .	3
<b>Output</b>	<b>3</b>
<b>Graph</b>	<b>4</b>

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Curabitur posuere vestibulum facilisis. Aenean pretium orci augue, quis lobortis libero accumsan eu. Nam mollis lorem sit amet pellentesque ullamcorper. Curabitur lobortis libero eget malesuada vestibulum. Nam nec nibh massa. Pellentesque porttitor cursus tellus. Mauris urna erat, rhoncus sed faucibus sit amet, venenatis eu ipsum.

- A
- B
- C
  - c
  - c

Code inline: `library(survival)`

$$A + B = \sum_i e^C + \frac{D}{E + 1}$$

## Toto

```
0+0
```

```
[1] 0
```

## Tableau

Table 1: **Je sais compter**

Col1	Col2	Col3
1	2	3
4	5	6
7	8	9

## Caption

### Astuce



tip

AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

### Info



Info

BBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBB

## Important

**! Important**

CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC

## Warning

 Warning

[illegible]

## Output

```
library(gtsummary)
# make dataset with a few variables to summarize
trial2 <- trial %>% select(age, grade, response, trt)

# summarize the data with our package
table1 <- tbl_summary(trial2)
table1
```

Table printed with `knitr::kable()`, not {gt}. Learn why at <https://www.danielsjoberg.com/gtsummary/articles/rmarkdown.html>  
To suppress this message, include `message = FALSE` in code chunk header.

Characteristic	N = 200
Age	47 (38, 57)
Unknown	11
Grade	
I	68 (34%)
II	68 (34%)
III	64 (32%)
Tumor Response	61 (32%)
Unknown	7
Chemotherapy Treatment	

Characteristic	N = 200
Drug A	98 (49%)
Drug B	102 (51%)

```
library(survival)
coxph(Surv(ttdeath, death) ~ trt + grade + age, trial)
```

Call:

```
coxph(formula = Surv(ttdeath, death) ~ trt + grade + age, data = trial)
```

	coef	exp(coef)	se(coef)	z	p
trtDrug B	0.263963	1.302080	0.198442	1.330	0.1835
gradeII	0.188377	1.207288	0.254228	0.741	0.4587
gradeIII	0.584574	1.794227	0.238425	2.452	0.0142
age	0.006607	1.006629	0.007043	0.938	0.3482

Likelihood ratio test=9.14 on 4 df, p=0.05778

n= 189, number of events= 103

(11 observations effacées parce que manquantes)

## Graph

```
library(ggplot2)
library(ggribes)

ggplot(lincoln_weather, aes(x = `Mean Temperature [F]`, y = Month, fill = stat(x))) +
  geom_density_ridges_gradient(scale = 3, rel_min_height = 0.01) +
  scale_fill_viridis_c(name = "Temp. [F]", option = "C") +
  labs(title = 'Temperatures in Lincoln NE in 2016')
```

Picking joint bandwidth of 3.37

Temperatures in Lincoln NE in 2016

