
Dirty Clouds Done Dirt Cheap

Matthew Treinish mtreinish@kortar.org mtreinish on Freenode

May 11, 2017

https://github.com/mtreinish/dirty-clouds-done-dirt-cheap

Building a Cloud



Scope of the Project

- ▶ Pretend to be a sysadmin with no prior OpenStack knowledge
- ► Try to rely only on install docs and google searches
- ▶ \$1500 USD Budget
- ▶ Build a basic compute cloud:
 - Keystone
 - ► Glance
 - Nova
 - Neutron
- ► Install Ocata from tarballs
- ▶ No automation or pre-existing install scripts

Buying Hardware

- ► Maximize core count per USD
- ► Second priority is amount of RAM per core
- Machines don't need to be fast (that costs money!)



The Servers

Model	PowerEdge R610
Processor	2x Intel Xeon E5540
Memory Installed	32GB Total Memory; 8 x 4 GB DDR3
Hard Drives	2x 146GB 10K SAS Hard Drive
RAID Controller	Dell PowerEdge R610 Perc 6i
Ethernet	2x Dual Port Embedded Broadcom NetXtreme II 5709c
Return Policy/Warranty	60 days Money Back Or Exchange

\$215 Each!!



Quirks with the servers

- Super stripped down:
 - ► No management interface
 - No redundant power supply
- ▶ 4x8GB of RAM not 8x4GB
- ► Memory installed in wrong slots
- ► Dead RAID controller battery
- ► Came with 15k RPM hard drives not 10k RPM
- ► Came pre-installed with Windows Server 2012 (and default password Apple123)

LackRack

https://wiki.eth0.nl/index.php/LackRack

- ▶ Use a LACK side table from Ikea
- ▶ 19 inch width between legs
- ► Can fit 8U
- ► Lots of color choices
- ▶ \$9.99 USD


LACKRACK








Installing OpenStack





altocumulus{02..05}

Installing OpenStack Services

- 1. Download service tarball
- 2. Create service users
- 3. Install binary requirements
- 4. Create service dirs in /etc and /var/lib
- 5. Copy etc/ from tarball into /etc/\$Service
- 6. pip install the tarball
- 7. Follow install guide on project configuration and setup

Setting Up Keystone

- ▶ 2 config options
- Install guide doesn't have instructions on apache wsgi app setup
- ► Google search found: https://docs.openstack.org/developer/keystone/apachehttpd.html



KEYSTONE

an OpenStack Community Project

Python Requirements aren't fun

```
ERROR keystone Traceback (most recent call last):
                 File "/usr/local/bin/keystone-wsgi-admin", line 51, in <module>
ERROR keystone
ERROR keystone
                   application = initialize admin application()
ERROR kevstone
                 File "/usr/local/lib/python2.7/dist-packages/keystone/server/wsgi.py". line
     132, in initialize admin application
ERROR keystone
                   config files get config files())
                 File "/usr/local/lib/python2.7/dist-packages/paste/deploy/loadwsgi.py". line
ERROR keystone
     640, in find egg entry point
ERROR keystone
                   pkg resources require (self spec)
                 File // usr/lib/python2.7/dist-packages/pkg resources/ init .py", line 943,
ERROR keystone
     in require
ERROR keystone
                   needed = self.resolve(parse requirements(requirements))
ERROR keystone
                 File "/usr/lib/python2.7/dist-packages/pkg resources/ init .py", line 834,
     in resolve
ERROR keystone
                   raise VersionConflict (dist. reg), with context (dependent reg)
ERROR keystone Contextual Version Conflict: (requests 2.13.0 (/usr/local/lib/python2.7/dist-
     packages). Requirement parse ('requests!=2.12.2.!=2.13.0.>=2.10.0'), set (['oslo.policy']))
```

Setting up Glance

- ► Straightforward configuration:
 - ► Auth
 - ► Image Directories
 - Database



Don't forget to create glance store directory

```
[req-8ff7f7d2-a4a5-4558-b5a9-9ecca139675f 20f283024ffd4bf4841a8d33bdb4f385 6
    c3fc6392e0c487e85d57afe5a5ab2b7 - default default] Error in store configuration. Adding
    images to store is disabled.
Traceback (most recent call last):
    File "/usr/local/lib/python2.7/dist-packages/glance/api/v2/image_data.py", line 116, in
    upload
    image.set_data(data, size)
...

File "/usr/local/lib/python2.7/dist-packages/glance_store/backend.py", line 426, in
    store_add_to_backend
    verifier=verifier)
File "/usr/local/lib/python2.7/dist-packages/glance_store/capabilities.py", line 223, in
    op_checker
    raise op_exec_map[op](**kwargs)
StoreAddDisabled: Configuration for store failed. Adding images to this store is disabled.
```

Setting up Nova

- ▶ Database migrations are slower, took about 3mins
- ► Don't forget the placement API, no docs on apache setup
- novnc is problematic from source
- Set force_config_drive option to true



an OpenStack Community Project

Requirements still aren't fun

```
ERROR nova Traceback (most recent call last):
ERROR nova
             File "/usr/local/bin/nova-api", line 10, in <module>
FRROR nova
               svs.exit(main())
             File "/usr/local/lib/python2.7/dist-packages/nova/cmd/api.py", line 59, in main
ERROR nova
ERROR nova
               server = service.WSGIService(api, use ssl=should use ssl)
FRROR nova
             File "/usr/local/lib/python2.7/dist-packages/pkg resources/ init .py", line
     2324. in require
             items = working set.resolve(regs. env. installer. extras=self.extras)
ERROR nova
             File "/usr/local/Tib/python2.7/dist-packages/pkg_resources/_init_.py", line
ERROR nova
     859, in resolve
ERROR nova
               raise VersionConflict (dist , reg) , with context (dependent reg)
ERROR nova Contextual Version Conflict: (pbr 1.10.0 (/usr/local/lib/python2.7/dist-packages).
     Requirement parse ('pbr >= 2.0.0'), set (['oslo.i18n'. 'oslo.log'. 'oslo.context'. 'oslo.
     utils '1))
```


You need a sudoers file

```
ERROR nova Traceback (most recent call last):
FRROR nova
             File "/usr/local/bin/nova-api". line 10. in <module>
FRROR nova
               sys.exit(main())
ERROR nova
             File "/usr/local/lib/python2.7/dist-packages/nova/cmd/api.py", line 59, in main
               server = service. WSGIService(api, use ssl=should use ssl)
FRROR nova
             File "/usr/local/lib/python2.7/dist-packages/nova/service.py" line 309 in
ERROR nova
       init
FRROR nova
              self.manager = self. get manager()
ERROR nova
             File "/usr/local/lib/python2.7/dist-packages/nova/utils.py". line 180. in execute
ERROR nova
             return processutils.execute(*cmd, **kwargs)
ERROR nova
             File "/usr/local/lib/python2.7/dist-packages/oslo concurrency/processutils.py",
     line 400, in execute
ERROR nova
               cmd=sanitized cmd)
ERROR nova ProcessExecution Error: Unexpected error while running command.
ERROR nova Command: sudo nova-rootwrap /etc/nova/rootwrap.conf iptables-save -c
ERROR nova Exit code: 1
ERROR nova Stdout: "'
ERROR nova Stderr: u'sudo: no tty present and no askpass program specified\n'
FRROR nova
```

Don't forget to create state directories

```
ERROR nova Traceback (most recent call last):
FRROR nova
             File "/usr/local/bin/nova-api". line 10. in <module>
ERROR nova
               sys.exit(main())
ERROR nova
             File "/usr/local/lib/python2.7/dist-packages/nova/cmd/api.py", line 59, in main
FRROR nova
               server = service. WSGIService(api, use ssl=should use ssl)
             File "/usr/local/lib/python2.7/dist-packages/nova/service.py". line 311. in
ERROR nova
       init
FRROR nova
               self.app = self.loader.load app(name)
             File "/usr/local/lib/python2.7/dist-packages/nova/wsgi.py", line 497, in load app
ERROR nova
ERROR nova
             File "/usr/local/lib/python2.7/dist-packages/nova/api/openstack/compute/cloudpipe
     .pv", line 55, in setup
               fileutils ensure tree (CONF, crypto, keys path)
FRROR nova
             File "/usr/local/lib/python2.7/dist-packages/oslo utils/fileutils.py", line 40,
ERROR nova
     in ensure_tree
ERROR nova
              os. makedirs (path. mode)
             File "/usr/lib/python2.7/os.py". line 157. in makedirs
ERROR nova
ERROR nova
               mkdir(name, mode)
ERROR nova OSError: [Errno 13] Permission denied: '/usr/local/lib/python2.7/dist-packages/keys
```

Networking Configuration



Setting Up Neutron

- ► Too many configuration files
- ▶ Blindly copying pasting from install guide
- Rootwrap and sudo configuration are not documented
- ► First time I had to look at packages and/or devstack



an OpenStack Community Project

Any guesses what this means

```
ERROR neutron.plugins.ml2.drivers.agent.common agent [req-8c98874d-5436-4912-9db5-
     f675bfe4df5e - - - - | Error in agent loop. Devices info: {'current': set(['tap0ab3c3ba
    -09']), 'timestamps': { 'tap0ab3c3ba-09': 9}. 'removed': set([]). 'added': set([]
    tap0ab3c3ba - 09']), 'updated': set([])}
ERROR neutron plugins ml2 drivers agent common agent Traceback (most recent call last):
ERROR neutron.plugins.ml2.drivers.agent.common_agent
                                                        File "/usr/local/lib/python2.7/dist-
     packages/neutron/plugins/m/2/drivers/agent/ common agent.pv". line 453, in daemon loop
ERROR neutron.plugins.ml2.drivers.agent.common agent
                                                          sync = self.process network devices(
     device info)
ERROR neutron.plugins.ml2.drivers.agent.common agent
                                                        File "/usr/local/lib/python2.7/dist-
     packages/osprofiler/profiler.pv". line 153. in wrapper
ERROR neutron.plugins.ml2.drivers.agent.common agent
                                                          return f(*args, **kwargs)
ERROR neutron.plugins.ml2.drivers.agent.common agent
                                                        File "/usr/local/lib/python2.7/dist-
     packages/neutron/plugins/ml2/drivers/agent/ common agent.py", line 203, in
     process network devices
ERROR neutron.plugins.ml2.drivers.agent.common agent
                                                          execute rootwrap daemon(cmd.
     process input, addl env))
ERROR neutron.plugins.ml2.drivers.agent.common agent
                                                        File "<string>", line 2, in
    run one command
ERROR neutron.plugins.ml2.drivers.agent.common agent
                                                        File "/usr/lib/python2.7/
     multiprocessing/managers.py", line 774, in callmethod
ERROR neutron.plugins.ml2.drivers.agent.common_agent
                                                          raise convert to error(kind, result)
ERROR neutron.plugins.ml2.drivers.agent.common_agent RemoteError:
ERROR neutron.plugins.ml2.drivers.agent.common_agent
ERROR neutron.plugins.ml2.drivers.agent. common agent Unserializable message: ('#ERROR',
     ValueError('I/O operation on closed file',))
ERROR neutron.plugins.ml2.drivers.agent.common agent
```


Setting up Compute Nodes

- ► Same basic formula
- ► Rinse and repeat 4 times
- ► Don't forget to run nova discover_hosts after bring it up

Blank Images

```
DEBUG glance_store._drivers.filesystem [req-3163a1a7-4ca9-47e8 -9444-cd8b865055fb 20f283024ffd4bf4841a8d33bdb4f385 6 c3fc6392e0c487e85d57afe5a5ab2b7 - default default] Wrote 0 bytes to /var/lib/glance/images/e6735636-43d9-4fb0-a302-f3710386b689 with checksum d41d8cd98f00b204e9800998ecf8427e add /usr/local/lib/python2.7/dist-packages/glance_store/_drivers/filesystem.py:706
```

DHCP Fun



What to do with your budget cloud?



OpenStack Development

- ► Lots of capacity for running devstack
- ► A really good platform to develop and test OpenStack applications
- ▶ For example I found 4 tempest bugs testing it on the cloud

Cloud Native Compute Workloads

- Good for running embarrasingly parallel workloads
- ► Each invidiual machine is slow, but a fair amount of parallel capacity.
- ► My example use case: https://github.com/mtreinish/handbrakecloud

Virtualized Home Infrastructure

- ► Gives you the flexability
- ► Also enables HA migration to public cloud

Installation Pain Points

- ▶ Python Packaging:
 - ► Binary Dependencies
 - etc files (and any data files)
 - ▶ No dependency solver, always use upper constraints
- ► Debugging OpenStack requires a high level of competence

Making OpenStack Better for Small Deployments

- ► Honestly, it's not that bad
- ightharpoonup >=90% of the issues were because of using tarballs
- ► Networking and neutron is too confusing
- ► Work on improving logging and error reporting

Why you don't want to do this

- ▶ 5x 1U Servers in your bedroom closet is not pleasant
- ► The power bill (at peak draw it's about 1.1kW for the rack)
- ▶ Don't get to spend \$1,328.37 on a weekend vacation

Where to get more information

- openstack-dev ML openstack-dev@lists.openstack.org
- ► Ocata install guides https://docs.openstack.org/project-install-guide/ocata/
- ► Ocata network guides https://docs.openstack.org/ocata/networking-guide/