
# Dirty Clouds Done Dirt Cheap

Matthew Treinish
Open Source Developer Advocate - IBM
mtreinish@kortar.org
mtreinish on Freenode

Oct 7, 2017

# Building a Cloud



#### Scope of the Project

- ▶ Pretend to be a sysadmin with no prior OpenStack knowledge
- ▶ Try to rely only on install docs and google searches
- ▶ \$1500 USD Budget
- ▶ Build a basic compute cloud
- ▶ Install the Ocata release (from April 2017) from tarballs
- ▶ No automation or pre-existing install scripts

## Buying Hardware

- ► Maximize core count per USD
- ► Second priority is amount of RAM per core
- ► Machines don't need to be fast (that costs money!)



#### The Servers

PowerEdge R610
2x Intel Xeon E5540
32GB Total Memory; 8 x 4 GB DDR3
2x 146GB 10K SAS Hard Drive
Dell PowerEdge R610 Perc 6i
2x Dual Port Embedded Broadcom NetXtreme II 5709c
60 days Money Back Or Exchange

# \$215 Each!!



#### Quirks with the servers


- Super stripped down:
  - ► No management interface
  - No redundant power supply
- ▶ 4x8GB of RAM not 8x4GB
- ► Memory installed in wrong slots
- ► Dead RAID controller battery
- ► Came with 15k RPM hard drives not 10k RPM
- ► Came pre-installed with Windows Server 2012 (and default password Apple123)

#### LackRack

#### https://wiki.eth0.nl/index.php/LackRack

- ▶ Use a LACK side table from Ikea
- ▶ 19 inch width between legs
- ► Can fit 8U
- Lots of color choices
- ▶ \$9.99 USD

# **LACKRACK**







## Picking OpenStack Services


- OpenStack has > 50 projects: https://governance.openstack.org/tc/reference/projects/index.html
- ▶ Only want minimal set of projects to spin up VMs


#### Compute Starter Kit

- Only need 4 projects to get a functional compute cloud
- ► Documented at: https://www.openstack.org/software/sample- **KEYST** configs#compute-starter-kit
- ► The official install guide mostly concerned with these projects



# Installing OpenStack





altocumulus{02..05}

### Installing OpenStack Services

- 1. Download service tarball
- 2. Create service users
- 3. Install binary requirements
- 4. Create service dirs in /etc and /var/lib
- 5. Copy etc/ from tarball into /etc/\$Service
- 6. pip install the tarball
- 7. Follow install guide on project configuration and setup

#### Setting Up Keystone

- ▶ 2 config options
- ► Install guide doesn't have instructions on apache wsgi app setup
- ► Google search found: https://docs.openstack.org/developer/keystone/apache-

httpd.html



# KEYSTONE

an OpenStack Community Project

### Python Requirements aren't fun

```
ERROR keystone Traceback (most recent call last):
ERROR keystone
                 File "/usr/local/bin/keystone-wsgi-admin", line 51, in <module>
ERROR keystone
                   application = initialize admin application()
                 File "/usr/local/lib/python2.7/dist-packages/keystone/server/wsgi.py", line 132, in
ERROR keystone
     initialize admin application
                  config files = get config files())
ERROR keystone
ERROR keystone
                 File "/usr/local/lib/python2.7/dist-packages/paste/deploy/loadwsgi.py", line 640, in
     find egg entry point
ERROR keystone
                   pkg resources.require(self.spec)
                 File "/usr/lib/python2.7/dist-packages/pkg_resources/__init__.py", line 943, in require
ERROR keystone
ERROR keystone
                   needed = self.resolve(parse requirements(requirements))
                 File "/usr/lib/python2.7/dist-packages/pkg_resources/__init__.py", line 834, in resolve
ERROR keystone
ERROR keystone
                   raise VersionConflict(dist, req).with_context(dependent_req)
ERROR kevstone ContextualVersionConflict: (requests 2.13.0 (/usr/local/lib/python2.7/dist-packages),
     Requirement, parse ('requests!=2.12.2.!=2.13.0.>=2.10.0'), set (['oslo, policy']))
```

#### Setting up Glance

- ► Straightforward configuration:
  - Auth
  - ► Image Directories
  - Database



17 / 37

## Don't forget to create glance store directory

#### Setting up Nova

- ▶ Database migrations are slower, took about 3mins
- ► Don't forget the placement API, no docs on apache setup
- ▶ novnc is problematic from source
- Set force\_config\_drive option to true



an OpenStack Community Project

#### Requirements still aren't fun

```
ERROR nova Traceback (most recent call last):
             File "/usr/local/bin/nova-api". line 10. in <module>
FRROR nova
ERROR nova
             sys.exit(main())
ERROR nova
             File "/usr/local/lib/python2.7/dist-packages/nova/cmd/api.py", line 59, in main
ERROR nova
               server = service. WSGIService(api, use ssl=should use ssl)
ERROR nova
             File "/usr/local/lib/python2.7/dist-packages/pkg resources/ init .py". line 2324. in
     require
FRROR nova
               items = working set.resolve(regs. env. installer. extras=self.extras)
FRROR nova
             File "/usr/local/lib/python2.7/dist-packages/pkg_resources/__init__.py", line 859, in
     resolve
FRROR nova
               raise VersionConflict(dist. reg), with context(dependent reg)
ERROR nova ContextualVersionConflict: (pbr 1.10.0 (/usr/local/lib/python2.7/dist-packages), Requirement.
     parse('pbr>=2.0.0'), set(['oslo,i18n', 'oslo,log', 'oslo,context', 'oslo,utils']))
```


#### You need a sudoers file

```
ERROR nova Traceback (most recent call last):
             File "/usr/local/bin/nova-api", line 10, in <module>
ERROR nova
FRROR nova
             svs.exit(main())
             File "/usr/local/lib/python2.7/dist-packages/nova/cmd/api.py", line 59, in main
FRROR nova
ERROR nova
             server = service.WSGIService(api, use ssl=should use ssl)
             File "/usr/local/lib/python2.7/dist-packages/nova/service.py", line 309, in init
ERROR nova
ERROR nova
               self.manager = self. get manager()
ERROR nova
             File "/usr/local/lib/python2.7/dist-packages/nova/utils.py". line 180. in execute
             return processutils execute(*cmd, **kwargs)
ERROR nova
FRROR nova
             File "/usr/local/lib/python2.7/dist-packages/oslo_concurrency/processutils.py", line 400,
     in execute
ERROR nova
               cmd=sanitized cmd)
ERROR nova ProcessExecutionError: Unexpected error while running command.
ERROR nova Command: sudo nova—rootwrap /etc/nova/rootwrap.conf iptables—save —c
ERROR nova Exit code: 1
ERROR nova Stdout: "'
ERROR nova Stderr: u'sudo: no tty present and no askpass program specified\n'
ERROR nova
```

#### Don't forget to create state directories

```
ERROR nova Traceback (most recent call last):
ERROR nova
             File "/usr/local/bin/nova-api". line 10. in <module>
ERROR nova
             sys.exit(main())
FRROR nova
             File "/usr/local/lib/python2.7/dist-packages/nova/cmd/api.py", line 59, in main
ERROR nova
             server = service.WSGIService(api, use ssl=should use ssl)
ERROR nova
             File "/usr/local/lib/python2.7/dist-packages/nova/service.py", line 311, in __init__
ERROR nova
               self.app = self.loader.load app(name)
ERROR nova
             File "/usr/local/lib/python2.7/dist-packages/nova/wsgi.py", line 497, in load app
ERROR nova
             File "/usr/local/lib/python2.7/dist-packages/nova/api/openstack/compute/cloudpipe.py", line
      55. in setup
FRROR nova
               fileutils ensure tree (CONF, crypto, keys path)
ERROR nova
             File "/usr/local/lib/python2.7/dist-packages/oslo_utils/fileutils.py". line 40. in
     ensure tree
ERROR nova
               os.makedirs(path.mode)
             File "/usr/lib/python2.7/os.py", line 157. in makedirs
ERROR nova
FRROR nova
               mkdir(name, mode)
ERROR nova OSError: | Errno 13 | Permission denied: '/usr/local/lib/python2.7/dist-packages/keys'
```

#### **Networking Configuration**



#### Setting Up Neutron

- ► Too many configuration files
- ▶ Blindly copying pasting from install guide
- Rootwrap and sudo configuration are not documented
- ► First time I had to look at packages and/or devstack



an OpenStack Community Project

#### Any guesses what this means

```
ERROR neutron.plugins.ml2.drivers.agent. common agent \lceil req - 8c98874d - 5436 - 4912 - 9db5 - f675bfe4df5e - - - - -
     -1 Error in agent loop. Devices info: {'current': set(['tap0ab3c3ba-09']), 'timestamps': {'
     tapOab3c3ba-09': 9}. 'removed': set([]), 'added': set(['tapOab3c3ba-09']), 'updated': set([])}
ERROR neutron plugins ml2 drivers agent common agent Traceback (most recent call last):
ERROR neutron.plugins.ml2.drivers.agent.common agent
                                                         File "/usr/local/lib/python2.7/dist-packages/
     neutron/plugins/ml2/drivers/agent/ common agent.pv". line 453, in daemon loop
ERROR neutron.plugins.ml2.drivers.agent.common agent
                                                           sync = self.process network devices(
     device info)
ERROR neutron, plugins, ml2, drivers, agent, common agent
                                                         File "/usr/local/lib/python2.7/dist-packages/
     osprofiler/profiler.py", line 153, in wrapper
ERROR neutron.plugins.ml2.drivers.agent.common agent
                                                           return f(*args, **kwargs)
ERROR neutron, plugins, ml2, drivers, agent, common agent
                                                         File "/usr/local/lib/python2.7/dist-packages/
     neutron/plugins/ml2/drivers/agent/ common agent.py". line 203, in process network devices
ERROR neutron, plugins, ml2, drivers, agent, common agent
                                                           execute rootwrap daemon(cmd, process input,
     addl env))
ERROR neutron plugins ml2 drivers agent common agent
                                                         File "<string>". line 2. in run one command
ERROR neutron.plugins.ml2.drivers.agent._common_agent
                                                         File "/usr/lib/pvthon2.7/multiprocessing/
     managers.pv", line 774, in callmethod
ERROR neutron plugins ml2 drivers agent common agent
                                                           raise convert to error(kind, result)
ERROR neutron.plugins.ml2.drivers.agent._common_agent RemoteError:
ERROR neutron, plugins, ml2, drivers, agent, common agent
ERROR neutron.plugins.ml2.drivers.agent._common_agent Unserializable message: ('#ERROR', ValueError('I/O
      operation on closed file '.))
ERROR neutron.plugins.ml2.drivers.agent.common agent
```


### Setting up Compute Nodes

- ► Same basic formula
- ► Rinse and repeat 4 times
- ► Don't forget to run nova discover\_hosts after bring it up

#### Blank Images

```
DEBUG glance_store._drivers.filesystem [req -3163a1a7-4ca9-47e8 -9444-cd8b865055fb 20f283024ffd4bf4841a8d33bdb4f385 6 c3fc6392e0c487e85d57afe5a5ab2b7 - default default] Wrote 0 bytes to /var/lib/glance/images/e6735636-43d9-4fb0-a302-f3710386b689 with checksum d41d8cd98f00b204e9800998ecf8427e add /usr/local/lib/python2.7/dist-packages/glance_store/_drivers/filesystem.py:706
```

#### **DHCP** Fun



What to do with your budget cloud?



#### OpenStack Development

- ► Lots of capacity for running devstack
- ► A really good platform to develop and test OpenStack applications
- ▶ For example I found 4 tempest bugs testing it on the cloud

#### Cloud Native Compute Workloads

- ► Good for running embarrasingly parallel workloads
- ► Each invidiual machine is slow, but a fair amount of parallel capacity.
- ► My example use case: https://github.com/mtreinish/handbrakecloud

#### Virtualized Home Infrastructure

- ► Gives you the flexability
- ▶ Also enables HA migration to public cloud

#### Installation Pain Points

- ▶ Python Packaging:
  - ► Binary Dependencies
  - etc files (and any data files)
  - ▶ No dependency solver, always use upper constraints
- ► Debugging OpenStack requires a high level of competence

# Making OpenStack Better for Small Deployments

- ► Honestly, it's not that bad
- ightharpoonup >=90% of the issues were because of using tarballs
- Networking and neutron is too confusing
- ▶ Work on improving logging and error reporting

# Why you don't want to do this

- ▶ 5x 1U Servers in your bedroom closet is not pleasant
- ► The power bill (at peak draw it's about 1.1kW for the rack)
- ▶ Don't get to spend \$1,328.37 on a weekend vacation

### Where to get more information

- openstack-dev ML openstack-dev@lists.openstack.org
- ► Ocata install guides https://docs.openstack.org/project-install-guide/ocata/
- ► Ocata network guides https://docs.openstack.org/ocata/networking-guide/