

1)

```
mysql> SELECT Team, AVG(Salary) FROM Employees GROUP BY Team;
+-----+-----+
| Team      | AVG(Salary) |
+-----+-----+
| RESEARCH  | 37500.0000   |
| MARKETING | 33833.3333   |
| COLLECTIONS | 39000.0000   |
| PR        | 41000.0000   |
+-----+-----+
4 rows in set (0.00 sec)
```

2)

```
mysql> SELECT Team, AVG(Salary) FROM Employees GROUP BY Team HAVING AVG(Salary) < 39000;
+-----+-----+
| Team      | AVG(Salary) |
+-----+-----+
| RESEARCH  | 37500.0000   |
| MARKETING | 33833.3333   |
+-----+-----+
2 rows in set (0.00 sec)
```

3)

```
mysql> SELECT Name, Salary FROM Employees WHERE Sickleave < 25 ORDER BY Name;
+-----+-----+
| Name      | Salary |
+-----+-----+
| PRECOURT  | 41000  |
| RICHARDSON | 34500  |
| STOKES    | 32000  |
+-----+-----+
3 rows in set (0.00 sec)
```

4)

```
mysql> SELECT Team, COUNT(Sickleave) FROM Employees WHERE Sickleave < 30 GROUP BY Team;
+-----+-----+
| Team      | COUNT(Sickleave) |
+-----+-----+
| MARKETING | 2                |
| COLLECTIONS | 1                |
| PR        | 1                |
+-----+-----+
3 rows in set (0.00 sec)
```

5)

```
mysql> SELECT Name FROM Employees WHERE Sickleave > Annualleave;
+-----+
| Name |
+-----+
| ADAMS |
| WILKES |
| MEZA |
| MERRICK |
| FURY |
+-----+
5 rows in set (0.00 sec)
```