In [1]:
```python
import numpy as np
```

In [2]:
```python
lst = []
n = int(input('Enter the number of elements you want in the list:'))
for i in range(0,n):
    ele = int(input())
    lst.append(ele)
#print(lst)
listArray = np.array(lst)
#print(listArray)
(unique,counts) = np.unique(listArray,return_counts = True)
frequencies = np.asarray((unique,counts)).T
print(frequencies)
```

```
Enter the number of elements you want in the list:4
1
2
2
1
[[1 2]
 [2 2]]
```

In [3]:
```python
def shift(arr,n):
    count = 0
    for i in range(0,n):
        if(arr[i] == 1):
            count += 1
    for i in range(0,count):
        arr[i] = 1
    for i in range(count,n):
        arr[i] = 0
    arr = np.asarray(arr)
    print(arr)
arr = [1,0,1,0,0,1,1]
n = len(arr)
shift(arr,n)
```

```
[1 1 1 1 0 0 0]
```

In [4]:
```python
def remove_char(str,n):
    first = str[:n]
    second = str[n+1:]
    return first + second
print(remove_char('Python', 0))
print(remove_char('Python', 3))
print(remove_char('Python', 5))
```

```
ython
Pyton
Pytho
```

In [5]:
```python
mat = np.ones((3,3))
print(mat)
print()
mat = np.pad(mat,pad_width=1,mode='constant',constant_values=0)
print(mat)
```

```
[[1. 1. 1.]
 [1. 1. 1.]
 [1. 1. 1.]]

[[0. 0. 0. 0. 0.]
 [0. 1. 1. 1. 0.]
 [0. 1. 1. 1. 0.]
 [0. 1. 1. 1. 0.]
 [0. 0. 0. 0. 0.]]
```

In [6]:
```python
Array1 = np.array([0,10,20,40,60])
print('Array1: ',Array1)
Array2 = np.array([0,40])
print('Array2: ',Array2)
print('Comparison of each element: ')
print(np.in1d(Array1,Array2))
```

```
Array1:  [ 0 10 20 40 60]
Array2:  [ 0 40]
Comparison of each element:
[ True False False  True False]
```

In [7]:
```python
Array1 = np.array([0,10,20,40,60,80])
print('Array1: ',Array1)
Array2 = np.array([10,30,40,50,70])
print('Array2: ',Array2)
print('Exclusive OR of the two arrays: ')
print(np.setxor1d(Array1,Array2))
```

```
Array1:  [ 0 10 20 40 60 80]
Array2:  [10 30 40 50 70]
Exclusive OR of the two arrays:
[ 0 20 30 50 60 70 80]
```

In [8]:
```python
Array1 = np.array([0,10,20,40,60,80])
print('Array1: ',Array1)
Array2 = np.array([10,20,30,40,50,70])
print('Array2: ',Array2)
print("Vertical stack of the two arrays: ")
print(np.column_stack((Array1,Array2)))
```

```
Array1:  [ 0 10 20 40 60 80]
Array2:  [10 20 30 40 50 70]
Vertical stack of the two arrays:
[[ 0 10]
 [10 20]
 [20 30]
 [40 40]
 [60 50]
 [80 70]]
```

In [9]:
```python
r = int(input('Enter the number of rows: '))
c = int(input('Enter the number of columns: '))
matrix = []
print('Enter the entries rowwise')
for i in range(r):
    a = []
    for j in range(c):
        a.append(int(input()))
```

```python
        matrix.append(a)
matrix = np.asmatrix(matrix)
print("The matrix is: ")
print(matrix)
print("The rank of the matrix is: ")
print(np.linalg.matrix_rank(matrix))
print("The trace of the matrix is: ")
print(np.trace(matrix))
print("The determinant of the matrix is: ")
print(np.linalg.det(matrix))
```

```
Enter the number of rows: 2
Enter the number of columns: 2
Enter the entries rowwise
1
2
3
4
The matrix is:
[[1 2]
 [3 4]]
The rank of the matrix is:
2
The trace of the matrix is:
5
The determinant of the matrix is:
-2.0000000000000004
```