National University of Computer and Emerging Sciences

Karachi Campus

Probability and Statistics (MT2005)

Date: April 4th 2024 **Course Instructor(s)**

Abdul Basit, Alishba Tariq, Moheez Ur Rahim Khan, M. Amjad, Nadeem Arif Khan and Urooj

Sessional-II Exam

Total Time: 1 Hours
Total Marks: 30

Total Questions: 02

Roll No	Section	Student Signature

Attempt all the questions.

CLO 1: Describe the fundamental concepts in probability and statistics

CLO 1. Describe the junuamental concepts in probability and statistics

(a) Strands of copper wire from a manufacture are analyzed for strength and conductivity. The result of 100 strands are as follows:

	Strength		
	High	Low	
High conductivity	74	8	
low conductivity	15	3	

A strand is randomly selected,

- i. What is the probability of selected strand having high conductivity or low strength? [2 Marks]
- ii. If a strand has low conductivity, what is the probability that its strength is high?

 [2 Marks]
- iii. Are high strength, low conductivity and high conductivity events mutually exclusive? [1 Marks]
- (b) An insurance company classifies drivers as low-risk, medium-risk, and high risk. of those insured, 60% are low-risk, 30% are medium-risk, and 10% are high-risk. After a study, the company finds that during a 1-year period, 1% of the low-risk drivers had an accident, 5% of the medium-risk drivers had an accident, and 9% of the high-risk drivers had an accident. If a driver is selected at random, find the probability that the driver will have had an accident during the year?

[8 marks]

National University of Computer and Emerging Sciences

Karachi Campus

CLO 2: Analyze the data and produce probabilistic models for different problems

[22 marks]

(a) On a laboratory assignment, if the equipment is working, the density function of the observed outcome, X, is

$$f(x) = \begin{cases} 2(1-x), & 0 < x < 1 \\ 0, & otherwise \end{cases}$$

- Prove that f(x) is a valid density function i. [2 Marks]
- Calculate $P(X \leq 1/3)$ ii. [2 Marks]
- Given that $X \ge 0.5$, what is the probability that X will be less than 0.75?

[2 Marks]

- (b) Two cards are drawn without replacement from the 12 face cards (jacks, queens and kings) of an ordinary deck of 52 playing cards. Find
 - i. Joint probability distribution of number of kings (X) and number of jacks (Y) selected;

[5 Marks]

- ii. $P[(X,Y) \in A]$, where A is the region given by $\{(x,y) \mid x+y \ge 1\}$ [2 Marks]
- iii. Find the marginal distributions of x and y[2 Marks]
- Compute $P(y \ge 1 | x = 1)$ iν. [2 Marks]
 - Compute coefficient of correlation of x and y [4 Marks]
- ٧. Are x and y independent? [1 Marks] vi.

Formula Sheet:

Conditional Probability:
$$P(A|B) = \frac{P(A \text{ and } B)}{P(B)}$$

 $P(A \text{ and } B) = P(A)P(B) \text{ or } P(A)P(B|A)$
 $P(A) = \sum P(B_i) * P(A|B_i)$
 $g(x) = \sum_{y} f(x,y) \text{ or } \int_{y} f(x,y)dy$
 $h(y) = \sum_{x} f(x,y) \text{ or } \int_{x} f(x,y)dx$
 $f(y|x) = \frac{f(x,y)}{g(x)}$

$$E(X) = \sum_{x} xf(x) \text{ or } \int_{x} xf(x)dx$$
$$\sigma_{xy} = E(XY) - \mu_{x}\mu_{y}$$

$$\sigma_{xy}^2 = E(X^2) - \left(E(X)\right)^2$$

$$\rho_{xy} = \frac{\sigma_{xy}}{\sigma_x \sigma_y}$$