

# Pest Advisory Report

## YAZMAN

Timeframe: 1 WEEK MAY 2022

### Survey Summary

Overall Severity:	LOW (0.0/30)
Risk Level:	LOW
Action Urgency:	MONITOR
Economic Impact:	0-5% estimated yield loss
Total Spots Surveyed:	12
Total Area Covered (acres):	45.0
Pest Pressure per Acre:	0.0
Threat Pests:	None

# Key Insights & Threats

## Critical Threat Pests

No pests above critical thresholds detected.

## Key Insights

1. Pest populations are extremely low, indicating a favorable situation for cotton crops.
2. Disease pressure is also negligible, with no reported infections in the surveyed area.
3. The overall risk level remains LOW due to the absence of significant pest or disease threats.


# Expert Advisory for Farmers

Follow these practical steps to safeguard the crop based on current field conditions:

## Actionable Guidance (English)

- Continue monitoring fields regularly and maintain good agricultural practices to ensure the low-risk situation persists.
- Consider implementing Integrated Pest Management (IPM) strategies, such as crop rotation and biological control methods, to further minimize potential threats.
- Coordinate with local extension services or experts for guidance on best management practices and potential pest/disease surveillance programs.

# Pest Comparison vs ETL Thresholds



Severity Gauge




# Critical Threat Pests

✓ **No Critical Threats Detected**

*All pest populations below critical levels*

# Disease Infection Rates





# Pest Advisory Dashboard Overview

## Pest Advisory Dashboard: YAZMAN 1 WEEK MAY 2022

**SURVEY COVERAGE**  
- Spots Surveyed: 12  
- Total Area: 45.0 acres  
- Pest Pressure: 0.00/acre

**RISK ASSESSMENT**  
- Severity Level: LOW  
- Severity Score: 0.0/30  
- Risk Level: LOW  
- Action Urgency: MONITOR  
- Economic Impact: 0-5% estimated yield loss

**CRITICAL THREATS**  
• None detected



✓ No Disease Detected

- KEY INSIGHTS
- Pest populations are extremely low, indicating a favorable situation for cotton crops.
  - Disease pressure is also negligible, with no reported infections in the surveyed area.
  - The overall risk level remains LOW due to the absence of significant pest or disease threats.