

Pest Advisory Report

KHAN PUR

Timeframe: 1 WEEK MAY 2022

Survey Summary

Overall Severity:	LOW (0.0/30)
Risk Level:	LOW
Action Urgency:	MONITOR
Economic Impact:	0% estimated yield loss
Total Spots Surveyed:	9
Total Area Covered (acres):	36.0
Pest Pressure per Acre:	0.0
Threat Pests:	None

Key Insights & Threats

Critical Threat Pests

No pests above critical thresholds detected.

Key Insights

1. Pest populations are extremely low across all species, indicating a favorable situation for cotton growers.
2. Disease pressure is also negligible, with no reported infections of CLCuV or Wilt.
3. The overall risk level remains **LOW** due to the absence of any significant pest or disease threats.


Expert Advisory for Farmers

Follow these practical steps to safeguard the crop based on current field conditions:

Actionable Guidance (English)

- Continue monitoring fields regularly and maintain good agricultural practices to ensure this favorable situation persists.
- No chemical applications are currently recommended, but be prepared to respond quickly if pest populations were to surge.
- Coordinate with local extension services for any necessary guidance or support in maintaining a healthy cotton crop.

Pest Comparison vs ETL Thresholds



Severity Gauge




Critical Threat Pests

✓ **No Critical Threats Detected**

All pest populations below critical levels

Disease Infection Rates



Pest Advisory Dashboard Overview

Pest Advisory Dashboard: KHAN PUR 1 WEEK MAY 2022

SURVEY COVERAGE



- Spots Surveyed: 9
- Total Area: 36.0 acres
- Pest Pressure: 0.00/acre

RISK ASSESSMENT

- Severity Level: LOW
- Severity Score: 0.0/30
- Risk Level: LOW
- Action Urgency: MONITOR
- Economic Impact: 0% estimated yield loss

CRITICAL THREATS

- None detected



✓ No Disease Detected

- KEY INSIGHTS
1. Pest populations are extremely low across all species, indicating a favorable situation for cotton growers.
 2. Disease pressure is also negligible, with no reported infections of CLCuV or Wilt.
 3. The overall risk level remains LOW due to the absence of any significant pest or disease threats.