

Each multiple-choice quiz problem is based on a "root question," from which the system generates different correct and incorrect choices each time you take the quiz. Thus, you can test yourself on the same material multiple times. We strongly urge you to continue testing on each topic until you complete the quiz with a perfect score at least once. Simply click the "Reset" button at the bottom of the page for a new variant of the quiz.

After submitting your selections, the system will score your quiz, and for incorrect answers will provide an "explanation" (sometimes for correct ones too). These explanations should help you get the right answer the next time around. To prevent rapid-fire guessing, the system enforces a minimum of 10 minutes between each submission of solutions.

MULTIPLE CHOICE (6/6 points)

[Q1] We're interested in well-formed XML that satisfies the following conditions:

- It has a root element "tasklist"
- The root element has 3 "task" subelements
- Each of the "task" subelements has an attribute named "name"
- The values of the "name" attributes for the 3 tasks are "eat", "drink", and "play"

Select, from the choices below, the well-formed XML that meets the above requirements.



```
<tasklist>
  <task name="eat">
</task>
  <task name="drink">
</task>
  <task name="play">
</task>
</tasklist>
```



```
<tasklist>
  <task
name="eat">
  <task
name="drink">
  <task
name="play">
</tasklist>
```



```
<tasklist>
  <task
name="eat"/>
  <task
name="drink"/>
  <task
name="play"/>
</tasklist>
```

Help

Problem on Page?

```

<tasklist>
  <task
    name="eat"/>
  </tasklist>
<tasklist>
  <task
    name="drink"/>
  </tasklist>
<tasklist>
  <task
    name="play"/>
  </tasklist>

```

[Q2] An XML document contains the following portion:

```

<INFO>
  <ADDR>101 Maple St.</ADDR>
  <PHONE>555-1212</PHONE>
  <PHONE>555-4567</PHONE>
</INFO>

```

Which of the following could be the INFO element specification in a DTD that the document matches?

- ☐ <!ELEMENT INFO (NAME,ADDR,PHONE*)>
- ☐ <!ELEMENT INFO (PHONE*,ADDR)>
- ☒ <!ELEMENT INFO (ADDR+,PHONE*)> ✓
- ☐ <!ELEMENT INFO (ADDR,PHONE?)>

[Q3] An XML document contains the following portion:

```

<EMP name = "Kermit">
  <ADDR>123 Sesame St.</ADDR>
  <PHONE type = "cell">555-1212</PHONE>
</EMP>

```

Which of the following could NOT be part of a DTD that the document matches? Note that there can be multiple ATTLIST declarations for a single element type; do not assume the only attributes allowed for an element type are the ones shown in the answer choice.

- ☒ <!ATTLIST EMP name #PCDATA #IMPLIED> ✓
- ☐ <!ATTLIST EMP ssNo CDATA #IMPLIED>
- ☐ <!ATTLIST PHONE type IDREFS #REQUIRED>
- ☐ <!ATTLIST EMP name CDATA #REQUIRED>

ANSWER-SELECTION FEEDBACK


This is a correct choice, because #PCDATA is not appropriate for the type of an attribute. It is used for the type of

"leaf" text.

[Q4] Here is a DTD:

```
<!DOCTYPE A [
  <!ELEMENT A (B+, C)>
  <!ELEMENT B (#PCDATA)>
  <!ELEMENT C (B?, D)>
  <!ELEMENT D (#PCDATA)>
]>
```

Which of the following sequences of opening and closing tags matches this DTD? Note: In actual XML, opening and closing tags would be enclosed in angle brackets, and some elements might have text subelements. This quiz focuses on the element sequencing and interleaving specified by the DTD.

- ☒ A B /B B /B B /B C D /D /C /A 
- ☐ A C B /B D /D /C /A
- ☐ A B /B B /B C B /B D /D /A
- ☐ A C D /D /C /A

[Q5] Here is an XML DTD:


```
<!DOCTYPE meal [
  <!ELEMENT meal (person*,food*,eats*)>
  <!ELEMENT person EMPTY>
  <!ELEMENT food EMPTY>
  <!ELEMENT eats EMPTY>
  <!ATTLIST person name ID #REQUIRED>
  <!ATTLIST food name ID #REQUIRED>
  <!ATTLIST eats diner IDREF #REQUIRED dish IDREF #REQUIRED>
]>
```

Which of the following documents match the DTD?

```
<meal>
  <person name="Alice"/>
  <food name="salad"/>
  <eats diner="Alice" dish="salad"/>
  <person name="Bob"/>
  <food name="salad"/>
  <eats diner="Bob" dish="salad"/>
  <person name="Carol"/>
  <food name="sandwich"/>
  <eats diner="Carol" dish="sandwich"/>
</meal>
```

```
<meal>
  <person name="Alice"/>
  <person name="Bob"/>
  <person name="Carol"/>
  <person name="Dave"/>
  <food name="salad"/>
  <food name="turkey"/>
  <food name="sandwich"/>
  <eats diner="Alice" dish="turkey"/>
  <eats diner="Bob" dish="salad"/>
  <eats diner="turkey" dish="Dave"/>
</meal>
```

```
<meal>
  <person name="Alice"/>
  <person name="Bob"/>
  <food name="salad"/>
  <eats diner="Alice" dish="food"/>
  <eats diner="Bob" dish="food"/>
</meal>
```

- ☐ all three
- ☐ only the first and second
- ☒ only the second 
- ☐ only the second and third

[Q6] Study the following XML Schema specification:

```
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:element name="person">
    <xs:complexType>
      <xs:sequence>
        <xs:element name="fname" type="xs:string"/>
        <xs:element name="initial" type="xs:string"
          minOccurs="0"/>
        <xs:element name="lname" type="xs:string"/>
        <xs:element name="address" type="xs:string"
          maxOccurs="2"/>
        <xs:choice>
          <xs:element name="major" type="xs:string"/>
          <xs:element name="minor" type="xs:string"
            minOccurs="2" maxOccurs="2"/>
        </xs:choice>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
</xs:schema>
```

Select, from the choices below, the XML that is valid according to the XML Schema specification above.

- ☒

```
<person>
  <fname>John</fname>
  <initial>Q</initial>
  <lname>Public</lname>
  <address>123 Public Avenue, Seattle, WA
98001</address>
  <minor>Psychology</minor>
  <minor>History</minor>
</person>
```



```
<person>
  <fname>John</fname>
  <initial>Q.</initial>
  <lname>Public</lname>
  <address>123 Public
Avenue</address>
  <address>Seattle</address>
  <address>WA 98001</address>
  <minor>History</minor>
</person>
```



```
<person>
  <fname>John</fname>
  <initial>Q.</initial>
  <lname>Public</lname>
  <address>123 Public
Avenue</address>
  <address>Seattle</address>
  <address>WA 98001</address>
  <minor>Computer Science</minor>
  <minor>History</minor>
  <minor>Psychology</minor>
</person>
```



```
<person>
  <fname>John</fname>
  <initial>Q.</initial>
  <lname>Public</lname>
  <address>123 Public
Avenue</address>
  <address>Seattle</address>
  <address>WA 98001</address>
  <major>Computer Science</major>
</person>
```

Reset

< Previous

Next >