


# Two-measurement methods for working-level determination of radon daughters, a theoretical study

Dept. of the Interior, Bureau of Mines - DETERMINATION OF THE WORKING LEVEL OF RADON DAUGHTERS BY THE MODIFIED TSIVOGLU METHOD. (Technical Report)

Description: -



-  
Yugoslavia -- Economic policy -- 1945-1992.  
Property -- Yugoslavia.  
Investments -- Yugoslavia.  
Business enterprises -- Yugoslavia -- Finance.  
Early childhood education -- Government policy -- New Jersey.  
Machiavelli, Niccolò, -- 1469-1527.  
Radon -- Measurement  
Mine gases -- Measurement  
Two-measurement methods for working-level determination of radon daughters, a theoretical study  
-  
Letteratura italiana (Pisa, Italy) -- 5.  
Letteratura italiana -- 5  
Report of investigations - Bureau of Mines ; 8422  
Two-measurement methods for working-level determination of radon daughters, a theoretical study  
Notes: Bibliography: p. 34-35  
This edition was published in 1979



Filesize: 36.610 MB

Tags: #Review #of #domestic #and #international #methods #of #measuring #radon #in #residential #buildings

## Radon survey and exposure assessment in hospitals

Box 70, Park Ridge, NJ 07656 United States. Abstracts of the International Conference on Occupational Radiation Safety in Mining. Three analyses collating and comparing the individual information from a number of component studies have now been carried out, including 13 European studies, 7 North American studies, and 2 Chinese studies, respectively.

## Frontiers

Subsequently, enhanced radon levels had been found and traced to this building material. The air is drawn continuously through the tube. On average, concentrations are 29% lower in bedrooms than in living areas.

US7312439B1

This method and the previously proposed direct method were applied in the field, and new data obtained. Cancer fatalities were thought to be 0.

## Indoor inhalation dose estimates due to radon and thoron in some areas of South

Inst für Allgemeine Biologie, Biochemie und Biophysik. Just before taking a sample, the chamber screw cap 29 is unscrewed to bring the E-RPISU to the open position, as shown in FIG.

## 5. Principles of Radon and Radon Progeny Detection Systems and Measurements

An optimization method based on standard statistical techniques has been followed for the two gross  $\alpha$ -count method. In order to examine measurement methods that can be used in houses and deduce improvement plans for the existing official method, this study investigated radon measurement protocols used in the United States, Canada, and the United Kingdom, and compared them to that used in Korea.



## Related Books

- [Heldin als Verrückte - Frauen und Wahnsinn im englischsprachigen Roman von der Gothic Novel bis zur](#)
- [The Basic Practice of Statistics \(Cloth\), Cd-Rom, Upgrade Study Pack & SPSS Guide](#)
- [Cardiac rehabilitation](#)
- [Mrs Thatchers economic policies 1979-1987.](#)
- [Flawed words and stubborn sounds - a conversation with Elliott Carter.](#)