

# BASIS, a data bank for Baltic Sea ice and sea surface temperatures

## Winter Navigation Research Board - Geophysics of sea ice in the Baltic Sea: A review

Description: -

-

Cost and standard of living -- Oregon.

Liability for traffic accidents -- Great Britain -- Cases.

Folklore -- Chile.

Pézenas (France) -- History.

Molière, 1622-1673 -- Stage history -- France -- Pézenas.

Interamerican Childrens Institute.

Rome -- Historiography.

Tacitus, Cornelius.

Greece -- Civilization.

Jews -- Civilization.

Judaism -- Apologetic works.

Bible. O.T. Apocryphal books -- Criticism, interpretation, etc.

Bible. O.T. Apocrypha -- Criticism, interpretation, etc.

Business enterprises -- Korea (South)

Industries -- Social aspects -- Korea (South)

Industrial management

Industrial management -- Korea (South)

American literature.

English literature.

French poetry -- Explication.

Building laws -- Germany -- Berlin.

Slave-trade -- Africa, East.

Muscles -- Metabolism

Muscles -- Molecular aspects

Muscle contraction

Muscles -- Physiology

Runes -- Miscellanea.

Magic.

BASIS (Information retrieval system)BASIS, a data bank for Baltic Sea ice and sea surface temperatures

-

no. 34.


Research report (Winter Navigation Research Board) ;

no. 34

Research report / Winter Navigation Research Board ;BASIS, a data bank for Baltic Sea ice and sea surface temperatures

Notes: Bibliography: p. 21-23.

This edition was published in 1981



Tags: #Historic #Variations #in #Arctic  
#sea #ice. #Part #II: #1920

### A diatom

Based on the full covariance matrix, EOF analysis revealed highly similar patterns of leading modes of  $X_i$  is to the modes of  $x_i$  which are shown in. This implies that substantial efforts have to be made to insure that navigation can take in place in a safe manner along well defined navigation routes.

### Arkisto

In the case of these Antarctic data, very little was found which needed correcting or checking with the CRU data contributors. . Linear trends are removed before the



Filesize: 66.18 MB

comparison.

### Spatio

Where no sea ice edge data were available, a baseline climatology was used. In case of observational data, another key factor, besides the number of modes, is configuration including the number of observation points.

### Knowledge of the Baltic Sea physics gained during the BALTEX and related programmes

During the latest decade, advance has been made in studies on sea ice structure, surface albedo, penetration of solar radiation, sub-surface melting, and formation of superimposed ice and snow ice. This led to the continuous measurement of the Swiss glaciers and examination of other glaciers of the Northern Hemisphere, Greenland, Alaska, and elsewhere. In contrast, the lag correlations are relatively small along the western boundary currents and in areas where ocean eddy activity is large.

## **Centennial**

Section Five Comments and Conclusions In trying to determine the true extent of sea ice melt during the period 1920-1940, we run the risk of comparing apples to oranges, since the different observing methods employed over the years makes it difficult to determine how modern ice extent compares to the past with any certainty. In most spots the ice depth averaged generally from five to eighty-five feet deep. I have several contenders for an article and revisit this subject next week after my return from my sons graduation day.

## **Frontiers**

Which might indicate that what we see now in ice melting is an alternate manifestation alternate to surface temps, that is of a heat-budget imbalance created by ACO<sub>2</sub>. .

## **Knowledge of the Baltic Sea physics gained during the BALTEX and related programmes**

Missing annual data are also indicated by the value -999. On the background of grid points of 37 km spacing, reconstructed SST and SSS maps are shown for one arbitrary date 19 June 2015 together with the original model data.

## **A coupled atmosphere/ice/ocean model for the North Sea and the Baltic Sea**

He first noted warmer conditions in 1918, since that time it has steadily gotten warmer, to-day the Arctic of that region is not recognizable as the same region of 1868 to 1917. The eigenvalue of the specific mode presents the variance attributed to this mode; the sum of all eigenvalues is the variance of X.

## Related Books

- [U.S. single action cartridge handgun holsters, 1870-1910](#)
- [Hugo Robus](#)
- [Kritische Kulturphilosophie - europäische und aussereuropäische Lebenswelten](#)
- [Tropical diet chart.](#)
- [Striking it rich - the story of the California gold rush](#)