


Coping strategies among female psychiatric nurses - a comparative study between those nurses who job share and those who are employed full time.

The Author] - An integrative review of the influence of job strain and coping on nurses' work performance: Understanding the gaps in oncology nursing research



Description: -

-Coping strategies among female psychiatric nurses - a comparative study between those nurses who job share and those who are employed full time.

-Coping strategies among female psychiatric nurses - a comparative study between those nurses who job share and those who are employed full time.

Notes: Thesis (M. Sc. (Guidance and Counselling)) - University of Ulster, 2001.

This edition was published in 2001



Filesize: 47.75 MB

Tags: #Validating #the #psychiatric #nurses #methods #of #coping #questionnaire: #Arabic #version

Exploring the meaning and practice of self

The questionnaire recovery rate was 100% 531 of 531.

Occupational burnout in nurses: a concept analysis in: Frontiers of Nursing Volume 7 Issue 1 (2020)

Although previous studies have examined the impact of various aspects of the professional practice environment on nurse satisfaction, nurse retention, nurse recruitment, and patient outcomes ; ; , our study sought both to assess nurse and physician perceptions of the presence of positive characteristics of nurse-physician relationships and to identify factors that impact, or are impacted by, nurse-physician relationships. In this regard, stress management interventions have been proposed and their effectiveness in reducing stress and improving physical and mental health among medical staff has been investigated ,.

Secondary Traumatic Stress in Nurses: A Systematic Review

The Oxford handbook of positive psychology. A nationwide survey of psychological distress among Chinese people in the COVID-19 epidemic: implications and policy recommendations.

A qualitative study into female sex workers' experience of stigma in the health care setting in Hong Kong

Level of burnout among nurses working in oncology in an Italian region. The outcome is a total of 12 study communities where we located the households with persons with a learning disability, and these were the households that furnished the 107 participants in the study.

Exploring the meaning and practice of self

These methods included efficient time management, planned team meetings and support networks and improved communication channel both within and between professional disciplines and departments. Clarity may also be lacking with regards to shared responsibility for self-care practice where clinicians experience chronic illness and or disability.

Related Books

- [Plain man looks at the Cross - an attempt to explain in simple language for the modern man, the sign](#)
- [Pruebas en el proceso penal colombiano - parte general](#)
- [Long wen bian ying xin zhu](#)
- [Promoting Legal and Ethical Awareness - A Primer for Health Professionals and Patients](#)
- [Four ages of man - the classical myths. --](#)