

Seasonal trends in moisture content, ether extractives, and energy of ponderosa pine and Douglas-fir needles

Intermountain Forest & Range Experiment Station, Forest Service, U.S. Dept. of Agriculture
- Trends in European Forest Tree Physiology Research: Cost Action E6: EUROSILVA

Description: -

-

Biological diversity.

Aquatic biology.

Freight forwarders -- United States

France -- Social life and customs.

Operas -- Librettos.

Taiwan -- History -- Sources

Law reports, digests, etc. -- China

Local government -- Taiwan

Bank holding companies -- United States

Interstate banking -- Law and legislation -- United States

Banking law -- United States

Convection (Meteorology)

Magnetospheric substorms

Magnetosphere

Computer-assisted instruction -- Evaluation.

Great Britain -- Colonies -- Sri Lanka

Sri Lanka -- Politics and government

Sri Lanka -- Description and travel

Reference

Children with disabilities

Adam, -- of Dryburgh.

Ponderosa pine

Douglas firseasonal trends in moisture content, ether extractives, and energy of ponderosa pine and Douglas-fir needles

-

2

International series on astronomy and astrophysics ;

Research paper INT -- 102.seasonal trends in moisture content, ether extractives, and energy of ponderosa pine and Douglas-fir needles

Notes: Bibliography: p. 15-16.


This edition was published in 1971

Tags: #Mountain #pine #beetle #attack
#alters #the #chemistry #and #flammability
#of #lodgpole #pine #foliage

Full text of uses, and management of pinyon

Expansion of *Juniperus virginiana* L. . .

Structural characteristics of fuel components of five Mediterranean shrubs



Filesize: 48.31 MB

Full text of uses, and management of pinyon

Site characteristics were described and vegetation data were collected in 10×10 m plots; shrubs were 25 identified and shrub cover was measured in 1×1 -m plots within each 10×10 -m plot. The logarithmic transformation compresses the upper end of the measurement scale and thus reduces the importance of large values relative to smaller values in the data matrix Digby and Kempton1987.

The Seasonal Trends in Moisture Content, Ether Extractives, and Energy of Ponderosa Pine and Douglas

Productive trees usually show immature and old cones in branches, and an accumulation of fallen cones beneath them . .

How well do plant functional traits and leaf

Special recognition is extended to enee, not all topics were amenable.

Related Books

- [Nuclear density functional theory](#)
- [Pausanias Periegetes](#)
- [Driven-in receipts of livestock for the year 1929 with comparable data for earlier years.](#)
- [Taehan Minguk sin tosi kyŏngjaengnyŏk](#)
- [Theory of income distribution.](#)