


Studies in reproductive and environmental physiology.

University of Birmingham - Variability in measures of reproductive success in laboratory



Description: -

-Studies in reproductive and environmental physiology.

-Studies in reproductive and environmental physiology.

Notes: Thesis (D.Sc.)- Univ. of Birmingham, Dept of Anatomy.

This edition was published in 1975



Filesize: 15.82 MB

Tags: #Male #Reproductive #Physiology

Environmental Impact on Reproductive Health

Thus, olfactory bulbectomy eliminated sensory detection of the call-eliciting chemosignals, but did not eliminate the male's ability or motivation to call to the female. Furthermore, recent GnIH studies have indicated that abnormal changes in GnIH expression may cause pubertal disorder and reproductive dysfunction.

Physiology of Reproduction

Moreover, sexually experienced males rapidly habituate their calling after three or four exposures Dizinno and Whitney, 1977. Courses: Although this cluster does not require specific coursework, we offer brand new courses focused on human reproductive health that RSM cluster members are encouraged to take.

Coral offspring physiology impacted by parental exposure to intense environmental stresses: Environmental disturbances, such as bleaching events, can have lasting consequences across generations of corals

But this production would be impossible without testicular tissue, which develops in the male foetus and therefore is dependent on Pre-Natal Jing Essence that is passed to the male foetus by his parents. Environ Health Perspect 125 8 :087018.

Reproductive Health

But it is also when the production of sex hormones increases.

Reproductive Health

Much of the research on the pheromonal elicitation of male calling has focused on female urine, since female urine also stimulates reflexive LH and testosterone release in males Maruniak and Bronson, 1976 , male copulatory behavior Dixon and Mackintosh, 1971 , while also reducing inter-male aggression Mugford and Nowell, 1971. Pheromonal regulation Male mouse ultrasonic calling depends heavily on pheromonal communication.

Environmental Impact on Reproductive Health

Members of the teaching faculty have been recognized in many ways for their teaching activities. To simulate a thermal stress event, the adult corals were exposed to two different temperature treatments -- ambient 84°F or 29°C or heated 88°F or 31°C -- for a period of 21 days over their reproductive period.

Reproductive Health

The Constance Campbell Memorial Fund supports Travel Awards which trainees may apply for.

Related Books

- [Database management systems](#)
- [Popular music reviewing in the French press, 1956-1996 - a stylistic study](#)
- [Théâtre de Roland Dubillard - essai danalyse sémiologique](#)
- [Alfred Hrdlicka, Schaustellungen - Bekenntnisse in Wort und Bild](#)
- [Nagai michinori - zuihitsushū](#)