Handbook of field methods for research on rice stemborers and their natural enemies

Blackwell Scientific - Inherent Digital Library .:. Peranan parasitoid telur dan varietas padi dalam pengendalian hama terpadu penggerek batang padi kuning. (YRSB egg parasitoid potential on different rice varieties in an IPM).

Description: -

History

1861-1865, Civil War

1775-1865

Southern States

Causes

History - United States/Civil War

Juvenile literature

Children: Grades 4-6

Politics and government

United States

Childrens Books/Ages 9-12 Nonfiction

History - United States/19th Century

Secession

Juvenile Nonfiction

Income tax -- Law and legislation -- United States -- Outlines,

syllabi, etc.

Program Evaluation -- methods -- Handbooks.

Patient Rights -- Handbooks.

Patient Education -- methods -- Handbooks.

Cervix Neoplasms -- prevention & control -- Handbooks.

Cervix uteri -- Cancer -- Patients -- Care.

Stemborers -- Biological control

Rice -- Diseases and pestshandbook of field methods for research on

rice stem-borers and their natural enemies

14.

IBP handbook;

IBP handbook no. 14handbook of field methods for research on rice

stem-borers and their natural enemies

Notes: Bibliography: p. 83-84.

This edition was published in 1970

Tags: #Seasonal #parasitism #by #egg #parasites #of #the #yellow #rice #borer, Scirpophaga #incertulas # [Lepidoptera: #Pyralidae]

Inherent Digital Library .:. Peranan parasitoid telur dan varietas padi dalam pengendalian hama terpadu penggerek batang padi kuning. (YRSB egg parasitoid potential on different rice varieties in an IPM).

Susceptibility of rice plants to stemborer


damage at different growth stages and influence on grain yields. Journal of Biological Control, 11 1-2 :67-72. Fauna of British India, Moths, IV.

Type and Population of Egg Parasitoid of White Stem Borer Scirpophaga innotata (Walker) at Various Stages of Rice Plant Growth

Absorbed: Journals that are combined with another title. It was evident that Telenomus spp. Ecology of rice stem borers in Taiwan Trop.

Type and Population of Egg Parasitoid of White Stem Borer Scirpophaga innotata (Walker) at Various Stages of Rice Plant Growth

Details of other records held by CABI are available to view in the datasheet. The results showed that the Integrated Action of egg parasitoid and variety was able to suppress the population number and infestation percentage of YRSB below the economic treshold and constituted natural enemies conservation.



Josephi



Filesize: 50.39 MB

kuning. (YRSB egg parasitoid potential on different rice varieties in an IPM).

Techniques for assessing crop losses caused by rice stem borers in tropical areas. Working Paper 63, Colombo, Sri Lanka: Int.

Type and Population of Egg Parasitoid of White Stem Borer Scirpophaga innotata (Walker) at Various Stages of Rice Plant Growth

Abstract: The population of many Asian countries are dependent on rice for their staple diet and therefore any insight into the ecology of rice stemborers and their natural enemies would not only be of scientific interest, but also of considerable economic value.

Seasonal parasitism by egg parasites of the yellow rice borer, Scirpophaga incertulas [Lepidoptera: Pyralidae]

Tetrastichus schoenobii Ferrière était de moindre importance dans la régulation de la population de la Pyrale et son attaque la plus forte se produisait sur les dernières pousses de riz cultivé durant l'hiver.

Related Books

- Post-war public works
- Series of letters between Mrs. Elizabeth Carter and Miss Catherine Talbot, from the year 1741 to 177
- Jugend, Körper und Geschlecht die Suche nach sexueller Identität
- Elizabeths London everyday life in Elizabethan London
- Concertino in E-moll für Horn und Orchester. Op. 45.