
Echocardiography and Doppler in cardiac surgery

Igaku-Shoin - Chapter 11. Echocardiography in Cardiac Surgery



Description: -

Français (Langue) -- Grammaire.

Français -- Philologie -- Histoire.

Français (Langue) -- Grammaire -- Bibliographie.

Chinese poetry -- Qing dynasty, 1644-1912 -- History and criticism

Heart Surgery.

Heart Diseases -- diagnosis.

Echocardiography, Doppler.

Echocardiography.

Doppler echocardiography.

Echocardiography.

Heart -- Surgery. Echocardiography and Doppler in cardiac surgery

-Echocardiography and Doppler in cardiac surgery

Notes: Includes bibliographical references and index.

This edition was published in 1989



Filesize: 67.51 MB

Tags: #Chapter #11. #Echocardiography #in #Cardiac #Surgery

novel technique using echocardiography to evaluate venous cannula performance perioperatively in CPB cardiac surgery

They have the same magnitude, and the integer peak is found using traditional cross correlation methods.

Transoesophageal echocardiography accurately detects cardiac output variation: a prospective comparison with thermodilution in cardiac surgery

There are other situations in which TEE may also be useful but is not required i.

M

A correlation was established between atheromatous finding in the ascending aorta detected by EAUS and the presence of peripheral vascular disease. We have also included topics describing the use of echocardiography in cardiac electrophysiology with special interest to cardiac resynchronization therapy and atrial fibrillation ablation.

Rotation Objective: Echocardiography and Cardiac Doppler

This procedure is frequently used to examine children's hearts for because there is no age or size requirement. It was observed that malposition of the venous cannula into the RHV was observed in 10% of the study population.

Comparing Methods for Cardiac Output: Intraoperatively Doppler

TTE has previously been reported by Grooters et al. The long axis is parallel to the long axis of the LV. The mid-systolic triangular model permitted rapid and repeatable AoVA measurements.

Echocardiography in Cardiac Surgery

Real time three-dimensional echocardiography evaluation of intracardiac masses.

Doppler echocardiography

The flow velocity profile may also be distorted secondary to the diseased aortic valve and invalidate the necessity of uniform laminar flow.	

Related Books

- <u>Dateline Soweto travels with black South African reporters</u>
- Future of natural fibres papers presented at a Shirley Institute Conference on 29-30 November 1977
 Willem Leyels liv og farefulde rejse til Indien
- Heart of the ballad
- Grass-legume silage and hay production in the Central Fraser Valley.