

Grain-size and mineralogy of eolian and fluvial sediments in the central Kobuk Valley, northwestern Alaska

Dept. of the Interior, U.S. Geological Survey - Wind as a Geomorphic Agent in Cold Climates

Description: -

-

China -- Description and travel

Rasmussen, A. H. -- Journeys -- China

Ground cover plants.

Fertilizers -- Pennsylvania.

Coal mine waste.

Axseed.

Data transmission systems -- Alaska

Meteor trails

Radio meteorology

Barrier-free design.

System analysis

Plant layout

Operations research

Computer simulation

Computer programs

Abused children -- Services for -- United States

Child mental health services -- United States

Parent and child

Western hemlock

Timber -- United States

Timber -- Canada

Sitka spruce

Water quality management -- Washington (State) -- Seattle

Water -- Purification -- Filtration

Asbestos

Community psychology -- Bibliography

Community mental health services -- United States -- Bibliography

Forests and forestry -- Northwest, Pacific

Forest litter

Trees -- Rocky Mountains -- Growth

Trees -- Seedlings

Engelmann spruce

Information storage and retrieval systems

Bridges -- United States -- Data processing

Petrology -- California -- San Bernardino County

Geology -- California -- San Bernardino County

Altimeter

Boring

Lignite -- Montana -- Roosevelt County

Witnesses -- Services for -- United States

Victims of crimes -- Services for -- United States

Platinum group

Water quality -- United States

Reclamation of land -- United States

Mines and mineral resources -- United States

Weather control -- Colorado -- History

Geomagnetism -- United States

Solar activity

Solar magnetic fields

Geochemical prospecting -- California

Tags: #Morphological #Development #of
#Dunes #in #a #Subarctic #Environment,
#Central #Kobuk #Valley, #Northwestern
#Alaska #on #JSTOR

Dune

The Physics of Blown Sand and Desert
Dunes. Boulder, CO, United States:
Geological Society of America GSA. The
1950 Census shows the following
percentage increase in population in the
preceding ten years: % 1st Division 9.

Full text of catalog of United States government

Water elevations were measured in 32
ground-water observation wells and at 20
surface-water sites to help characterize the
geohydrology of the Fairbanks
International Airport area.

Full text of in Alaska; selected papers of the Alaskan Science Conference of the National Academy of Sciences



Mineral resources in submerged lands -- Bibliography
 Water resources development -- Oregon -- Douglas County
 Floods -- Minnesota
 Stream measurements -- Minnesota
 South Platte River (Colo. and Neb.)
 Rainfall intensity duration frequencies -- Colorado -- Denver
 Runoff -- Colorado -- Denver Metropolitan Area
 Geology -- Colorado -- Rocky Mountain National Park
 Floods -- Tennessee
 Flood forecasting -- Tennessee
 Seismic prospecting -- Colorado -- Garfield County
 Contracting out -- Minnesota.
 Groundwater -- Powder River Valley (Wyo. and Mont.)
 Water quality -- Powder River Valley (Wyo. and Mont.)
 Breathing apparatus.
 Neck -- Diseases -- Radiotherapy
 Head -- Diseases -- Radiotherapy
 Cancer -- Radiotherapy
 National security -- United States
 Natural resources -- United States
 Power resources -- United States
 Taxicabs -- Technological innovations -- Europe.
 Paratransit services -- Technological innovations -- Europe.
 Orthoptera -- Oregon
 Locusts -- Oregon
 Crickets
 Groundwater -- South Dakota -- Miner County
 Water-supply -- South Dakota -- Miner County
 Outer space -- Exploration -- Research -- United States
 Astronautics -- Research -- United States
 Space stations
 Child care -- United States
 Mother and infant -- United States
 Infants -- Care -- United States
 Groundwater -- Wyoming -- Quality
 Coal mines and mining -- Environmental aspects -- Wyoming
 Coal mine waste -- Wyoming -- Composition
 Water consumption -- Minnesota
 Water transfer -- Minnesota
 United States -- Armed Forces -- Procurement
 Industrial policy -- United States
 Industrial mobilization -- United States
 Military weapons -- United States
 Arms transfers -- United States
 Defense industries -- United States
 Weapons industry -- United States
 United States. -- Army -- Equipment
 Bone densitometry
 Mines and mineral resources -- Saudi Arabia
 Geochemistry -- Saudi Arabia
 Eolian processes -- Alaska -- Kobuk River Valley
 Sediments (Geology) -- Alaska -- Kobuk River Valley Grain-size and mineralogy of eolian and fluvial sediments in the central Kobuk Valley, northwestern Alaska
 -
 Problem series (Huxley College of Environmental Studies)
 Problem series - Huxley College of Environmental Studies, Western Washington State College
 NOAA technical memorandum -- NWS HYDRO-30
 USDA Forest Service research paper NE -- 361
 DHHS publication -- no. (ADM) 81-894
 Open-file report (Geological Survey (U.S.)) -- 81-273
 Open-file report -- 80-273
 Mineral commodity profiles
 Open-file report (Geological Survey (U.S.)) -- 79-1597

The cartography of the Northwest Coast of America to the year 1800. Sub-aqueous dunes Sub-aqueous dunes form on a bed of sand or gravel under the actions of water flow. Ottawa, ON, Canada: Geological Survey of Canada: 49-55.

Wind as a Geomorphic Agent in Cold Climates

A review of oil industry experience with gas hydrates in exploratory drilling in the Canadian Arctic. The correlogram is normalized to the variance of the data and is less sensitive to outlier values; this generally gives cleaner results.

Full text of catalog of United States government

Vander Stel; Colleen Iversen This data set consists of bulk soil characteristics as well as carbon and nutrient mineralization rates of active layer soils manually collected from the field in August, 2012, frozen, and then thawed and incubated across a range of temperatures in the laboratory for 28 day periods in 2013-2015. So far correlations are not high, but we need only an approximation.

pdf

During spring runoff, river access is possible by barge from Kotzebue Sound to Ambler, Shungnak, and Kobuk via the Kobuk River. Applications of ERTS-1 imagery to terrestrial and marine environmental analyses in Alaska. Analysis of the probability grade shells also indicate that these encompass differing populations of samples that should not be mixed during copper grade interpolations.

Honda

Geological Association of Canada; Mineralogical Association of Canada; joint annual meeting.

Holocene history of the Great Kobuk Sand Dunes, Northwestern Alaska

There are indications that this expansion of the broad and low vaulted Eskimos took place comparatively recently. A few drill pads totaling 0.

Open-file report -- 79-1577
Open-file report (Geological Survey (U.S.)) -- 83-153
Open-file report -- 83-153
Water-resources investigations report -- 83-4017
Water-resources investigations report -- 83-4138
Water-resources investigations report -- 83-4138
U.S. Geological Survey open-file report -- 88-481
Open-file report -- 88-481
U.S. Geological Survey open-file report -- 88-466
U.S. Geological Survey open-file report -- 88-605
Open-file report -- 88-605
U.S. Geological Survey open-file report -- 88-369
Open-file report -- 88-369 Grain-size and mineralogy of eolian and
fluvial sediments in the central Kobuk Valley, northwestern Alaska
Notes: Includes bibliographical references (leaves 14-15)
This edition was published in 1988

- < Grain-size and mineralogy of eolian and fluvial sediments in the central
Kobuk Valley, northwestern Alaska -- eBook

Related Books

- [Città di passione - Fiume negli anni 1914-1920.](#)
- [Avoiding school facility issues - a consultants guidance to school superintendents](#)
- [Historia del movimiento obrero latinoamericano](#)
- [In vitro fertilization and assisted reproduction - proceedings of the 10th World Congress of in Vitro](#)
- [Expresión nacional](#)



Filesize: 33.54 MB