


Flow cytometric detection of dual-stained organisms in dental plaque

Faculty of Dentistry, University of Toronto] - Dental plaque



Description: -

-flow cytometric detection of dual-stained organisms in dental plaque

-flow cytometric detection of dual-stained organisms in dental plaque

Notes: Thesis (Ph.D.)--University of Toronto, 1990.

This edition was published in 1990



Filesize: 48.41 MB

Tags: #Micro #Test #1 #Flashcards

Combination of amlodipine and atorvastatin synergistically reduces leukocyte recruitment to mechanically injured mouse femoral artery

We demonstrated the usefulness of time-resolved flow cytometry to study antimicrobial-induced permeabilization by collecting kinetic data that contribute to characterize the action of antibiotics directly on bacteria.

Dental plaque

The main advantages are: i fixed samples may be stored before staining for months or even longer; ii usually fixation also permeabilises the cell, improving the entrance of the fluorochrome or making the staining quicker.

Analysis of bacterial function by multi

As this plaque attaches in a pocket under the gums, they are not exposed to oxygen in the mouth and will therefore thrive if not removed. Contents available in the book This is particularly obvious beneath the occlusal surfaces of permanent molar teeth hidden caries or 'fluoride bombs', where enamel strengthening from fluorides has resulted in apparently intact occlusal fissures, rather than open occlusal cavities.

Response of Subgingival Bacteria to Smoking Cessation

The cycling conditions and protocols have been described previously. The infant intestinal microbiome: friend or foe? These species are frequently isolated together 21, indicating an ecological relationship between them .

Techniques for Oral Microbiology

Moreover, the combination of atorvastatin and amlodipine potently reduced CD11b expression in monocytes and granulocytes.

Plaque disclosing agents

Two commercial instruments are based on this concept. Contents available in the book

EP3064942A2

In the multivariate analysis representation APS1 of principal component 1 vs. In the case of sorting applications the needed controls and validation are more numerous and complex since the following information is needed for conclusive analysis: i sorting efficiency for calibrators and also cells; ii controls for biological contamination; iii controls for molecular contamination.

Related Books

- [Hollywood and Britain](#)
- [Ideologicheskaya borba v literature i estetike - sbornik statei](#)
- [Ferides](#)
- [Nyampinga](#)
- [Jiangsu di yi tu shu guan fu jiao shan ben shu mu](#)