

Deprivation and health in Scotland

Aberdeen University Press - Scottish Health Survey 2019



Description: -

-

Little Red Riding Hood (Tale)

Soviets

Russia -- History -- Revolution, 1917-1921

Delegated legislation -- United States

Administrative law -- United States

Public health -- Scotland.

Social classes -- Scotland.

Poor -- Medical care -- Scotland.

Poor -- Health and hygiene -- Scotland. Deprivation and health in Scotland

-Deprivation and health in Scotland

Notes: Includes bibliographical references (p. 243-252).

This edition was published in 1991



Filesize: 11.42 MB

Tags: #Scottish #Index #of #Multiple #Deprivation #2020

Scottish Health Survey 2019

Every year around 3,500 Scottish people experience a cardiac arrest and attempted resuscitation in the community with 1 in 10 currently surviving to hospital discharge compared to 1 in 20 when the Scotland's Out-of-Hospital Cardiac Arrest OHCA Strategy see below was released in 2015, although in some European countries there have been almost 1 in 4 survival rates. Datamap-scotland publishes data covering the whole of Scotland over-laid on a map of the country which shows the geographical relationship between groups of deprived areas which are frequently grouped into localised clusters.

Scottish Health Survey 2019

The youngest working age category 15-24 years is notably differently distributed among the deprivation deciles — with greater proportions living in the least deprived areas than in any other age group. Over a third 35% of adults lived with limiting long-term conditions with women more likely than men to do so 37% compared to 32% respectively. Clinical diagnoses of hypertension are based on sustained levels of high blood pressure rather than a single measurement.

Scottish Health Survey 2019

A National Statistics Publication for Scotland. A greater proportion of men than women described their general health as 'good' or 'very good' 74% compared with 70% respectively. Readers should refer to the Glossary at the end of this volume for a detailed description of both SIMD and age-standardisation.

Dennistoun has seen biggest improvement in deprivation ranking

Important: Measures are averaged within each data zone. Those aged 16-24 were also less likely than older age groups to have opted to do CPR training as part of their work 6% compared with 19-29% among those aged 25 and over.

Dennistoun has seen biggest improvement in deprivation ranking

Deprivation data is published by the Scottish Government ScotGov following analysis across the whole of the country.

Scottish Index of Multiple Deprivation 2020

In 2018, a new question was introduced asking participants to report if they had been told they had Type 1 or Type 2 diabetes. Whether any CPR training had been attended within the last two years was lowest for those living in the more deprived quintiles 29% in the 1st and 2nd most deprived quintiles compared to 34-40% in the remaining quintiles.

Related Books

- [Avocats du temps passé - essai sur la vie quotidienne des avocats au cours des âges.](#)
- [Peterburgskaia Kunstkamera - putevoditel' po muzeiu](#)
- [Famous musicians of Jewish origin.](#)
- [M. Minucii Felicis Octavius](#)
- [Photography in nineteenth-century America](#)