

# Fresh-water mollusks of Cretaceous age from Montana and Wyoming

U.S. Govt. Print. Off. - Cretaceous Atlas of Ancient Life

Description: -

-

Ion beam lithography -- Congresses.

X-ray lithography -- Congresses.

Lithography, Electron beam -- Congresses.

Paleontology -- Wyoming -- Cretaceous.

Paleontology -- Montana -- Cretaceous.

Gastropoda, Fossil -- Wyoming -- Lincoln County.

Gastropoda, Fossil -- Montana.

Mollusks, Fossil -- Wyoming -- Lincoln County.

Mollusks, Fossil -- Montana. Fresh-water mollusks of Cretaceous age from Montana and Wyoming

-

v. 773

Proceedings of SPIE--the International Society for Optical Engineering ;

Shorter contributions to general geology

Geological Survey professional paper -- 233-A Fresh-water mollusks of Cretaceous age from Montana and Wyoming

Notes: Includes bibliographical references and index.

This edition was published in 1951



Filesize: 20.21 MB

Tags: #Cretaceous #Atlas #of #Ancient

#Life

## Habrosaurus, a Late Cretaceous siren amphibian from the Hell Creek Formation « Dinosaurs and Barbarians

Wind River Canyon cutting through Owl Creek Mountains --Amphibolite and felsic gneiss of volcanic origin. In an area which encompasses over 10 6 km<sup>2</sup> of the west-central United States, a major unconformity is inferred to separate the Morrison Formation of Late Jurassic age from overlying Early Cretaceous conglomeratic sandstones. Thin gypsum partings near base in north and northeast Wyoming.

## Paleontology in Montana

During the Jurassic, the sea returned to cover the state.

## Fossil fish, Ammonites, Orthoceras and other Fossils

Quadrant Sandstone - Light-gray sandstone. This may be derived from observations of the isolated remains of the two-fingered forelimbs left by such as , which could be mistaken for the limb of a large unknown kind of. Contains phenocrysts of sanidine, orthoclase, anorthoclase, aegirine-augite and biotite in a finely crystalline orthoclase-quartz biotite groundmass.

## DTIC ADA296486: Fresh

MacGowan Concretionary Bed middle part of formation : grayish brown concretionary dolostone and limestone with phosphatic pellets and gray to black chert pebbles. Chugwater Formation - Red siltstone and shale.

## Fossil fish, Ammonites, Orthoceras and other Fossils

It is a member of the Fossils: Unknown.

### **Geologic units in Wyoming (state in United States)**

By the late Maastrichtian stage large rivers flowed across the eastern part of the state, depositing the sediments that would one day become the. North Wyoming - Brown sandstone and dolomite, cherty phosphatic and glauconitic dolomite, phosphatic sandstone and dolomite, and greenish-gray to black shale. Age of tuff at top 49 Ma.

### **Evidence of reworked Cretaceous fossils and their bearing on the existence of Tertiary dinosaurs (Journal Article)**

Examples of contemporary local include.

## Related Books

- [Viral and rickettsial infections of man](#)
- [Department of External Affairs and Biculturalism - diplomatic personnel \(1945-1965\) and language use](#)
- [Sacramento delleucarestia](#)
- [Adult literacy in Scotland - report to the Secretary of State for Scotland](#)
- [Guizhou kuang chan fa xian shi kao](#)