



Healthy Skepticism Session 5

Does bird watching prevent dementia?



Murray Cantor, PhD & Joel Keenan, MD [venue and date]




About Us



Dr. Murray Cantor

PhD, Mathematics — UC Berkeley

- Not anti-vax or MAHA
- From that perspective, there is a lot of confusion about medical claims
- Respect for the challenge of medical research



Dr. Joel Keenan

MD, Univ of Vermont

- Practicing physician with direct patient-care experience
- Translates clinical evidence into plain-language guidance
- Shares a commitment to honest, balanced medical communication



Disclaimer

This presentation is for educational purposes only.

The content does not constitute medical advice and is not a substitute for professional diagnosis, treatment, or care. Nothing presented here should be used to make decisions about your health or the health of others.

Always seek the advice of a qualified physician or other licensed healthcare provider with any questions you may have regarding a medical condition, test result, or treatment. Never disregard professional medical advice or delay seeking it because of something discussed in this presentation.



The Six Faults

1

Relative reporting

Session 1

What does a 36% improvement from taking a drug really mean?

2

Probability reversal

Session 2

Does a positive COVID test mean I have it? Does a negative mean I'm not contagious?

3

Arbitrary categories

Session 3

How concerned should you be if your systolic BP goes from 119 to 120?

4

The Bernoulli fallacy

Session 3

Why does the published medical advice keep changing?

5

The causal leap

Session 5

Does bird watching prevent dementia?

6

The syndrome trap

Session 4

If two people have the same diagnosis, what do they actually have in common?




FAULT 5

The Causal Leap

Confusing Correlation with Causation



A Positive Correlation: Two Things That Move Together



HOW IT'S MEASURED

The strength gets a number

Pearson r or Spearman ρ , each on a -1 to $+1$ scale.

NOT A CAUSE

The reason is a separate question


A correlation is a fact about the data, not an explanation.

Fault 5, the causal leap: treating this pattern as if it named a cause. The two series above are illustrative, drawn to show the shape rather than measured.




How Tight Is the Pattern? Strong and Weak Correlations


$r = +0.99$
Strong positive



$r = +0.59$
Moderate positive



$r = +0.06$
Essentially none



An r near ± 1 means a tight pattern; an r near 0 means barely a pattern at all.
Strength still says nothing about cause: a weak tie can be causal, a strong one coincidence.




Three Explanations for a Strong Correlation

PURE COINCIDENCE



Nothing connects them.

CONFOUNDERS



Something else produces both.

A GENUINE CAUSE



The claim is true.

Solid arrow: causes. Dashed line: moves together, which is all the data shows you.

Only the right one is the claim being made.

All three produce the same correlation, and the data cannot tell you which one you are looking at.



Case 1: Pure Coincidence, Nothing Behind the Correlation

Tyler Vigen's Spurious Correlations

THE SOURCE

A project that hunts for variables that happen to move together.

Thousands of variables, every pair tried

THE SEARCH

Out of hundreds of millions of pairs, the tightest are kept.

The fits are genuinely strong

NO CAUSE

High correlation, small p-value, and nothing connecting them.

**Search enough pairs and a near-perfect match turns up somewhere, meaning nothing.
Two examples ahead: Saturn and degrees, then cheese and a share price.**

Charts from Tyler Vigen, Spurious Correlations (tylervigen.com), CC BY 4.0. The next two: Saturn's distance and physical-science degrees; cheese consumption and a share price.




Coincidence: Saturn and Physical Science Degrees

How far Saturn sits from the moon tracks how many physical sciences degrees America awards.

$p = 0.00000012$. Past five sigma.

It would clear any journal's bar. It means nothing at all.



Data compiled by Tyler Vigen, tylervigen.com, spurious correlation #2,656, CC BY 4.0. Planetary distances calculated with Astropy; degrees from the National Center for Education Statistics, Digest of Education Statistics 2022. $r = 0.987$, $r^2 = 0.974$, $p = 1.2 \times 10^{-7}$ over 2012-2021.




Coincidence: Cheese and BlackRock's Share Price

American cheese eaten per person tracks BlackRock's share price.

$r = 0.94$. $p = 0.0000000008$.

Both went up. That is the entire connection.

Correlate the year-to-year changes instead, and it is gone: $r = 0.29$, $p = 0.23$.



Any two things that grow will correlate. The trend is not the evidence.

Data compiled by Tyler Vigen, tylervigen.com, spurious correlation #4,018, CC BY 4.0. Cheese consumption from the USDA Economic Research Service; BlackRock opening price on the first trading day of each year from LSEG Analytics (Refinitiv). $r = 0.940$, $r^2 = 0.883$, $p = 8.1 \times 10^{-10}$ over 2002-2021. The differenced figures are calculated from the same data.



What Both Charts Are Missing: A Population

One square would be a year, not a person. There is no group of people the number could be about.

SATURN AND THE DEGREES

Found by extensive search.

Millions of pairs of numbers were compared against each other. Some pairs were bound to line up.

CHEESE AND BLACKROCK

Many things rise year to year.

Cheese eaten per person went up. So did the share price. So did most other things over those twenty years.

Compare the year-to-year changes instead of the totals, and the cheese link disappears: 0.94 becomes 0.29.


Neither chart has people in it.

That closes coincidence. Next come correlations that do have people in them, with something else behind the link.

Both compiled by Tyler Vigen, tylervigen.com, CC BY 4.0: correlations #2,656 (Astropy and the National Center for Education Statistics, 2012-2021) and #4,018 (USDA Economic Research Service and LSEG Analytics, 2002-2021). Vigen notes on each page that using years as the base variable is itself the problem. The year-to-year figure is calculated from his data.



Case 2: Confounders, a Third Factor Drives Both



The third factor sits behind both. Adjust for it, and the link between the other two thins out or vanishes.

Unlike Saturn and the cheese, these four have real people in them: statins and crashes, a sugar pill, bird watching, vaccines and autism. In each, something about the people produces the correlation. The causal link is an illusion.

A real correlation with no real causation, produced by a lurking common cause. Examples ahead: Dormuth 2009 (statins and accidents); Sabia 2017, Whitehall II (bird watching and dementia).



Reading the Diagram: Boxes, Arrows, Crossed Arrows

A box

An activity, a trait, a diagnosis.

A THING

An arrow

One thing makes another more likely.

A CAUSE

A crossed-out arrow

Looked for, and not found.

NOT A CAUSE

A thing

something that can change

This



That

causes

This



That

moves together

This



That

looked for, not found

One box with arrows to two others is a single cause behind both.
The boxes stay the same. Only the arrows change the story.



The Claim: Statins Prevent Car Crashes

141,086 people starting statins

THE STUDY

British Columbia, grouped by how faithfully they took the pill.

Faithful takers had fewer accidents

THE FINDING

Car crashes, workplace injuries, falls, fractures, poisonings.

And they used more screening

THE TELL

Preventive services a cholesterol pill has no way to affect.

Published under the title, a cautionary tale.

No mechanism in the pill reaches any of these. Something about the people produces all of them.

Dormuth CR et al. Statin adherence and risk of accidents: a cautionary tale. Circulation 2009;119:2051-2057. Adjusted hazard ratios 0.75 for vehicle accidents, 0.77 for workplace accidents, 1.17 for screening use, among 141,086 statin initiators.




Faithful Takers of a Sugar Pill: The Coronary Drug Project

15.1%

five-year mortality, faithful takers of the dummy pill

28.3%

five-year mortality, unfaithful takers of the dummy pill



The pill was sugar. The difference was the person.

The gap carries $P = 4.7 \times 10^{-16}$. Significant at any bar you like, and still not the pill.

People who follow health instructions live longer, and it is the person, not the pill.



The Claim: Bird Watching Prevents Dementia

The headline is illustrative

ILLUSTRATIVE

No study makes this exact claim about birds.

The real study is Whitehall II

THE STUDY

10,308 British civil servants, followed for 28 years.

It measured activity, not birds

THE FINDING

At first look, active people developed dementia less often.

**A real association, in one real population.
The next slides ask what produces the pattern.**

Sabia S et al. Physical activity, cognitive decline, and risk of dementia: 28 year follow-up of the Whitehall II cohort. BMJ 2017;357:j2709. 10,308 participants. The bird-watching headline is illustrative.



Three Candidates for the Bird Watching Correlation

"Bird watchers show lower rates of dementia, study finds." (illustrative headline)

A coincidence? No. These are people, and the grid can be drawn.


A common cause? Maybe. Education, income, mobility, green space.

Cognition itself? A sharp mind sends people out with binoculars and keeps them off the diagnosis list.

THE ARROW IN THE HEADLINE



WHAT ACTUALLY FITS




Counting the two groups cannot pick the diagram. Cognition drives both columns, years before any diagnosis; the bird watching itself does nothing.



What Explains the Bird Watching Data Instead

Whitehall II watched for 28 years. Activity was identical until about ten years before diagnosis, then fell away: cognition was already declining, and it took the hobby with it.



Followed for 28 years, the activity made no difference. Bird watching does not prevent dementia; the correlation is real and the arrow is not.

Sabia S et al., physical activity, cognitive decline, and risk of dementia: 28 year follow-up of the Whitehall II cohort. BMJ 2017;357:j2709. 10,308 people; hazard ratio for meeting activity guidelines 1.00, 95% CI 0.80 to 1.24; activity fell in the nine years before diagnosis.



The Claim: Vaccines Cause Autism

1 in 150

8-year-olds identified as autistic, CDC surveillance year 2000

1 in 31

8-year-olds identified as autistic, surveillance year 2022

Over the same years the childhood vaccine schedule grew. Both lines went up.

Two rising lines, like the cheese chart, but this time with children in it. The question is what drives the second line.

Two rising series make a correlation. Something else may be driving the count.

Shaw KA et al. Prevalence and early identification of autism spectrum disorder among children aged 4 and 8 years, ADDM Network, 16 sites, United States, 2022. MMWR Surveill Summ 2025;74(2):1-22. 6.7 per 1,000 in 2000; 32.2 per 1,000 in 2022.



The Autism Count Measures a Moving Category

60%

of Denmark's rise explained by the 1994 criteria change and 1995 outpatient recording alone (95% CI 33 to 87%)


5×

spread between CDC sites in one year: 9.7 per 1,000 in Laredo, 53.1 in California, same criteria

1 in 3

of British Columbia's increase was children moved in from another special-education category

Criteria broadened in 1994 and again in 2013 when Asperger's was folded in. Outpatient cases entered the registries, schools reclassified, and insurance began paying for the diagnosis.



The confounders are contact with doctors and a widening category. Both raise the count; neither is the vaccine.

Hansen SN, Schendel DE, Parner ET. *JAMA Pediatr* 2015;169(1):56-62 (677,915 children born 1980-1991). Shaw KA et al. *MMWR Surveill Summ* 2025;74(2):1-22. Coo H et al. *J Autism Dev Disord* 2008;38(6):1036-1046. Mandell DS et al. *JAMA Pediatr* 2016;170(9):887-893 (insurance mandates raised treated prevalence 0.21 per 1,000).



The Studies That Settled It: Child Against Child, Same Era

537,303 Danish children, MMR

THE FIRST

Madsen 2002. Relative risk of autism 0.92 (95% CI 0.68 to 1.24).

657,461 Danish children, MMR

THE REPLICATION

Hviid 2019. Hazard ratio 0.93 (0.85 to 1.02), high-risk siblings included.

1.2 million Danish children, aluminum adjuvant

THE LATEST

Andersson 2025. Neurodevelopmental disorders 0.93 (0.88 to 1.03).

**Vaccinated and unvaccinated children, the same years, the same diagnostic rules. No trend to confound.
Compared child against child, the diagnosis arrives at the same rate. The trend was the measure moving; the cause was never there.**

Madsen KM et al. N Engl J Med 2002;347:1477-1482. Hviid A et al. Ann Intern Med 2019;170:513-520. Andersson NW et al. Ann Intern Med 2025;178:1369-1377. Also Taylor LE et al. Vaccine 2014;32:3623-3629, meta-analysis of 1.26 million children, odds ratio 0.99 (0.92 to 1.06).



Case 3: A Genuine Cause, Smoking and Lung Cancer

The correlation was real and huge

THE STUDIES

1950s cohorts of hundreds of thousands; smokers got lung cancer far more often.

The era's top statistician objected

THE OBJECTION

R. A. Fisher: perhaps a gene drives both the smoking and the cancer.

And the objection can be tested

THE ANSWER

A common cause that strong would leave a mark you can measure.

**This is the question the whole day teaches: could a common cause be doing the work?
Here, for once, the arrow survives it. The next four slides show what that took.**

Correlation from the 1950s cohort studies (Doll and Hill; Hammond and Horn, 187,783 men). Fisher RA. Cigarettes, cancer, and statistics. Nature 1958;182:596. Stolley PD. Am J Epidemiol 1991;133:416-425. Answered by Cornfield J et al. J Natl Cancer Inst 1959;22:173-203.




Fisher's Objection: Perhaps a Gene Causes Both

R. A. Fisher, inventor of the significance test, said the link could be a gene that produces both the craving and the cancer.

WHAT THE STUDIES CLAIMED



FISHER'S ALTERNATIVE




He was a paid consultant to the tobacco industry. And a smoker.

The right-hand diagram was a legitimate question. Answering it took arithmetic, not indignation.



Lung Cancer in One Hundred British Men, Around 1950



- Smoked, lung cancer: 10
- Smoked, no cancer: 55
- Never smoked, lung cancer: 1
- Never smoked, no cancer: 34

THE FORWARD DIRECTION

$P(\text{lung cancer} \mid \text{cigarettes})$

$$10 / 65 = 16\%$$

Never-smokers: 2%. Eight times apart.

THE REVERSE DIRECTION

$P(\text{cigarettes} \mid \text{lung cancer})$

$$10 / 11 = 91\%$$


But 65% of all men smoked anyway.

About 65% of British men smoked around 1950 (Doll R. *Br J Cancer* 1953;7:303). Lung cancer risk by age 75 is 15.7% for continuing smokers (Crispo A et al. *Br J Cancer* 2004;91:1280-1286); the 2% for never-smokers is approximate. Counts rounded to whole men, so the reverse conditional reads 10 of 11 (91%), not 94%.



How Big Would Fisher's Gene Have to Be?

For a gene to produce an eightfold risk on its own, it would have to be at least eight times as common among smokers as among never-smokers. That is a prevalence, and it can be checked.



The rival was ruled out by a prevalence it would need and does not have. The arrow survives because the arithmetic was done, not because the correlation was strong.

Cornfield J et al. Smoking and lung cancer: recent evidence and a discussion of some questions. *J Natl Cancer Inst* 1959;22:173-203. The 1-in-100 and 8-in-100 prevalences are illustrative; only the ratio is forced by the eightfold risk. Later confirmation from twins discordant for smoking: the smoking twin carried the excess risk (NorTwinCan, Hjelmborg J et al. *Thorax* 2017;72:1021-1027).



A Correlation Becomes a Cause Only When Confounders Are Ruled Out

The correlation was the easy part — everyone had one

THE COINCIDENCE

Saturn's orbit tracked engineering degrees at $r = 0.987$. Smoking tracked lung cancer.
The number alone cannot tell coincidence from cause.

The forward probability is what made the case

THE FORWARD QUESTION

16% of smokers got lung cancer vs. 2% of never-smokers — an eight-fold gap. “91% of patients smoked” just echoes that 65% of all men smoked.

The rival explanation failed the same arithmetic

THE RULED-OUT RIVAL


Fisher's gene could only explain the gap if it were eight times as common among smokers. No trait was. The causal arrow survived.

Saturn had the correlation; smoking had the forward gap and no rival left standing.

Doll R. Br J Cancer 1953;7:303 (about 65% of British men smoked cigarettes c. 1950). Cornfield J et al. J Natl Cancer Inst 1959;22:173-203. The counts on the previous two slides are rounded to whole men and labelled illustrative where noted.



The Whole Day in Three Questions





The Course Topics and Takeaways

1

Relative reporting | **Ask: 36% of what?**

A change with no baseline is half a fact.

2

Probability reversal | **A positive test is not a diagnosis.**

What it means depends on how common the condition is.

3

Arbitrary categories | **Just over the line is still you.**

119 to 120 moved the label, not your body.

4

The Bernoulli fallacy | **One study is not proof.**

Run enough studies and something looks significant.

5

The causal leap | **Moving together is not cause.**

Two things track, and a third usually drives both.

6

The syndrome trap | **A label is not a disease.**

Same diagnosis, different patients, different treatments.



Questions, and a conversation

Murray Cantor PhD murray@murraycantor.com

Joel Keenan MD drkeenan@mdvip.com