

# Hackathon I: Create a Textbook for Teaching Physical AI & Humanoid Robotics Course

The future of work will be a [partnership between people, intelligent agents \(AI software\), and robots](#). This shift won't necessarily eliminate jobs but will change what humans do, leading to a massive demand for new skills. We have already written a book on AI agents. Therefore, we want you to write a textbook to teach a course in Physical AI & Humanoid Robotics (The course details are documented below).

## Excel in the Hackathon and Launch Your Journey as an AI Startup Founder 🚀

We've recently launched **Panaversity (panaversity.org)**, an initiative focused on teaching cutting-edge AI courses. Alongside this, we're working on publishing our first book, which you can explore at **ai-native.panaversity.org**. Our next milestone is to build a portal where authors can create AI-native technical textbooks, and readers can easily access and learn from them using AI Agents. We also plan to publish **O/A Level, Science, Engineering, and Medical** AI-native books to support students and professionals across disciplines. If you perform well in this hackathon, you may be invited for an interview to join the **Panaversity core team** and potentially step into the role of a **startup founder** within this growing ecosystem. You will get a chance to work with Panaversity founders Zia, Rehan, Junaid, and Wania and become the very best. You may also get a chance to teach at Panaversity, PIAIC, and GIAIC.

## Requirements

You are required to complete a unified book project using Claude Code and Spec-Kit Plus. The core deliverables are:

1. AI/Spec-Driven Book Creation: Write a book using Docusaurus and deploy it to GitHub Pages. You will use Spec-Kit Plus ( <https://github.com/panaversity/spec-kit-plus/> ) and Claude Code ( <https://www.claude.com/product/claude-code> ) to write the book.
2. Integrated RAG Chatbot Development: Build and embed a Retrieval-Augmented Generation (RAG) chatbot within the published book. This chatbot, utilizing the OpenAI Agents/ChatKit SDKs, FastAPI, Neon Serverless Postgres database, and Qdrant Cloud Free Tier, must be able to answer user questions about the book's content, including answering questions based only on text selected by the user.
3. Participants will receive points out of 100, for base functionality defined above.
4. Participants can earn up to 50 extra bonus points by creating and using reusable intelligence via Claude Code Subagents and Agent Skills in the book project.

5. Participants can receive up to 50 extra bonus points if they also implement Signup and Signin using <https://www.better-auth.com/> At signup you will ask questions from the user about their software and hardware background. Knowing the background of the user we will be able to personalize the content.

6. Participants can receive up to 50 extra bonus points if the logged user can personalise the content in the chapters by pressing a button at the start of each chapter.

7. Participants can receive up to 50 extra bonus points if the logged user can translate the content in Urdu in the chapters by pressing a button at the start of each chapter.

## Timeline

- **Submission Deadline:** Sunday, Nov 30, 2025 at 06:00 PM (form will close)
- **Live Presentations:** Sunday, Nov 30, 2025 starting at 6:00 PM on Zoom

Top submissions will be invited via WhatsApp to present live on Zoom.

Note: All submissions will be evaluated. Live presentation is by invitation only, but does not affect final scoring.

## Submit and Present Your Project:

Once you have completed the project you will submit your project here:

<https://forms.gle/CQsSEGM3GeCrL43c8>

### Submit the following via the form:

1. Public GitHub Repo Link
2. Published Book Link for Github Pages or Vercel. The Deployment includes Book, ChatKit and any other component developed in hackathon for evaluation.
3. Include a demo video link (must be under 90 seconds). Judges will only watch the first 90 seconds. You can [use NotebookLM](#) or record your demo.
4. WhatsApp number (top submissions will be invited to present live)

Everyone is welcome to join the Zoom meeting to watch the presentations. Only invited participants will present their submissions. Meeting starts at 6:00 PM on Sunday, Nov 30:

### Join Zoom Meeting

- Time: Nov 30, 2025 06:00 PM
- <https://us06web.zoom.us/j/84976847088?pwd=Z7t7NaeXwVmmR5fysCv7NiMbfbhld a.1>
- Meeting ID: 849 7684 7088
- Passcode: 305850

# The Course Details

## Physical AI & Humanoid Robotics

*Focus and Theme: AI Systems in the Physical World. Embodied Intelligence.*

*Goal: Bridging the gap between the digital brain and the physical body. Students apply their AI knowledge to control Humanoid Robots in simulated and real-world environments.*

### Quarter Overview

The future of AI extends beyond digital spaces into the physical world. This capstone quarter introduces Physical AI—AI systems that function in reality and comprehend physical laws. Students learn to design, simulate, and deploy humanoid robots capable of natural human interactions using ROS 2, Gazebo, and NVIDIA Isaac.

- **Module 1: The Robotic Nervous System (ROS 2)**
  - Focus: Middleware for robot control.
  - ROS 2 Nodes, Topics, and Services.
  - Bridging Python Agents to ROS controllers using rclpy.
  - Understanding URDF (Unified Robot Description Format) for humanoids.
- **Module 2: The Digital Twin (Gazebo & Unity)**
  - Focus: Physics simulation and environment building.
  - Simulating physics, gravity, and collisions in Gazebo.
  - High-fidelity rendering and human-robot interaction in Unity.
  - Simulating sensors: LiDAR, Depth Cameras, and IMUs.
- **Module 3: The AI-Robot Brain (NVIDIA Isaac™)**
  - Focus: Advanced perception and training.
  - NVIDIA Isaac Sim: Photorealistic simulation and synthetic data generation.
  - Isaac ROS: Hardware-accelerated VSLAM (Visual SLAM) and navigation.
  - Nav2: Path planning for bipedal humanoid movement.
- **Module 4: Vision-Language-Action (VLA)**
  - Focus: The convergence of LLMs and Robotics.
  - Voice-to-Action: Using OpenAI Whisper for voice commands.
  - Cognitive Planning: Using LLMs to translate natural language ("Clean the room") into a sequence of ROS 2 actions.
  - Capstone Project: The Autonomous Humanoid. A final project where a simulated robot receives a voice command, plans a path, navigates obstacles, identifies an object using computer vision, and manipulates it.

## Why Physical AI Matters

Humanoid robots are poised to excel in our human-centered world because they share our physical form and can be trained with abundant data from interacting in human environments. This represents a significant transition from AI models confined to digital environments to embodied intelligence that operates in physical space.

## Learning Outcomes

1. Understand Physical AI principles and embodied intelligence
2. Master ROS 2 (Robot Operating System) for robotic control
3. Simulate robots with Gazebo and Unity
4. Develop with NVIDIA Isaac AI robot platform
5. Design humanoid robots for natural interactions
6. Integrate GPT models for conversational robotics

## Weekly Breakdown

### Weeks 1-2: Introduction to Physical AI

- Foundations of Physical AI and embodied intelligence
- From digital AI to robots that understand physical laws
- Overview of humanoid robotics landscape
- Sensor systems: LIDAR, cameras, IMUs, force/torque sensors

### Weeks 3-5: ROS 2 Fundamentals

- ROS 2 architecture and core concepts
- Nodes, topics, services, and actions
- Building ROS 2 packages with Python
- Launch files and parameter management

### Weeks 6-7: Robot Simulation with Gazebo

- Gazebo simulation environment setup
- URDF and SDF robot description formats
- Physics simulation and sensor simulation
- Introduction to Unity for robot visualization

### Weeks 8-10: NVIDIA Isaac Platform

- NVIDIA Isaac SDK and Isaac Sim
- AI-powered perception and manipulation
- Reinforcement learning for robot control
- Sim-to-real transfer techniques

### Weeks 11-12: Humanoid Robot Development

- Humanoid robot kinematics and dynamics
- Bipedal locomotion and balance control
- Manipulation and grasping with humanoid hands
- Natural human-robot interaction design

## Week 13: Conversational Robotics

- Integrating GPT models for conversational AI in robots
- Speech recognition and natural language understanding
- Multi-modal interaction: speech, gesture, vision

## Assessments

- ROS 2 package development project
- Gazebo simulation implementation
- Isaac-based perception pipeline
- Capstone: Simulated humanoid robot with conversational AI

## Hardware Requirements

This course is technically demanding. It sits at the intersection of three heavy computational loads: **Physics Simulation** (Isaac Sim/Gazebo), **Visual Perception** (SLAM/Computer Vision), and **Generative AI** (LLMs/VLA).

Because the capstone involves a "Simulated Humanoid," the primary investment must be in **High-Performance Workstations**. However, to fulfill the "Physical AI" promise, you also need **Edge Computing Kits** (brains without bodies) or specific robot hardware.

### 1. The "Digital Twin" Workstation (Required per Student)

This is the most critical component. NVIDIA Isaac Sim is an Omniverse application that requires "RTX" (Ray Tracing) capabilities. Standard laptops (MacBooks or non-RTX Windows machines) **will not work**.

- **GPU (The Bottleneck): NVIDIA RTX 4070 Ti (12GB VRAM)** or higher.
  - *Why:* You need high VRAM to load the USD (Universal Scene Description) assets for the robot and environment, plus run the VLA (Vision-Language-Action) models simultaneously.
  - *Ideal:* RTX 3090 or 4090 (24GB VRAM) allows for smoother "Sim-to-Real" training.
- **CPU:** Intel Core i7 (13th Gen+) or AMD Ryzen 9.
  - *Why:* Physics calculations (Rigid Body Dynamics) in Gazebo/Isaac are CPU-intensive.
- **RAM: 64 GB DDR5** (32 GB is the absolute minimum, but will crash during complex scene rendering).
- **OS: Ubuntu 22.04 LTS.**
  - *Note:* While Isaac Sim runs on Windows, ROS 2 (Humble/Iron) is native to Linux. Dual-booting or dedicated Linux machines are mandatory for a friction-free experience.

## 2. The "Physical AI" Edge Kit

Since a full humanoid robot is expensive, students learn "Physical AI" by setting up the *nervous system* on a desk before deploying it to a robot. This kit covers Module 3 (Isaac ROS) and Module 4 (VLA).

- **The Brain: NVIDIA Jetson Orin Nano (8GB) or Orin NX (16GB).**
  - *Role:* This is the industry standard for embodied AI. Students will deploy their ROS 2 nodes here to understand resource constraints vs. their powerful workstations.
- **The Eyes (Vision): Intel RealSense D435i or D455.**
  - *Role:* Provides RGB (Color) and Depth (Distance) data. Essential for the VSLAM and Perception modules.
- **The Inner Ear (Balance):** Generic USB IMU (BNO055) (Often built into the RealSense D435i or Jetson boards, but a separate module helps teach IMU calibration).
- **Voice Interface:** A simple USB Microphone/Speaker array (e.g., ReSpeaker) for the "Voice-to-Action" Whisper integration.

## 3. The Robot Lab

For the "Physical" part of the course, you have three tiers of options depending on budget.

### Option A: The "Proxy" Approach (Recommended for Budget)

Use a quadruped (dog) or a robotic arm as a proxy. The software principles (ROS 2, VSLAM, Isaac Sim) transfer 90% effectively to humanoids.

- **Robot: Unitree Go2 Edu** (~\$1,800 - \$3,000).
- **Pros:** Highly durable, excellent ROS 2 support, affordable enough to have multiple units.
- **Cons:** Not a biped (humanoid).

### Option B: The "Miniature Humanoid" Approach

Small, table-top humanoids.

- **Robot: Unitree H1** is too expensive (\$90k+), so look at **Unitree G1** (~\$16k) or **Robotis OP3** (older, but stable, ~\$12k).
- **Budget Alternative: Hiwonder TonyPi Pro** (~\$600).
  - *Warning:* The cheap kits (Hiwonder) usually run on Raspberry Pi, which **cannot** run NVIDIA Isaac ROS efficiently. You would use these only for kinematics (walking) and use the Jetson kits for AI.

### Option C: The "Premium" Lab (Sim-to-Real specific)

If the goal is to actually deploy the Capstone to a real humanoid:

- **Robot: Unitree G1 Humanoid.**

- *Why:* It is one of the few commercially available humanoids that can actually walk dynamically and has an SDK open enough for students to inject their own ROS 2 controllers.

#### 4. Summary of Architecture

To teach this successfully, your lab infrastructure should look like this:

Component	Hardware	Function
<b>Sim Rig</b>	PC with RTX 4080 + Ubuntu 22.04	Runs Isaac Sim, Gazebo, Unity, and trains LLM/VLA models.
<b>Edge Brain</b>	Jetson Orin Nano	Runs the "Inference" stack. Students deploy their code here.
<b>Sensors</b>	RealSense Camera + Lidar	Connected to the Jetson to feed real-world data to the AI.
<b>Actuator</b>	Unitree Go2 or G1 (Shared)	Receives motor commands from the Jetson.

If you do not have access to RTX-enabled workstations, we must restructure the course to rely entirely on cloud-based instances (like AWS RoboMaker or NVIDIA's cloud delivery for Omniverse), though this introduces significant latency and cost complexity.

Building a "Physical AI" lab is a significant investment. You will have to choose between building a physical **On-Premise Lab at Home** (High CapEx) versus running a **Cloud-Native Lab** (High OpEx).

#### Option 2 High OpEx: The "Ether" Lab (Cloud-Native)

*Best for: Rapid deployment, or students with weak laptops.*

**1. Cloud Workstations (AWS/Azure)** Instead of buying PCs, you rent instances.

- **Instance Type:** AWS **g5.2xlarge** (A10G GPU, 24GB VRAM) or **g6e.xlarge**.

- **Software:** NVIDIA Isaac Sim on Omniverse Cloud (requires specific AMI).
- **Cost Calculation:**
  - Instance cost: ~\$1.50/hour (spot/on-demand mix).
  - Usage: 10 hours/week × 12 weeks = 120 hours.
  - Storage (EBS volumes for saving environments): ~\$25/quarter.
  - **Total Cloud Bill: ~\$205 per quarter.**

**2. Local "Bridge" Hardware** You cannot eliminate hardware entirely for "Physical AI." You still need the edge devices to deploy the code physically.

- **Edge AI Kits:** You still need the Jetson Kit for the physical deployment phase.
  - **Cost: \$700** (One-time purchase).
- **Robot:** You still need one physical robot for the final demo.
  - **Cost: \$3,000** (Unitree Go2 Standard).

### The Economy Jetson Student Kit

*Best for: Learning ROS 2, Basic Computer Vision, and Sim-to-Real control.*

Component	Model	Price (Approx.)	Notes
The Brain	NVIDIA Jetson Orin Nano Super Dev Kit (8GB)	\$249	New official MSRP (Price dropped from ~\$499). Capable of 40 TOPS.
The Eyes	Intel RealSense D435i	\$349	Includes IMU (essential for SLAM). Do not buy the D435 (non-i).
The Ears	ReSpeaker USB Mic Array v2.0	\$69	Far-field microphone for voice commands (Module 4).
Wi-Fi	(Included in Dev Kit)	\$0	The new "Super" kit includes the Wi-Fi module pre-installed.



<b>Power/Misc</b>	SD Card (128GB) + Jumper Wires	\$30	High-endurance microSD card required for the OS.
<b>TOTAL</b>		<b>~\$700 per kit</b>	

### 3. The Latency Trap (Hidden Cost)

- Simulating in the cloud works well, but *controlling* a real robot from a cloud instance is dangerous due to latency.
- *Solution:* Students train in the Cloud, download the model (weights), and flash it to the local Jetson kit.