Multi-variable Calculus Problem Set 1

September 13, 2024

Mustafa Rashid Fall 2024

- 1. What is wrong with each of the following statements? Explain briefly.
 - (a) "In 3-space y = 1 is a line parallel to the x-axis."
 - (b) "The graph of the function $f(x,y) = x^2 + y^2$ is a c

Ans: A1.

- (a) In 2-space y = 1 is a line parallel to the x-axis, however in 3-space y = 1 is not a line but a plane that is parallel to the x-axis.
- (b) For the function $f(x,y) = x^2 + y^2$ to be a circle it has to be a single variable function with value of x or y or z set to a constant c. This will then be a graph in 2-space of a circle centered at (0,0) with radius \sqrt{c} . However, the multi-variable function $f(x,y) = x^2 + y^2$ is not a circle but it is bowl shaped with contour diagrams showing circles, with radii that vary as f(x,y) is set to different constants c where $c \ge 0$, concentric at (0,0)
- 2. Sketch a graph of the surface $x^2 + y^2 + z^2 = 9$ and briefly describe it in words, geometrically. Make sure you mark the coordinates of at least one point in your sketch to reflect the scale of the sketch.

Ans: A2. The graph $x^2 + y^2 + z^2 = 9$ is a sphere with radius 3 units centered at the origin

Mustafa Rashid Problem Set 1




Figure 1

- 3. The following problems concern the concentration, C, in mg/liter, of a drug in the blood as a function of x, the amount, in mg, of the drug given and t, the time in hours since the injection. For $1 \le x \le 4$ and $t \ge 0$ we have $C = f(x, t) = te^{-t(5-x)}$.
 - (a) Find f(3,2). Give units and interpret in terms of drug concentration.
 - (b) Graph the single variable function f(4,t) (in the variable t) and explain its significance in terms of drug concentration.
 - (c) Graph f(a,t) for a=1,2,3,4 on the same axes. Describe how the graph changes as a increases and explain what this means in terms of drug concentration.

Ans: A3.

(a) $C = f(x,t) = te^{-t(5-x)}$ f(3,2) = ?

x = 3 meaning that 3 mg of the drug was given

t=2 meaning that 2 hours have passed since the injection

C or concentration of drug in mg/liter of 3 mg after 2 hours will be:

 $C = 2e^{-2(5-3)} = 0.04$ mg/liter

The concentration in blood of 3 mg of the drug after 2 hours is 0.04 mg/liter

Mustafa Rashid Problem Set 1

(b) Drug concentration (mg/l) as a function of x, the amount in mg of the drug given, and t, the time in hours since the injection with x held constant at 4 mg




Figure 2

(c) As more mg of the drug is given, the maximum concentration of the dose in the blood in mg/l increases. This can be seen on the graphs as the peaks of the functions f(4,t), f(3,t), f(2,t), and f(1,t). The highest peak is at a=4 and the lowest peak is at a=1. The time t hours since the injection for the drug to reach its maximum concentration increases as the value of a or the the value of the dose given increases.




Figure 3

4. Without a calculation or computer, match the functions (a)-(f) with their cross-sections with x fixed in the Figure 3. Explain your reasoning

Mustafa Rashid Problem Set 1




Figure 4

Ans: A4.

- (a) (II) shows the cross-sections of function $z = \frac{1}{(1+x^2+y^2)}$ with x fixed as the cross-sections are parabolic.
- (b) (I) shows the cross-sections of function z = 1 + x + y as the function is linear and will have contour lines that are parallel and equally spaced.
- (c) We are looking for cross-sections showing an increasing value for z as y increases for any fixed value of x. This is the case in (IV) so these must be the cross-sections for the function $z = e^{-x+y}$.
- (d) We are looking for cross-sections showing a decreasing value for z as y increases for any fixed value of x. This is the case in (IV) so these must be the cross-sections for the function $z = e^{x-y}$.
- (e) (V) shows periodic behavior so it has to be the graph showing cross-sections of the function z = sin(xy).
- (f) (IV) shows contour lines where z is not changed by one. The z-intercept is always a square number so these are the cross-sections of the function $z = x^2$.