Configuration

Bootstrap Environment

```
In [2]:
         #add in support for utility file directory and importing
         import sys
         import os
         if ENABLE_COLAB:
           #Need access to drive
           from google.colab import drive
           drive.mount(GOOGLE_DRIVE_MOUNT, force_remount=True)
           #add in utility directory to syspath to import
           INIT_DIR = COLAB_INIT_DIR
           sys.path.append(os.path.abspath(INIT DIR))
           #Config environment variables
           ROOT DIR = COLAB ROOT DIR
         else:
           #add in utility directory to syspath to import
           INIT_DIR = LOCAL_INIT_DIR
           sys.path.append(os.path.abspath(INIT_DIR))
           #Config environment variables
           ROOT DIR = LOCAL ROOT DIR
         #Import Utility Support
         from jarvis import Jarvis
         jarvis = Jarvis(ROOT DIR, PROJECT NAME)
         import mv_python_utils as mvutils
```

Wha...where am I? I am awake now.

```
I have set your current working directory to /home/magni/ML_Root/project_root /ML1010-Group-Project
The current time is 11:02
Hello sir. Extra caffeine may help.
```

Setup Runtime Environment

```
In [3]:
         if ENABLE COLAB:
           #!pip install scipy -q
           #!pip install scikit-learn -q
           #!pip install pycaret -q
           #!pip install matplotlib -q
           #!pip install joblib -q
           #!pip install pandasql -q
           !pip install umap learn -q
           !pip install sentence transformers -q
           !pip install spacytextblob -q
           !pip install flair -q
           display('Google Colab enabled')
           display('Google Colab not enabled')
         #Common imports
         import json
         import pandas as pd
         import numpy as np
         import matplotlib
         import re
         import nltk
         import matplotlib.pyplot as plt
         from sklearn.cluster import KMeans
         from sklearn import metrics
         from sklearn.datasets import load_digits
         from sklearn.model selection import train test split as tts
         #from yellowbrick.classifier import ConfusionMatrix
         #from sklearn.linear_model import LogisticRegression
         from yellowbrick.target import ClassBalance
         from xgboost import XGBClassifier
         from sklearn.model selection import train test split
         from sklearn.metrics import accuracy_score, confusion_matrix
         from sklearn.svm import SVC
         from sklearn.ensemble import RandomForestClassifier
         nltk.download('stopwords')
         %matplotlib inline
```

'Google Colab not enabled'
[nltk_data] Downloading package stopwords to /home/magni/nltk_data...
[nltk data] Package stopwords is already up-to-date!

```
In [23]:
          import importlib
          import cw_df_metric_utils as cwutils
          import DataPackage as dp
          import DataPackageSupport as dps
          import DataExperiment
          import DataExperimentSupport
In [24]:
          importlib.reload(dp)
          importlib.reload(dps)
          importlib.reload(DataExperiment)
          importlib.reload(DataExperimentSupport)
         <module 'DataExperimentSupport' from '/home/magni/ML Root/project root/utilit</pre>
Out[24]:
         y files/DataExperimentSupport.py'>
         Load Data
 In [5]:
          #axis labels=[1,2,3,4,5]
          axis labels=[0,1]
          #classifier = RandomForestClassifier()
          classifier = XGBClassifier(eval metric='mlogloss')
          ANALSYSIS COL = 'reviewText lemma mpnet'
          UNIQUE COL = 'uuid'
          TARGET_COL = 'overall_posneg'
 In [6]:
          if LOAD FROM EXP:
              #start from saved state
              myExp = jarvis.loadExperiment(FILE NAME)
              myExp.display()
          else:
              #start from source file and regenerate
              testDf = pd.read pickle(jarvis.DATA DIR WORK + "/01 NL ReviewText All(new
              testDfBert = cwutils.getBertEncodeFrame(df=testDf,
                                                       bertColumn=ANALSYSIS COL,
                                                       uniqueColumn=UNIQUE COL,
                                                       otherColumns=[TARGET_COL]
              myExp = DataExperiment.DataExperiment(projectName=PROJECT_NAME,
                                                     experimentName=EXPERIMENT NAME,
                                                     origData=testDfBert,
                                                     uniqueColumn=UNIQUE_COL,
                                                     targetColumn=TARGET COL,
                                                     classifier=classifier)
         DataExperiment summary:
         ---> projectName: ML1010-Group-Project
         ---> experimentName: ReviewText Lemma MPNet2 (XGB)
         ---> isDataPackageLoaded: True
```

```
---> isBaseModelLoaded: False
---> isBaseModelPredicted: False
---> isBaseModelLearningCurveCreated: False
---> isFinalModelLoaded: False
---> isFinalModelPredicted: False
---> isFinalModelLearningCurveCreated: False
---> isClassifierLoaded: True
XGBClassifier(base_score=None, booster=None, colsample_bylevel=None,
              colsample bynode=None, colsample bytree=None,
              enable categorical=False, eval metric='mlogloss', gamma=None,
              gpu_id=None, importance_type=None, interaction_constraints=Non
e,
              learning rate=None, max delta step=None, max depth=None,
              min_child_weight=None, missing=nan, monotone_constraints=None,
              n_estimators=100, n_jobs=None, num_parallel_tree=None,
              predictor=None, random_state=None, reg_alpha=None,
              reg lambda=None, scale pos weight=None, subsample=None,
              tree method=None, validate parameters=None, verbosity=None)
    DataPackage summary:
    Attributes:
```

---> uniqueColumn: uuid

---> targetColumn: overall posneg

Process:

---> isBalanced: False

---> isTrainTestSplit: False

Data:

---> isOrigDataLoaded: True ---> isTrainDataLoaded: False ---> isTestDataLoaded: False


In [7]:

myExp.processDataPackage()



Undersampling data to match min class: 0 of size: 13440

1/16/22, 21:20 4 of 21



In [8]:

```
my Lxp : disp cay ( )
```

```
DataExperiment summary:
---> projectName: ML1010-Group-Project
```

---> experimentName: ReviewText_Lemma_MPNet2 (XGB)

---> isDataPackageLoaded: True
---> isBaseModelLoaded: False

---> isBaseModelPredicted: False

---> isBaseModelLearningCurveCreated: False

---> isFinalModelLoaded: False
---> isFinalModelPredicted: False

---> isFinalModelLearningCurveCreated: False

---> isClassifierLoaded: True

XGBClassifier(base_score=None, booster=None, colsample_bylevel=None, colsample_bynode=None, colsample_bytree=None, enable_categorical=False, eval_metric='mlogloss', gamma=None, gpu_id=None, importance_type=None, interaction_constraints=None

e,

learning_rate=None, max_delta_step=None, max_depth=None,
min_child_weight=None, missing=nan, monotone_constraints=None,
n_estimators=100, n_jobs=None, num_parallel_tree=None,
predictor=None, random_state=None, reg_alpha=None,
reg_lambda=None, scale_pos_weight=None, subsample=None,
tree method=None, validate parameters=None, verbosity=None)

DataPackage summary:

Attributes:

---> uniqueColumn: uuid

---> targetColumn: overall posneg

Process:

---> isBalanced: True

---> isTrainTestSplit: True

Data:

---> isOrigDataLoaded: False
---> isTrainDataLoaded: True
---> isTestDataLoaded: True

In [9]:

myExp.createBaseModel()

/home/magni/python_env/ML1010_env2/lib64/python3.7/site-packages/xgboost/skle arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec ated and will be removed in a future release. To remove this warning, do the

```
following: 1) Pass option use_label_encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
```

In [10]:

```
myExp.predictBaseModel()
```

Base Model Stats: Accuracy: 0.81 Precision: 0.81 Recalll: 0.81 F1 Score: 0.81 Cohen kappa:: 0.63

In [11]:


impFeatures = myExp.analyzeBaseModelFeatureImportance(returnAbove=0.002)

```
0%|
              | 0/101 [00:00<?, ?it/s]
```

Feature Importance Summary:

---> Original feature count: 768 ---> Returned feature count: 63 ---> Removed feature count: 705

---> Return items above (including): 0.002



In [12]:

myExp.createFinalModel(featureImportanceThreshold=0.002)

```
0%|
               0/101 [00:00<?, ?it/s]
0%|
              | 0/101 [00:00<?, ?it/s]
```

/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec ated and will be removed in a future release. To remove this warning, do the following: 1) Pass option use_label_encoder=False when constructing XGBClassi fier object; and 2) Encode your labels (y) as integers starting with 0, i.e. 0, 1, 2, ..., [num class - 1].

warnings.warn(label_encoder_deprecation_msg, UserWarning)

In [13]:

```
myExp.display()
```

DataExperiment summary:


---> projectName: ML1010-Group-Project


1/16/22, 21:20 6 of 21


```
---> experimentName: ReviewText Lemma MPNet2 (XGB)
         ---> isDataPackageLoaded: True
         ---> isBaseModelLoaded: True
         ---> isBaseModelPredicted: True
         ---> isBaseModelLearningCurveCreated: False
         ---> isFinalModelLoaded: True
         ---> isFinalModelPredicted: False
         ---> isFinalModelLearningCurveCreated: False
         ---> isClassifierLoaded: True
         XGBClassifier(base score=None, booster=None, colsample bylevel=None,
                        colsample_bynode=None, colsample_bytree=None,
                        enable categorical=False, eval metric='mlogloss', gamma=None,
                       gpu id=None, importance type=None, interaction constraints=Non
         e,
                        learning rate=None, max delta step=None, max depth=None,
                       min_child_weight=None, missing=nan, monotone_constraints=None,
                        n estimators=100, n jobs=None, num parallel tree=None,
                        predictor=None, random state=None, reg alpha=None,
                        reg lambda=None, scale pos weight=None, subsample=None,
                        tree method=None, validate parameters=None, verbosity=None)
             DataPackage summary:
             Attributes:
             ---> uniqueColumn: uuid
             ---> targetColumn: overall posneg
             Process:
             ---> isBalanced: True
             ---> isTrainTestSplit: True
             Data:
             ---> isOrigDataLoaded: False
             ---> isTrainDataLoaded: True
In [14]:
          myExp.predictFinalModel()
          myExp.display()
         Final Model Stats:
         Accuracy: 0.8
         Precision: 0.8
         Recalll: 0.8
         F1 Score: 0.8
         Cohen kappa:: 0.61
         DataExperiment summary:
         ---> projectName: ML1010-Group-Project
         ---> experimentName: ReviewText Lemma MPNet2 (XGB)
         ---> isDataPackageLoaded: True
         ---> isBaseModelLoaded: True
         ---> isBaseModelPredicted: True
         ---> isBaseModelLearningCurveCreated: False
         ---> isFinalModelLoaded: True
         ---> isFinalModelPredicted: True
         ---> isFinalModelLearningCurveCreated: False
         ---> isClassifierLoaded: True
         XGBClassifier(base score=None, booster=None, colsample bylevel=None,
                        colsample_bynode=None, colsample bytree=None,
                        enable_categorical=False, eval_metric='mlogloss', gamma=None,
                        gpu_id=None, importance_type=None, interaction_constraints=Non
         e,
                        learning rate=None, max delta step=None, max depth=None,
```

min_child_weight=None, missing=nan, monotone_constraints=None,
n_estimators=100, n_jobs=None, num_parallel_tree=None,
predictor=None, random_state=None, reg_alpha=None,
reg_lambda=None, scale_pos_weight=None, subsample=None,
tree_method=None, validate_parameters=None, verbosity=None)


```
DataPackage summary:
             Attributes:
             ---> uniqueColumn: uuid
             ---> targetColumn: overall posneg
             Process:
             ---> isBalanced: True
             ---> isTrainTestSplit: True
             ---> isOrigDataLoaded: False
             ---> isTrainDataLoaded: True
             ---> icTactNatal nadad. Trua
In [15]:
          myExp.createBaseModelLearningCurve(n jobs=10)
         [learning curve] Training set sizes: [ 1720 3440 8601 17203]
         [Parallel(n jobs=10)]: Using backend LokyBackend with 10 concurrent workers.
         [Parallel(n jobs=10)]: Done
                                      3 out of 20 | elapsed: 2.2min remaining: 12.4
         [Parallel(n jobs=10)]: Done
                                      9 out of 20 | elapsed: 4.6min remaining:
         [Parallel(n jobs=10)]: Done 15 out of 20 | elapsed: 6.9min remaining: 2.3
         [Parallel(n jobs=10)]: Done 20 out of 20 | elapsed: 7.6min finished
In [16]:
          myExp.createFinalModelLearningCurve(n jobs=10)
         [Parallel(n jobs=10)]: Using backend LokyBackend with 10 concurrent workers.
         [learning_curve] Training set sizes: [ 1720 3440 8601 17203]
         [Parallel(n jobs=10)]: Done
                                       3 out of 20 | elapsed: 1.8min remaining: 10.1
         min
         [Parallel(n jobs=10)]: Done
                                      9 out of 20 | elapsed: 2.7min remaining: 3.3
         [Parallel(n jobs=10)]: Done 15 out of 20 | elapsed: 4.2min remaining: 1.4
         [Parallel(n jobs=10)]: Done 20 out of 20 | elapsed: 4.4min finished
In [25]:
          myExp.showBaseModelFeatureImportance(upperValue=0.025)
          myExp.showFinalModelFeatureImportance(startValue=0.01,
                                                increment=0.001,
                                                upperValue=0.03)
                        | 0/251 [00:00<?, ?it/s]
           0%|
           0%|
                        | 0/22 [00:00<?, ?it/s]
```











In [18]:

myExp.display()

```
DataExperiment summary:
```

- ---> projectName: ML1010-Group-Project
- ---> experimentName: ReviewText_Lemma_MPNet2 (XGB)
- ---> isDataPackageLoaded: True
- ---> isBaseModelLoaded: True
- ---> isBaseModelPredicted: True
- ---> isBaseModelLearningCurveCreated: True
- ---> isFinalModelLoaded: True
- ---> isFinalModelPredicted: True
- ---> isFinalModelLearningCurveCreated: True
- ---> isClassifierLoaded: True

XGBClassifier(base_score=None, booster=None, colsample_bylevel=None,

colsample_bynode=None, colsample_bytree=None,
enable_categorical=False, eval_metric='mlogloss', gamma=None,
gpu_id=None, importance_type=None, interaction_constraints=Non

e,

learning_rate=None, max_delta_step=None, max_depth=None,
min_child_weight=None, missing=nan, monotone_constraints=None,
n_estimators=100, n_jobs=None, num_parallel_tree=None,
predictor=None, random_state=None, reg_alpha=None,
reg_lambda=None, scale_pos_weight=None, subsample=None,
tree_method=None, validate_parameters=None, verbosity=None)

DataPackage summary:

Attributes:

---> uniqueColumn: uuid

---> targetColumn: overall_posneg

Process:

---> isBalanced: True

---> isTrainTestSplit: True

Data:

---> isOrigDataLoaded: False
---> isTrainDataLoaded: True


In [19]:

myExp.showBaseModelReport(axis_labels)


Base Model Stats: Accuracy: 0.81 Precision: 0.81 Recalll: 0.81 F1 Score: 0.81 Cohen kappa:: 0.63

support	f1-score	recall	precision	
2688 2688	0.81 0.81	0.81 0.82	0.82 0.81	0 1
5376 5376 5376	0.81 0.81 0.81	0.81 0.81	0.81 0.81	accuracy macro avg weighted avg

Confusion Matrix: ReviewText_Lemma_MPNet2 (XGB)




<Figure size 1440x576 with 0 Axes>



Base model ROCAUC not calculated. Starting now

/home/magni/python_env/ML1010_env2/lib64/python3.7/site-packages/xgboost/skle arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec ated and will be removed in a future release. To remove this warning, do the following: 1) Pass option use_label_encoder=False when constructing XGBClassi fier object; and 2) Encode your labels (y) as integers starting with 0, i.e. 0, 1, 2, ..., [num_class - 1].

warnings.warn(label_encoder_deprecation_msg, UserWarning)




In [27]:

myExp.showFinalModelReport(axis_labels)


Final Model Stats: Accuracy: 0.8 Precision: 0.8 Recall: 0.8 F1 Score: 0.8 Cohen kappa:: 0.61

• •	precision	recall	f1-score	support
0 1	0.81 0.80	0.80 0.81	0.80 0.81	2688 2688
accuracy macro avg weighted avg	0.80 0.80	0.80 0.80	0.80 0.80 0.80	5376 5376 5376

Confusion Matrix: ReviewText_Lemma_MPNet2 (XGB)




<Figure size 576x576 with 0 Axes>



Final model ROCAUC not calculated. Starting now

/home/magni/python_env/ML1010_env2/lib64/python3.7/site-packages/xgboost/skle arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec ated and will be removed in a future release. To remove this warning, do the following: 1) Pass option use_label_encoder=False when constructing XGBClassi fier object; and 2) Encode your labels (y) as integers starting with 0, i.e. 0, 1, 2, ..., [num_class - 1].

warnings.warn(label_encoder_deprecation_msg, UserWarning)



In [21]:

myExp.display()

```
DataExperiment summary:
---> projectName: ML1010-Group-Project
---> experimentName: ReviewText Lemma MPNet2 (XGB)
---> isDataPackageLoaded: True
---> isBaseModelLoaded: True
---> isBaseModelPredicted: True
---> isBaseModelLearningCurveCreated: True
---> isFinalModelLoaded: True
---> isFinalModelPredicted: True
---> isFinalModelLearningCurveCreated: True
---> isClassifierLoaded: True
XGBClassifier(base score=None, booster=None, colsample bylevel=None,
              colsample bynode=None, colsample bytree=None,
              enable categorical=False, eval metric='mlogloss', gamma=None,
              gpu_id=None, importance_type=None, interaction_constraints=Non
e,
              learning_rate=None, max_delta_step=None, max depth=None,
              min child weight=None, missing=nan, monotone constraints=None,
              n_estimators=100, n_jobs=None, num_parallel_tree=None,
              predictor=None, random state=None, reg alpha=None,
              reg lambda=None, scale pos weight=None, subsample=None,
```

tree method=None, validate parameters=None, verbosity=None)

DataPackage summary:

```
Attributes:
---> uniqueColumn: uuid
---> targetColumn: overall_posneg
Process:
---> isBalanced: True
---> isTrainTestSplit: True
Data:
---> isOrigDataLoaded: False
```

---> isTrainDataLoaded: True ---> isTestDataLoaded: True

1/16/22, 21:20 14 of 21

Save Experiment

In [22]:

jarvis.saveExperiment(myExp, FILE_NAME)

```
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use_label_encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
  warnings.warn(label encoder deprecation msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
  warnings.warn(label encoder deprecation msg, UserWarning)
/home/magni/python_env/ML1010_env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
  warnings.warn(label encoder deprecation msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
  warnings.warn(label_encoder_deprecation_msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use_label_encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
  warnings.warn(label encoder deprecation msg, UserWarning)
[CV] END ....., score=(train=0.983, test=0.787) total time= 2.2
min
[CV] END ....., score=(train=0.983, test=0.768) total time= 2.5
min
[CV] END ....., score=(train=0.977, test=0.805) total time= 2.8
[CV] END ....., score=(train=0.984, test=0.766) total time= 1.8
min
[CV] END ....., score=(train=0.983, test=0.770) total time= 1.8
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use_label_encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num_class - 1].
  warnings.warn(label encoder deprecation msg, UserWarning)
```

/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle

```
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use_label_encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
 warnings.warn(label encoder deprecation msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use_label_encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
 warnings.warn(label encoder deprecation msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
 warnings.warn(label encoder denrecation msg. UserWarning)
[CV] END ....., score=(train=0.978, test=0.806) total time= 5.4
[CV] END ....., score=(train=0.977, test=0.812) total time= 2.2
min
[CV] END ....., score=(train=0.979, test=0.774) total time= 2.0
[CV] END ....., score=(train=0.981, test=0.772) total time= 2.0
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use_label_encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
 warnings.warn(label encoder deprecation msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
 warnings.warn(label_encoder_deprecation_msg, UserWarning)
/home/magni/python_env/ML1010_env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num_class - 1].
 warnings.warn(label encoder deprecation msg, UserWarning)
[CV] END ....., score=(train=0.978, test=0.806) total time= 5.5
min
[CV] END ....., score=(train=0.983, test=0.781) total time= 1.7
[CV] END ....., score=(train=0.977, test=0.783) total time= 2.4
min
[CV] END ....., score=(train=0.978, test=0.799) total time= 4.2
min
[CV] END ...... score=(train=0.983, test=0.777) total time= 2.3
```

```
min
[CV] END ....., score=(train=0.977, test=0.792) total time= 2.4
min
[CV] END ....., score=(train=0.983, test=0.785) total time= 1.8
min
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use_label_encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
  warnings.warn(label encoder deprecation msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
  warnings.warn(label_encoder_deprecation_msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
  warnings.warn(label encoder deprecation msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num_class - 1].
  warnings.warn(label encoder deprecation msg, UserWarning)
[CV] END ....., score=(train=0.977, test=0.807) total time= 4.2
min
[CV] END ....., score=(train=0.980, test=0.792) total time= 2.7
min
[CV] END ....., score=(train=0.984, test=0.778) total time= 1.8
[CV] END ....., score=(train=0.957, test=0.782) total time= 2.5
min
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
  warnings.warn(label_encoder_deprecation_msg, UserWarning)
/home/magni/python_env/ML1010_env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use_label_encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
  warnings.warn(label encoder deprecation msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
```

```
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
 warnings.warn(label encoder deprecation msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
        s warn/lahal ancoder dannacation
[CV] END ....., score=(train=0.981, test=0.791) total time= 2.8
[CV] END ....., score=(train=0.981, test=0.782) total time= 3.2
min
[CV] END ....., score=(train=0.981, test=0.781) total time= 2.1
min
[CV] END ....., score=(train=0.978, test=0.774) total time= 2.2
min
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use_label_encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
 warnings.warn(label encoder deprecation msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
 warnings.warn(label encoder deprecation msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use_label_encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
 warnings.warn(label encoder deprecation msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
 warnings.warn(label encoder deprecation msg, UserWarning)
[CV] END ....., score=(train=0.984, test=0.774) total time= 2.1
[CV] END ....., score=(train=0.977, test=0.794) total time= 4.9
min
[CV] END ....., score=(train=0.978, test=0.788) total time= 2.5
min
[CV] END ....., score=(train=0.980, test=0.783) total time= 1.9
min
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
```

```
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
  warnings.warn(label encoder deprecation msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num_class - 1].
  warnings.warn(label_encoder_deprecation_msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
  warnings.warn(label encoder deprecation msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num_class - 1].
  warnings.warn(label encoder deprecation msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
  warnings.warn(label encoder deprecation msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
  warnings.warn(label_encoder_deprecation_msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use_label_encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
  warnings.warn(label_encoder_deprecation msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num_class - 1].
[CV] END ....., score=(train=0.979, test=0.780) total time= 2.9
[CV] END ....., score=(train=0.978, test=0.792) total time= 4.1
min
[CV] END ....., score=(train=0.982, test=0.773) total time= 2.1
min
[CV] END ....., score=(train=0.961, test=0.786) total time= 2.3
```

```
min
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
 warnings.warn(label_encoder_deprecation_msg, UserWarning)
/home/magni/python_env/ML1010_env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
 warnings.warn(label encoder deprecation msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
 warnings.warn(label_encoder_deprecation_msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use label encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
 warnings.warn(label encoder deprecation msg, UserWarning)
[CV] END ....., score=(train=0.984, test=0.781) total time= 2.1
min
[CV] END ....., score=(train=0.977, test=0.790) total time= 4.4
[CV] END ....., score=(train=0.961, test=0.792) total time= 2.7
min
[CV] END ....., score=(train=0.977, test=0.797) total time= 1.7
min
[CV] END ....., score=(train=0.982, test=0.778) total time= 2.9
min
[CV] END ....., score=(train=0.978, test=0.797) total time= 4.4
min
[CV] END ....., score=(train=0.962, test=0.792) total time= 2.7
min
[CV] END ....., score=(train=0.961, test=0.798) total time= 1.7
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use_label_encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num class - 1].
 warnings.warn(label_encoder_deprecation_msg, UserWarning)
/home/magni/python env/ML1010 env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use_label_encoder=False when constructing XGBClassi
```

0, 1, 2, ..., [num class - 1].

fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.

warnings.warn(label_encoder_deprecation_msg, UserWarning)
/home/magni/python_env/ML1010_env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use_label_encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num_class - 1].

warnings.warn(label_encoder_deprecation_msg, UserWarning)
/home/magni/python_env/ML1010_env2/lib64/python3.7/site-packages/xgboost/skle
arn.py:1224: UserWarning: The use of label encoder in XGBClassifier is deprec
ated and will be removed in a future release. To remove this warning, do the
following: 1) Pass option use_label_encoder=False when constructing XGBClassi
fier object; and 2) Encode your labels (y) as integers starting with 0, i.e.
0, 1, 2, ..., [num_class - 1].

warnings warn/labol ancoder depresation med Heartharning)

Scratchpad

In []:	1:	