## Configuration

### **Bootstrap Environment**

```
In [2]:
         #add in support for utility file directory and importing
         import sys
         import os
         if ENABLE_COLAB:
           #Need access to drive
           from google.colab import drive
           drive.mount(GOOGLE_DRIVE_MOUNT, force_remount=True)
           #add in utility directory to syspath to import
           INIT_DIR = COLAB_INIT_DIR
           sys.path.append(os.path.abspath(INIT DIR))
           #Config environment variables
           ROOT DIR = COLAB ROOT DIR
         else:
           #add in utility directory to syspath to import
           INIT_DIR = LOCAL_INIT_DIR
           sys.path.append(os.path.abspath(INIT_DIR))
           #Config environment variables
           ROOT DIR = LOCAL ROOT DIR
         #Import Utility Support
         from jarvis import Jarvis
         jarvis = Jarvis(ROOT DIR, PROJECT NAME)
         import mv_python_utils as mvutils
```

Wha...where am I? I am awake now.

```
I have set your current working directory to /home/magni/ML_Root/project_root /ML1010-Group-Project
The current time is 10:30
Hello sir. Extra caffeine may help.
```

### Setup Runtime Environment

```
In [3]:
         if ENABLE COLAB:
           #!pip install scipy -q
           #!pip install scikit-learn -q
           #!pip install pycaret -q
           #!pip install matplotlib -q
           #!pip install joblib -q
           #!pip install pandasql -q
           !pip install umap learn -q
           !pip install sentence transformers -q
           !pip install spacytextblob -q
           !pip install flair -q
           display('Google Colab enabled')
           display('Google Colab not enabled')
         #Common imports
         import json
         import pandas as pd
         import numpy as np
         import matplotlib
         import re
         import nltk
         import matplotlib.pyplot as plt
         from sklearn.cluster import KMeans
         from sklearn import metrics
         from sklearn.datasets import load_digits
         from sklearn.model selection import train test split as tts
         #from yellowbrick.classifier import ConfusionMatrix
         #from sklearn.linear_model import LogisticRegression
         from yellowbrick.target import ClassBalance
         from xgboost import XGBClassifier
         from sklearn.model selection import train test split
         from sklearn.metrics import accuracy_score, confusion_matrix
         from sklearn.svm import SVC
         from sklearn.ensemble import RandomForestClassifier
         nltk.download('stopwords')
         %matplotlib inline
```

'Google Colab not enabled'
[nltk\_data] Downloading package stopwords to /home/magni/nltk\_data...
[nltk data] Package stopwords is already up-to-date!

```
import importlib
import cw_df_metric_utils as cwutils
import DataPackage as dp
import DataPackageSupport as dps
import DataExperiment
import DataExperimentSupport
```

2022-01-15 10:31:01.507502: W tensorflow/stream\_executor/platform/default/dso \_loader.cc:64] Could not load dynamic library 'libcudart.so.11.0'; dlerror: libcudart.so.11.0: cannot open shared object file: No such file or directory 2022-01-15 10:31:01.507529: I tensorflow/stream\_executor/cuda/cudart\_stub.cc: 29] Ignore above cudart dlerror if you do not have a GPU set up on your machine.

```
importlib.reload(dp)
importlib.reload(dps)
importlib.reload(DataExperiment)
importlib.reload(DataExperimentSupport)
```

Out[26]: <module 'DataExperimentSupport' from '/home/magni/ML\_Root/project\_root/utilit
y\_files/DataExperimentSupport.py'>

### **Load Data**

```
In [5]: #axis_labels=[1,2,3,4,5]
    axis_labels=[0,1]
    classifier = RandomForestClassifier()
    ANALSYSIS_COL = 'reviewText_lemma_mpnet'
    UNIQUE_COL = 'uuid'
    TARGET_COL = 'overall_posneg'
```

```
In [6]:
         if LOAD FROM EXP:
             #start from saved state
             myExp = jarvis.loadExperiment(FILE NAME)
             myExp.display()
         else:
             #start from source file and regenerate
             testDf = pd.read pickle(jarvis.DATA DIR WORK + "/01 NL ReviewText All(new
             testDfBert = cwutils.getBertEncodeFrame(df=testDf,
                                                      bertColumn=ANALSYSIS COL,
                                                      uniqueColumn=UNIQUE COL,
                                                      otherColumns=[TARGET COL]
             myExp = DataExperiment.DataExperiment(projectName=PROJECT NAME,
                                                    experimentName=EXPERIMENT NAME,
                                                    origData=testDfBert,
                                                    uniqueColumn=UNIQUE COL,
                                                    targetColumn=TARGET_COL,
                                                    classifier=classifier)
        DataExperiment summary:
        ---> projectName: ML1010-Group-Project
        ---> experimentName: ReviewText Lemma MPNet2 (Random Forest)
        ---> isDataPackageLoaded: True
        ---> isBaseModelLoaded: False
        ---> isBaseModelPredicted: False
        ---> isBaseModelLearningCurveCreated: False
        ---> isFinalModelLoaded: False
        ---> isFinalModelPredicted: False
        ---> isFinalModelLearningCurveCreated: False
        ---> isClassifierLoaded: True
        RandomForestClassifier()
            DataPackage summary:
            Attributes:
            ---> uniqueColumn: uuid
            ---> targetColumn: overall posneg
            Process:
            ---> isBalanced: False
            ---> isTrainTestSplit: False
            Data:
            ---> isOrigDataLoaded: True
            ---> isTrainDataLoaded: False
            ---> isTestDataLoaded: False
In [7]:
         myExp.processDataPackage()
```



Undersampling data to match min class: 0 of size: 13440



```
Completed train/test split (test_size = 0.2):
```

---> Original data size: 26880

---> Training data size: 21504

---> Testing data size: 5376

---> Stratified on column: overall\_posneg

#### In [8]:

myExp.display()

```
DataExperiment summary:
```

---> projectName: ML1010-Group-Project

---> experimentName: ReviewText\_Lemma\_MPNet2 (Random Forest)

---> isDataPackageLoaded: True

---> isBaseModelLoaded: False

---> isBaseModelPredicted: False

---> isBaseModelLearningCurveCreated: False

---> isFinalModelLoaded: False

---> isFinalModelPredicted: False

---> isFinalModelLearningCurveCreated: False

---> isClassifierLoaded: True

RandomForestClassifier()

#### DataPackage summary:


Attributes:


---> uniqueColumn: uuid


```
---> targetColumn: overall_posneg
               Process:
               ---> isBalanced: True
               ---> isTrainTestSplit: True
              Data:
               ---> isOrigDataLoaded: False
               ---> isTrainDataLoaded: True
               ---> icTactNatal nadad. Trua
 In [9]:
           myExp.createBaseModel()
In [10]:
           myExp.predictBaseModel()
          Base Model Stats:
          Accuracy: 0.81
          Precision: 0.81
          Recalll: 0.81
          F1 Score: 0.81
          Cohen kappa:: 0.62
In [11]:
           impFeatures = myExp.analyzeBaseModelFeatureImportance(returnAbove=0.002)
            0%|
                           | 0/101 [00:00<?, ?it/s]
          Feature Importance Summary:
          ---> Original feature count: 768
          ---> Returned feature count: 83
          ---> Removed feature count: 685
          ---> Return items above (including): 0.002
                         Total Documents >= Importance Level
            800
                                                Number of Documents
             700
          Cumulative count of documents
            600
            500
            400
            300
            200
            100
              0
                0.000
                        0.002
                                 0.004
                                          0.006
                                                   0.008
                                                            0.010
                                 Feature Importance
In [12]:
           myExp.createFinalModel(featureImportanceThreshold=0.002)
            0%|
                           | 0/101 [00:00<?, ?it/s]
                           | 0/101 [00:00<?, ?it/s]
            0%|
In [13]:
           myExp.display()
          DataExperiment summary:
          ---> projectName: ML1010-Group-Project
```

```
---> experimentName: ReviewText_Lemma_MPNet2 (Random Forest)
         ---> isDataPackageLoaded: True
         ---> isBaseModelLoaded: True
         ---> isBaseModelPredicted: True
         ---> isBaseModelLearningCurveCreated: False
         ---> isFinalModelLoaded: True
         ---> isFinalModelPredicted: False
         ---> isFinalModelLearningCurveCreated: False
         ---> isClassifierLoaded: True
         RandomForestClassifier()
             DataPackage summary:
             Attributes:
             ---> uniqueColumn: uuid
             ---> targetColumn: overall posneg
             Process:
             ---> isBalanced: True
             ---> isTrainTestSplit: True
             ---> isOrigDataLoaded: False
             ---> isTrainDataLoaded: True
             ---> isTestDataLnaded: True
In [14]:
          myExp.predictFinalModel()
          myExp.display()
         Final Model Stats:
         Accuracy: 0.8
         Precision: 0.8
         Recalll: 0.8
         F1 Score: 0.8
         Cohen kappa:: 0.61
         DataExperiment summary:
         ---> projectName: ML1010-Group-Project
         ---> experimentName: ReviewText Lemma MPNet2 (Random Forest)
         ---> isDataPackageLoaded: True
         ---> isBaseModelLoaded: True
         ---> isBaseModelPredicted: True
         ---> isBaseModelLearningCurveCreated: False
         ---> isFinalModelLoaded: True
         ---> isFinalModelPredicted: True
         ---> isFinalModelLearningCurveCreated: False
         ---> isClassifierLoaded: True
         RandomForestClassifier()
             DataPackage summary:
             Attributes:
             ---> uniqueColumn: uuid
             ---> targetColumn: overall posneg
             Process:
             ---> isBalanced: True
             ---> isTrainTestSplit: True
             ---> isOrigDataLoaded: False
             ---> isTrainDataLoaded: True
             ---> isTestDataLoaded: True
```

```
In [15]:
          myExp.createBaseModelLearningCurve(n jobs=10)
         [learning_curve] Training set sizes: [ 1720 3440 8601 17203]
         [Parallel(n_jobs=10)]: Using backend LokyBackend with 10 concurrent workers.
         [Parallel(n jobs=10)]: Done
                                       3 out of 20 | elapsed:
                                                                  6.2s remaining:
         5.0s
         [Parallel(n jobs=10)]: Done
                                       9 out of 20 | elapsed:
                                                                 21.3s remaining:
                                                                                     2
         6.0s
         [Parallel(n jobs=10)]: Done 15 out of 20 | elapsed:
                                                                 42.0s remaining:
                                                                                     1
         [Parallel(n jobs=10)]: Done 20 out of 20 | elapsed:
                                                                1.1min finished
In [16]:
          myExp.createFinalModelLearningCurve(n jobs=10)
         [Parallel(n jobs=10)]: Using backend LokyBackend with 10 concurrent workers.
         [learning curve] Training set sizes: [ 1720 3440 8601 17203]
         [Parallel(n jobs=10)]: Done
                                       3 out of 20 | elapsed:
                                                                  1.1s remaining:
         6.0s
         [Parallel(n jobs=10)]: Done
                                       9 out of 20 | elapsed:
                                                                  4.1s remaining:
         5.0s
         [Parallel(n jobs=10)]: Done 15 out of 20 | elapsed:
                                                                  9.5s remaining:
         [Parallel(n jobs=10)]: Done 20 out of 20 | elapsed:
                                                                 14.4s finished
In [29]:
          myExp.showBaseModelFeatureImportance(upperValue=0.025)
          myExp.showFinalModelFeatureImportance(startValue=0.01,
                                                increment=0.001,
                                                upperValue=0.03)
                        | 0/251 [00:00<?, ?it/s]
           0%|
           0%|
                        | 0/22 [00:00<?, ?it/s]
```







In [18]: myExp.display()

```
DataExperiment summary:
---> projectName: ML1010-Group-Project
---> experimentName: ReviewText Lemma MPNet2 (Random Forest)
---> isDataPackageLoaded: True
---> isBaseModelLoaded: True
---> isBaseModelPredicted: True
---> isBaseModelLearningCurveCreated: True
---> isFinalModelLoaded: True
---> isFinalModelPredicted: True
---> isFinalModelLearningCurveCreated: True
---> isClassifierLoaded: True
RandomForestClassifier()
    DataPackage summary:
    Attributes:
    ---> uniqueColumn: uuid
    ---> targetColumn: overall posneg
    Process:
    ---> isBalanced: True
    ---> isTrainTestSplit: True
    ---> isOrigDataLoaded: False
    ---> isTrainDataLoaded: True
    ---> isTestDataLoaded: True
```


In [19]:

### $\verb|myExp.showBaseModelReport(axis\_labels)|\\$


Base Model Stats: Accuracy: 0.81 Precision: 0.81 Recalll: 0.81 F1 Score: 0.81 Cohen kappa:: 0.62

	precision	recall	T1-score	support
0 1	0.79 0.83	0.84 0.78	0.82 0.80	2688 2688
accuracy macro avg weighted avg	0.81 0.81	0.81 0.81	0.81 0.81 0.81	5376 5376 5376





#### <Figure size 1440x576 with 0 Axes>



Base model ROCAUC not calculated. Starting now

In [28]:


myExp.showFinalModelReport(axis\_labels)

Final Model Stats: Accuracy: 0.8 Precision: 0.8 Recall: 0.8 F1 Score: 0.8


Cohen kappa:: 0.61

	precision	recall	fl-score	support
0 1	0.79 0.82	0.82 0.78	0.81 0.80	2688 2688
accuracy macro avg weighted avg	0.80 0.80	0.80 0.80	0.80 0.80 0.80	5376 5376 5376





#### <Figure size 576x576 with 0 Axes>



Final model ROCAUC not calculated. Starting now

```
ROC Curves for RandomForestClassifier
            1.0
In [21]:
          myExp.display()
         DataExperiment summary:
         ---> projectName: ML1010-Group-Project
         ---> experimentName: ReviewText Lemma MPNet2 (Random Forest)
         ---> isDataPackageLoaded: True
         ---> isBaseModelLoaded: True
         ---> isBaseModelPredicted: True
         ---> isBaseModelLearningCurveCreated: True
         ---> isFinalModelLoaded: True
         ---> isFinalModelPredicted: True
         ---> isFinalModelLearningCurveCreated: True
         ---> isClassifierLoaded: True
         RandomForestClassifier()
             DataPackage summary:
             Attributes:
              ---> uniqueColumn: uuid
              ---> targetColumn: overall posneg
             Process:
              ---> isBalanced: True
             ---> isTrainTestSplit: True
             Data:
              ---> isOrigDataLoaded: False
             ---> isTrainDataLoaded: True
              ---> isTestDataLoaded: True
```

### Save Experiment

```
In [22]:
        jarvis.saveExperiment(myExp, FILE NAME)
        [CV] END ....., score=(train=0.978, test=0.807) total time= 5
        4.0s
        [CV] END ....., score=(train=0.978, test=0.777) total time=
        4.4s
        [CV] END ....., score=(train=0.978, test=0.793) total time= 1
        1.7s
        [CV] END ....., score=(train=0.980, test=0.769) total time=
        4.3s
        [CV] END ....., score=(train=0.978, test=0.784) total time=
       8.5s
        [CV] END ....., score=(train=0.977, test=0.801) total time= 3
        8.3s
        [CV] END ....., score=(train=0.978, test=0.790) total time=
        2.1s
        [CV] END ....., score=(train=0.980, test=0.784) total time=
        [CV] END ....., score=(train=0.978, test=0.783) total time=
        2.0s
```

[CV] 0.9s	END	,	<pre>score=(train=0.977,</pre>	test=0.779)	total	time=	1
	END	,	<pre>score=(train=0.978,</pre>	test=0.782)	total	time=	
[CV]	END	,	<pre>score=(train=0.977,</pre>	test=0.790)	total	time=	2
	END	,	score=(train=0.981,	test=0.774)	total	time=	
	END	,	score=(train=0.978,	test=0.803)	total	time=	
	END	,	score=(train=0.978,	test=0.783)	total	time=	2
	END	,	score=(train=0.977,	test=0.794)	total	time=	
	END	,	score=(train=0.979,	test=0.796)	total	time=	
	END	,	score=(train=0.977,	test=0.793)	total	time=	5
	END	,	score=(train=0.977,	test=0.777)	total	time=	
	END	,	score=(train=0.978,	test=0.784)	total	time=	
	END	,	score=(train=0.977,	test=0.789)	total	time=	
	END	,	score=(train=0.983,	test=0.785)	total	time=	
	END	,	score=(train=0.977,	test=0.808)	total	time=	4
	END	,	score=(train=0.977,	test=0.785)	total	time=	1
	END	,	score=(train=0.981,	test=0.769)	total	time=	
	END	,	score=(train=0.981,	test=0.774)	total	time=	
	END	,	score=(train=0.979,	test=0.793)	total	time=	2
3.5s [CV]	END	,	score=(train=0.978,	test=0.804)	total	time=	1
	END	,	score=(train=0.977,	test=0.798)	total	time=	2
	END	,	score=(train=0.981,	test=0.789)	total	time=	
	END	,	score=(train=0.977,	test=0.801)	total	time=	1
	END	,	score=(train=0.977,	test=0.788)	total	time=	1
	END	,	score=(train=0.978,	test=0.794)	total	time=	4
	END	,	score=(train=0.983,	test=0.785)	total	time=	
	END	,	score=(train=0.981,	test=0.778)	total	time=	
	END	,	score=(train=0.978,	test=0.789)	total	time=	1
	END	,	score=(train=0.981,	test=0.791)	total	time=	
	END	,	score=(train=0.978,	test=0.799)	total	time=	2
7.5s [CV]	END	,	score=(train=0.977,	test=0.801)	total	time=	

15 of 16

4.2s [CV] END ....., score=(train=0.977, test=0.798) total time=

# Scratchpad

In [ ]: