

Proof reading for “Matrix identities involving multiplication and transposition” by Auinger et al

Location	Type	In the proofs	In the original	Should be
Throughout the text	Editor’s intervention	non-finitely based	nonfinitely based	As in the proofs (we accept the change)
P.1, Background and Motivation, line +9	Editor’s intervention	...much attention as well: see, for instancemuch attention as well, see, for instance ...	As in the proofs (we accept the change)
P.1, footnote, line +4	Update	21000	21000	21101
P.1, footnote, line +5	Update	Faculty of Mathematics and Mechanics, Ural State University	Faculty of Mathematics and Mechanics, Ural State University	Institute of Mathematics and Computer Science, Ural Federal University
P.1, footnote, line +6	Update	620083	620083	620000
P.2, line +21	Typo (our fault)	...may be a summarizedmay be a summarizedmay be summarized ...
P.2, Theorem, line +1	Editor’s intervention	None of the following sets of matrix identities admits a finite identity basis:	Each of following sets of matrix identities admits no finite identity basis:	As in the proofs (we accept the change)
P.2, Theorem, lines +2, +4, +6, +9 (4 times)	Editor’s intervention	the identities for ...	the identities of ...	As in the proofs (we accept the change)
P.3, line +5	Editor’s intervention	\langle displayed formula \rangle	\langle inline formula \rangle	As in the proofs (we accept the change)
P.3, line +18	Editor’s intervention	... then so is u^* then so is $(u)^*$.	As in the original (we do not accept the change)
P.3, line +20	Editor’s intervention	$u \mapsto u^*$.	$u \mapsto (u)^*$.	As in the original (we do not accept the change)
P.3, line –3	Typo (our fault)	A variety is is said to be ...	A variety is is said to be ...	A variety is said to be ...
P.4, lines 1–2	Editor’s intervention	... forming direct products and taking unary subsemi-groups forming direct products, taking unary subsemi-groups ...	As in the proofs (we accept the change)

continued on next page

<i>continued from previous page</i>				
Location	Type	In the proofs	In the original	Should be
P.4, line −2	Editor's intervention	if $p_{jk} = 0$,	if $p_{jk} = 0$;	As in the proofs (we accept the change)
P.5, line +4	Editor's intervention	If the group \mathcal{G} involved	If the involved group \mathcal{G}	As in the proofs (we accept the change)
P.5, display (1.1)	Editor's intervention	otherwise,	otherwise;	As in the proofs (we accept the change)
P.5, line +1 after display (1.1)	Editor's intervention	...semigroup that will be quite useful issemigroup that will be quite useful in the sequel is ...	As in the proofs (we accept the change)
P.5, line −5	Editor's intervention	...has dimension $n - 1$, whencehas dimension $n - 1$ whence ...	As in the proofs (we accept the change)
P.6, line −16	Editor's intervention	The following easy observation will be useful as it helps ...	The following easy observation will be useful in the sequel as it helps ...	As in the proofs (we accept the change)
P.6, line −8	Editor's intervention	$H(\mathcal{T}) \in \text{var } H(\mathcal{S})$, and so $H(\text{var } \mathcal{S}) \subseteq \text{var } H(\mathcal{S})$.	$H(\mathcal{T}) \in \text{var } H(\mathcal{S})$. Since this holds for an arbitrary $\mathcal{T} \in \text{var } \mathcal{S}$, we conclude that $H(\text{var } \mathcal{S}) \subseteq \text{var } H(\mathcal{S})$.	As in the proofs (we accept the change)
P.7, line +1	Editor's intervention	...there exists a group $\mathcal{G} \in \mathbf{V} \setminus H(\mathbf{V})$...there exists a group $\mathcal{G} \in \mathbf{V}$ for which $\mathcal{G} \notin H(\mathbf{V})$.	As in the proofs (we accept the change)
P.7, line −10	Editor's intervention	denotes the $n \times n$ -matrix	denotes the $n \times n$ -matrix of the form	As in the proofs (we accept the change)
P.7, matrix $M_n(g)$, entry (4,4)	Editor's intervention	\vdots (produced by <code>\vdots</code>)	\ddots (produced by <code>\ddots</code>)	As in the original (we do not accept the change)
P.7, line −8	Editor's intervention	(This construction is in a sense a combination of those of [3] and [53].)	(This construction is in a sense a combination of those of the first and the third authors' papers [3] and [53].)	As in the proofs (we accept the change)
P.8, line +6	Overfull	The row of dots is too long		
P.8, line −9	Editor's intervention	As $2k < n$ according to ...	Using that $2k < n$ according to ...	As in the proofs (we accept the change)
P.9, line +3	Editor's intervention	For each i with ...	For each i such that ...	As in the proofs (we accept the change)
<i>continued on next page</i>				

<i>continued from previous page</i>				
Location	Type	In the proofs	In the original	Should be
P.10, line +11	Editor's intervention	such that $\mathcal{G} \in \mathbf{V} \setminus P_d(\mathbf{V})$...	such that $\mathcal{G} \in \mathbf{V}$ but $\mathcal{G} \notin P_d(\mathbf{V})$...	As in the proofs (we accept the change)
P.10, line +18	Editor's intervention	These words have already been used ...	These words already have been used ...	As in the proofs (we accept the change)
P.10, line -14	Editor's intervention	Let x_1, x_2, \dots be a sequence of letters.	Let $x_1, x_2, \dots, x_n, \dots$ be a sequence of letters.	As in the proofs (we accept the change)
P.10, line -8	Editor's intervention	Aiming at a contradiction, suppose ...	Arguing by contradiction, suppose ...	As in the proofs (we accept the change)
P.11, line +2	Editor's intervention	... in Fig. 1 (left) shown in the left hand part of Fig. 1	As in the proofs (we accept the change)
P.11, lines 2-3	Editor's intervention	All odd- numbered columns ...	All odd columns ...	As in the proofs (we accept the change)
P.11, line +4	Editor's intervention	All even-numbered columns	All even columns	As in the proofs (we accept the change)
P.11, line +5	Editor's intervention	... to $(1, 2, \dots, r, \dots, 1, 2, \dots, r)^t$ where the block $1, 2, \dots, r$ occurs r times.	... to the transpose of the row $(1, 2, \dots, r, \dots, 1, 2, \dots, r)$ in which the block $1, 2, \dots, r$ occurs r times.	We do not accept the change in the proposed form. The notation $(\dots)^t$ for the transpose is inconsistent with the notation elsewhere in the paper. We suggest: ... to the transpose of $(1, 2, \dots, r, \dots, 1, 2, \dots, r)$ where the block $1, 2, \dots, r$ occurs r times.
P.11, line +8	Editor's intervention	(shown in Fig. 1, right)	(shown in the right hand part of Fig. 1)	As in the proofs (we accept the change)
P.11, line +11	Editor's intervention	Let v_t be the word in the t^{th} row of M_A .	Let v_t be the word in the t^{th} row of the matrix M_A .	As in the proofs (we accept the change)
P.12, line +13	Editor's intervention	$\varphi(q)$ is not 0; say $\varphi(p) \neq 0$.	$\varphi(q)$ is not equal to 0; (without loss of generality) assume that $\varphi(p) \neq 0$.	As in the proofs (we accept the change)
P.12, line -15	Editor's intervention	which may	that may	As in the proofs (we accept the change)
P.13, footnote, line +1	Editor's intervention	the expression that follows is not ...	the following expression is not ...	As in the proofs (we accept the change)
<i>continued on next page</i>				

<i>continued from previous page</i>				
Location	Type	In the proofs	In the original	Should be
P.14, line +14	Editor's intervention	... the six matrices	... the 6 matrices	As in the proofs (we accept the change)
P.15, line +10	Editor's intervention	... have recently been obtained	... have been recently obtained	As in the proofs (we accept the change)