### MATH211: Linear Methods I

Matthew Burke

Thursday 27<sup>th</sup> September, 2018

# Lecture on Thursday 27th September, 2018

Determinants

Examples

Traditional determinants

Examples

#### Last time

Last time

► Elementary matrices

► Elementary matrices as theoretical tool

Matrix equations

### **Determinants**

#### Two dimensional determinants

The standard basis vectors get sent to the columns:

$$\begin{bmatrix} a & b \\ c & d \end{bmatrix} \begin{bmatrix} 1 \\ 0 \end{bmatrix} = \begin{bmatrix} a \\ c \end{bmatrix} \text{ and } \begin{bmatrix} a & b \\ c & d \end{bmatrix} \begin{bmatrix} 0 \\ 1 \end{bmatrix} = \begin{bmatrix} b \\ d \end{bmatrix}$$


#### Definition

The determinant

$$det(A) = |A|$$

of any square matrix A is the signed area spanned by the columns of the matrix.

#### Picture of two dimensional determinant



$$Area = (a + b)(c + d)$$

$$-bc - bc$$

$$-\frac{1}{2}ac - \frac{1}{2}bd$$

$$-\frac{1}{2}ac - \frac{1}{2}bd$$

$$= ac + ad + bc + bd$$

$$-2bc - ac - bd$$

$$= ad - bc$$

#### Example

All identity matrices  $I_n$  have determinant equal to 1.

#### Example

All matrices with repeated columns have determinant equal to 0.

### Example

In fact a matrix is invertible iff its determinant is **not** equal to 0.

# Effect of elementary column operations

The effect of the elementary row/column operations on A are:-

- ► Multiplying a row/column by a scalar k
  - ightharpoonup multiplies the determinant by k.
- Swapping two rows/columns
  - ightharpoonup multiplies the determinant by -1.
- Adding a multiple of one row/column to another
  - has no effect on the determinant.

Pictures on Jupyter notebook.

Example (Diagonal matrices)

$$det \left[ egin{array}{cccc} \lambda_1 & 0 & 0 & 0 \ 0 & \lambda_2 & 0 & 0 \ 0 & 0 & \lambda_3 & 0 \ 0 & 0 & 0 & \lambda_4 \end{array} 
ight] = \lambda_1 \lambda_2 \lambda_3 \lambda_4$$

Example (Scalar multiple) If A is an  $n \times n$  matrix then

$$det(kA) = k^n det(A)$$

Triangular matrix

$$\det\begin{bmatrix} \lambda_1 & a_{12} & a_{13} & a_{14} \\ 0 & \lambda_2 & a_{23} & a_{24} \\ 0 & 0 & \lambda_3 & a_{34} \\ 0 & 0 & 0 & \lambda_4 \end{bmatrix} = \det\begin{bmatrix} \lambda_1 & 0 & 0 & 0 \\ a_{21} & \lambda_2 & 0 & 0 \\ a_{31} & a_{32} & \lambda_3 & 0 \\ a_{41} & a_{42} & a_{43} & \lambda_4 \end{bmatrix}$$
$$= \det\begin{bmatrix} \lambda_1 & 0 & 0 & 0 \\ 0 & \lambda_2 & 0 & 0 \\ 0 & 0 & \lambda_3 & 0 \\ 0 & 0 & 0 & \lambda_4 \end{bmatrix}$$
$$= \lambda_1 \lambda_2 \lambda_3 \lambda_4$$

# Calculating the determinant using row/column operations

► Start with a square matrix A.

- Perform row/column operations on A to convert into triangular form.
  - (Keep track of these because they can change the determinant!)
  - ▶ If we ever get a zero row/column then the determinant is 0.

Calculate the determinant of the resulting triangular matrix.

Questions?

Find

Example

Find

$$\begin{array}{c|ccccc}
-3 & 5 & -6 \\
1 & -1 & 3 \\
2 & -4 & 1
\end{array}$$

Example

Find

Example

lf

$$\begin{vmatrix} a_1 & a_2 & a_3 \\ b_1 & b_2 & b_3 \\ c_1 & c_2 & c_3 \end{vmatrix} = 4 \text{ find } \begin{vmatrix} -b_1 & -b_2 & -b_3 \\ a_1 + 2b_1 & a_2 + 2b_2 & a_3 + 2b_3 \\ 3c_1 & 3c_2 & 3c_3 \end{vmatrix}$$

Example Find

Questions?

### Traditional determinants

#### Minors and cofactors

#### Definition

Let  $A=[a_{ij}]$  be an  $n\times n$  matrix. The  $ij^{th}$  minor of A, denoted as  $minor(A)_{ij}$ , is the determinant of the  $n-1\times n-1$  matrix which results from deleting the  $i^{th}$  row and the  $j^{th}$  column of A.

$$A = \begin{bmatrix} a_{11} & a_{12} & \cdots & a_{1j} & \cdots & a_{1n} \\ a_{21} & a_{22} & \cdots & a_{2j} & \cdots & a_{2n} \\ \vdots & \vdots & & \vdots & & \vdots \\ a_{i1} & a_{i2} & \cdots & a_{ij} & \cdots & a_{in} \\ \vdots & \vdots & & \vdots & & \vdots \\ a_{n1} & a_{n2} & \cdots & a_{nj} & \cdots & a_{nn} \end{bmatrix}$$

Example

Find the (1,2)-minor of

$$\left[\begin{array}{ccc}
1 & 1 & 3 \\
2 & 4 & 1 \\
5 & 2 & 6
\end{array}\right]$$

Example

Find the (2,2)-minor of

$$\left[\begin{array}{ccccc}
1 & 5 & 2 & 5 \\
2 & 6 & 7 & 1 \\
9 & 9 & 8 & 2 \\
0 & 8 & 6 & 0
\end{array}\right]$$

#### Definition

The *ij*<sup>th</sup> cofactor of A is

$$cof(A)_{ij} = (-1)^{i+j} minor (A)_{ij}$$

### Example

Find the (1,2)-cofactor of

$$\left[\begin{array}{ccc}
1 & 1 & 3 \\
2 & 4 & 1 \\
5 & 2 & 6
\end{array}\right]$$

#### Example

Find the (2,2)-cofactor of

$$\left[\begin{array}{ccccc}
1 & 5 & 2 & 5 \\
2 & 6 & 7 & 1 \\
9 & 9 & 8 & 2 \\
0 & 8 & 6 & 0
\end{array}\right]$$

### Definition (Cofactor expansion along row i)

$$\det A = \sum_{k=1}^{n} a_{ik} \operatorname{cof}(A)_{ik}$$

$$= a_{i1} \operatorname{cof}(A)_{i1} + a_{i2} \operatorname{cof}(A)_{i2} + a_{i3} \operatorname{cof}(A)_{i3} + \dots + a_{in} \operatorname{cof}(A)_{in}$$

### Definition (Cofactor expansion along column i)

$$\det A = \sum_{k=1}^{n} a_{kj} \operatorname{cof}(A)_{kj}$$

$$= a_{1j} \operatorname{cof}(A)_{1j} + a_{2j} \operatorname{cof}(A)_{2j} + a_{3j} \operatorname{cof}(A)_{3j} + \dots + a_{nj} \operatorname{cof}(A)_{nj}$$

#### Three dimensions

Example (Row 1 expansion)

Example (Row 2 expansion)

$$\begin{vmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \end{vmatrix} = -a_{21} \begin{vmatrix} a_{12} & a_{13} \\ a_{32} & a_{33} \end{vmatrix} + a_{22} \begin{vmatrix} a_{11} & a_{13} \\ a_{31} & a_{33} \end{vmatrix} - a_{23} \begin{vmatrix} a_{11} & a_{12} \\ a_{31} & a_{32} \end{vmatrix}$$

Example Find

```
    1
    1
    3

    2
    4
    1

    5
    2
    6
```

Example

Find

$$\left|\begin{array}{cccc} 0 & 1 & -2 & 1 \\ 5 & 0 & 0 & 7 \\ 0 & 1 & -1 & 0 \\ 3 & 0 & 0 & 2 \end{array}\right|$$

Example

Find

$$\begin{vmatrix}
-8 & 1 & 0 & -4 \\
5 & 7 & 0 & -7 \\
12 & -3 & 0 & 8 \\
-3 & 11 & 0 & 2
\end{vmatrix}$$

Questions?