MATH211: Linear Methods I

Matthew Burke

Thursday 25th October, 2018

Lecture on Thursday 25th October, 2018

Misc

Examples

Linear transformations

Matrices redux

Last time

► Midterm review

Cross product

► Applications to distance, area and volume

Misc

Triangle inequality

Theorem

If u and v are vectors in \mathbb{R}^n then

$$||u + v|| \le ||u|| + ||v||$$

Theorem

If u and v are vectors in \mathbb{R}^n then

$$|||u|| - ||v||| \le ||u - v||$$

The Lagrange identity

The following identity follows directly from the Pythagorean theorem.

Theorem

If u and v are in \mathbb{R}^3 then

$$||u||^2 ||v||^2 = ||u \times v||^2 + (u \cdot v)^2$$

Example

Find equations for the lines through

$$\left[egin{array}{c} 1 \ 0 \ 1 \end{array}
ight]$$

that meet the line

$$\begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 1 \\ 2 \\ 0 \end{bmatrix} + s \begin{bmatrix} 2 \\ -1 \\ 2 \end{bmatrix}$$

at the two points distance three from (1, 2, 0).

Example

Find the area of the triangle having vertices

$$\begin{bmatrix} 3 \\ -1 \\ 2 \end{bmatrix}, \begin{bmatrix} 1 \\ 1 \\ 0 \end{bmatrix} \text{ and } \begin{bmatrix} 1 \\ 2 \\ -1 \end{bmatrix}$$

Example

Find the volume of the parallelepiped determined by the vectors

$$\left[\begin{array}{c}2\\1\\-1\end{array}\right], \left[\begin{array}{c}1\\0\\2\end{array}\right] \text{ and } \left[\begin{array}{c}2\\1\\1\end{array}\right]$$

Example

The diagonals of a parallelogram bisect each other.

Example

If ABCD is an arbitrary quadrilateral then the midpoints of the four sides form a parallelogram.

Find the shortest distance between the following plane and line.

$$X_1: x-y+2z=2, L_1:\begin{bmatrix}1\\1\\3\end{bmatrix}+t\begin{bmatrix}1\\-1\\-1\end{bmatrix}$$

Example

Find the shortest distance between the following two planes.

$$X_1: x-y+2z=5, X_2: 2x-2y+4z=4$$

Example

Find the distance between the following two lines.

$$\begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 3 \\ 1 \\ -1 \end{bmatrix} + s \begin{bmatrix} 1 \\ 1 \\ -1 \end{bmatrix} \text{ and } \begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 1 \\ 2 \\ 0 \end{bmatrix} + t \begin{bmatrix} 1 \\ 0 \\ 2 \end{bmatrix}$$

Linear transformations

Functions between Euclidean spaces

Definition

A function f from \mathbb{R}^n to \mathbb{R}^m written

$$f \colon \mathbb{R}^n \to \mathbb{R}^m$$

is a rule that assigns to every x in \mathbb{R}^n an element y in \mathbb{R}^m .

If y is the element assigned to x we write y = f(x) and

$$f: x \mapsto f(x)$$

ightharpoonup Two different elements x_0 and x_1 of \mathbb{R}^n may be assigned the same element v of \mathbb{R}^m . I.e.

$$f(x_0)=y=f(x_1)$$

 \triangleright We cannot assign two different elements y_0 and y_1 of \mathbb{R}^m to a single element x of \mathbb{R}^n .

Example

$$f(x) = x + 1$$
 and $f(x) = x^2 + 3x - 5$ and $f(x) = 5$

are all functions $\mathbb{R}^1 o \mathbb{R}^1$

Example

$$f(x,y) = \left[\begin{array}{c} x \\ x+y \\ xy \end{array} \right]$$

is a function $f: \mathbb{R}^2 \to \mathbb{R}^3$

Example

If $f(x) = x^2$ then both +1 and -1 are assigned the value +1. I.e.

0000000

$$f(-1) = 1 = f(+1)$$

Example (Non-example)

$$f(x) = \begin{cases} -1 & \text{if } x < 1 \\ +1 & \text{if } x > -1 \end{cases}$$

is not a function because the numbers between -1 and +1 are assigned two different numbers.

Linear transformations

Definition

A linear transformation $T: \mathbb{R}^n \to \mathbb{R}^m$ is a function satisfying:

- \blacktriangleright (Linearity) T(x+y)=T(x)+T(y)
- ightharpoonup (Scalar multiplication) T(kx) = kT(x)

Some consequences:-

- T(0) = 0
- T(-x) = -T(x)
- $T(\sum_{i=1}^n k_i v_i) = \sum_{i=1}^n k_i T(v_i)$

Example

Is the following a linear transformation?

$$T\begin{bmatrix} x \\ y \end{bmatrix} = \begin{bmatrix} 2x \\ y \\ -x + 2y \end{bmatrix}$$

Example

Is the following a linear transformation?

$$T\left[\begin{array}{c} x \\ y \end{array}\right] = \left[\begin{array}{c} xy \\ x+y \end{array}\right]$$

Example

Is rotation about the origin in \mathbb{R}^2 through an angle θ a linear transformation?

Example

Is reflection in the x-axis a linear transformation?

Example

Is f(x) = x + 1 a linear transformation?

Matrices redux

Linear transformations determined by action on basis

If T is linear then

$$T\left(\sum_{i=0}^{n} k_i v_i\right) = \sum_{i=0}^{n} k_i T(v_i)$$

But for all v in \mathbb{R}^n we can write v as a linear combination of the standard basis vectors:

$$v = \begin{bmatrix} v_1 \\ v_2 \\ v_3 \\ \vdots \\ v_n \end{bmatrix} = \sum_{i=0}^n v_i e_i = v_1 \begin{bmatrix} 1 \\ 0 \\ 0 \\ \vdots \\ 0 \end{bmatrix} + v_2 \begin{bmatrix} 0 \\ 1 \\ 0 \\ \vdots \\ 0 \end{bmatrix} + v_3 \begin{bmatrix} 0 \\ 0 \\ 1 \\ \vdots \\ 0 \end{bmatrix} + \dots v_n \begin{bmatrix} 0 \\ 0 \\ 0 \\ \vdots \\ 1 \end{bmatrix}$$

Linear transformation determined by action on basis

So:

$$T(v) = T\left(\sum_{i=0}^{n} v_i e_i\right) = \sum_{i=0}^{n} v_i T(e_i)$$

Slogan: A linear transformation is completely determined by its action on the standard basis vectors.

More explicitly: we only need to know

$$T(e_1), T(e_2), \ldots, T(e_n)$$

to work out the whole transformation!

Matrices redux

If $T: \mathbb{R}^n \to \mathbb{R}^m$ then

$$T(e_1), T(e_2), \ldots, T(e_n)$$

are in \mathbb{R}^m . And so the transformation is completely determined by $n \times m$ scalars...

Matrices redux

Definition

The matrix [T] of a linear transformation T is the matrix that has columns given by the images of the standard basis vectors:

$$[T] = [T(e_1) \quad T(e_2) \quad \dots \quad T(e_n)]$$

(It turns out that the definition of matrix product is forced on us after this choice if we want it to match the composition of functions.)

Example

Find

$$T\begin{bmatrix} -7\\3\\-9 \end{bmatrix}$$

if T is linear and

$$T\begin{bmatrix} 1\\3\\1 \end{bmatrix} = \begin{bmatrix} 4\\4\\0\\-2 \end{bmatrix} \text{ and } T\begin{bmatrix} 4\\0\\5 \end{bmatrix} = \begin{bmatrix} 4\\5\\-1\\5 \end{bmatrix}$$

Find

$$T\begin{bmatrix} 1\\3\\-2\\-4 \end{bmatrix}$$

if T is linear and

$$T\begin{bmatrix} 1\\1\\0\\-2 \end{bmatrix} = \begin{bmatrix} 2\\3\\-1 \end{bmatrix} \text{ and } T\begin{bmatrix} 0\\-1\\1\\1 \end{bmatrix} = \begin{bmatrix} 5\\0\\1 \end{bmatrix}$$

Example

Find the matrix of the linear transformation

$$T\left[\begin{array}{c} x \\ y \end{array}\right] = \left[\begin{array}{c} x + 2y \\ x - y \end{array}\right]$$

Example

Find the matrix of the linear transformation satisfying

$$T\begin{bmatrix}1\\1\end{bmatrix}=\begin{bmatrix}1\\2\end{bmatrix}$$
 and $T\begin{bmatrix}0\\-1\end{bmatrix}=\begin{bmatrix}3\\2\end{bmatrix}$

Example

For the following linear transformations S and T what is $S \circ T$, $T \circ S$ and what are the corresponding matrices?

$$S\begin{bmatrix} x \\ y \end{bmatrix} = \begin{bmatrix} x \\ -y \end{bmatrix} \text{ and } T\begin{bmatrix} x \\ y \end{bmatrix} = \begin{bmatrix} -y \\ x \end{bmatrix}$$

Example

What is the inverse transformation and corresponding matrix for

$$T\left[\begin{array}{c} x \\ y \end{array}\right] = \left[\begin{array}{c} x+y \\ y \end{array}\right]$$

Example

What is the matrix of the linear transformation for counter-clockwise rotation about the origin by an angle of θ ?

Example

What is the matrix of the linear transformation for reflection in the x-axis?

Example

What is the matrix of the linear transformation that is $v \times (-)$ for some vector $v \in \mathbb{R}^3$?

Example

What is the matrix of the linear transformation for reflection in the line y = mx?

Example

What is the matrix of the linear transformation consisting of first reflects in the x-axis and then rotates through an angle of $\frac{\pi}{2}$?

Example

Find the rotation or reflection that equals reflection in the line y = -x followed by reflection in the y-axis.

Summary of linear transformations

- Recall interpretation of matrix action on a vector
- Definition of linear transformation; examples and non-examples
- The matrix of a linear transformation; completely determined by action on basis
- ► Linear transformation preserves 0, and linear combinations
- Composition of functions, linear transformation and relationship to matrices.
- ▶ Inverse functions and relationship to inverse matrices.
- ▶ Determinant of rotation and reflection. Composite of rotations/reflections with rotations/reflections