

| | | | | | | | | | |
|--|---|--|--------------------|--|--------------------|------------------------------------|------------------|------------------------------|-------------------------------|
| | | | | | | | | | |
| | Committed Backlog Items | | Tasks | | | | | | |
| | | | Not Started | | In Progress | | Completed | | |
| | PBI-MultipleFiles | | | | | | | | |
| | As an election official I want to be able to bring in files from different balloting locations So that I can run an election with mutiple balloting locations Acceptance Criteria: Multiple files can be read for all election types; The elections are fair; The format of the files are .csv. Definition of Done: Unit testing passes all cases for all election types; System Testing passes all cases for all election types; Regression Testing passes; Tests are documented; Code is documented. Effort: Medium - 4 to 5 hours PBI Author(s): Josh Trimble | | | | | | | | |
| | | | | | | | | Josh design - 30 min | |
| | | | | | Mo analyze - 15min | Caden: user documentation - 15 min | | Josh code - 2 hours | |
| | | | | | | Roman regression testing - 15 min | | Caden: unit testing - 1 hour | Roman system testing - 1 hour |
| | | | | | | | | | |
| | | | | | | | | | |
| | PBI-IRVHalfFilledBallot | | | | | | | | |

| | | | | | | | |
|--|--|--|--|---|--|--|----------------------------------|
| <p>As an election official I want to be able to invalidate ballots so invalid ballots will not be counted in the election.</p> <p>Acceptance Criteria: Invalidated ballots must be removed from the election when the software is run; A file must be created that stores the invalidated ballots for audit purposes; The name of the file should be invalidated_dateofelection.xxx; Election must be fair for all candidates; .5 or more candidates must be selected for the election;</p> <p>Definition of Done: Unit testing and system testing pass for the requirement; Regression testing passes; Changes to the code and test cases are documented; Code is deployed to test environment.</p> <p>Effort: Medium 4 to 5 hours</p> <p>PBI Author(s): Myat Mo</p> | | | | | | | |
| | | | | Mo code - 30 min | Caden: user documentation - 10 min | | Mo design - 1 hour |
| | | | | Mo unit testing - 1 hours | Josh analyze - 10 min | | Caden system testing - 1 hour |
| | | | | Caden: regression testing - 20 min | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| PBI-PO.CSV | | | | | | | |

| | | | | | | | | |
|--|--|-------------------------------|---------------------------------------|--|--|--|--|--|
| <p>As an election official. I want to be able to send popularity-only ballots to be processed in my voting software.</p> <p>Acceptance Criteria: Ballot information must be organized into a single CSV file of the following format: First line contains only "PO" for Popularity Only, Second line contains the Number of Candidates, Third line lists the candidates and their party with name and party separated by commas, The fourth line contains the number of ballots.</p> <p>Definition of Done: Unit testing passes all cases for all election types; System Testing passes all cases for all election types; Regression Testing passes; Tests are documented; Code is documented.</p> <p>Effort: Medium 5 to 6 hours</p> <p>PBI Author(s): Roman Woolery</p> | | | | | | | | |
| | | design for load file - 30 min | regression testing - 10 min | | | | | |
| | | design for PO class - 30 min | user documentation load file - 15 min | | | | | |
| | | loadfile code - 1 hour | user documentation PO class - 15 min | | | | | |
| | | PO class code - 1 hour | analyze load file - 15 min | | | | | |
| | | system testing - 1 hour | analyze PO class - 15 min | | | | | |
| | | | unit test loadfile - 30 min | | | | | |
| | | | unit test PO class - 30 min | | | | | |