

---

---

# CS 301

## High-Performance Computing

---

---

### Lab 2: Problem B2

Vivek Godhasara (202001451)  
Harsh Makwana (202001264)

February 8, 2023

# Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
1.1	Brief description of the problem. . . . .	3
1.2	The complexity of the algorithm (serial). . . . .	3
<b>2</b>	<b>Hardware Details</b>	<b>3</b>
2.1	Hardware Details of LAB207 Computer . . . . .	3
2.2	Hardware Details of Cluster . . . . .	3
<b>3</b>	<b>PART 1: LAB207 Computer</b>	<b>4</b>
3.1	Profiling information . . . . .	4
3.2	Graph . . . . .	4
<b>4</b>	<b>PART 2: Cluster</b>	<b>5</b>
4.1	Profiling information . . . . .	5
4.2	Graph . . . . .	5

# 1 Introduction

## 1.1 Brief description of the problem.

**Problem B-2** -> Multiplication of Two vectors followed by summation.  $[A(i)*B(i)] + [A(i)+B(i)]$ .

In this problem, We have been given two Arrays and we have been told that we have to do an operation that is described by the upper equation. The array is the length of 'N' and we will store it in new Array C.

Now our goal is to write an optimal algorithm for calculating the upper problem so that we can get optimal use of our processor.

## 1.2 The complexity of the algorithm (serial).

As you can see in the uploaded code, In this algorithm we are using a simple for loop which is running from 0 to N. which is taking i'th value from arrays A and B and calculating i'th value of array C. Where N is the total iteration for finding the value of pi.

So The time complexity of the algorithm is:  $O(N)$   
and The space complexity of the algorithm is:  $O(N)$

# 2 Hardware Details

## 2.1 Hardware Details of LAB207 Computer

- CPU - 4
- Socket - 1
- Cores per Socket - 4
- Size of L1 cache - 64KB
- Size of L2 cache - 256KB
- Size of L3 cache - 6MB

## 2.2 Hardware Details of Cluster

- CPU - 16
- Socket - 2
- Cores per Socket - 8
- Size of L1 cache - 64KB
- Size of L2 cache - 256KB
- Size of L3 cache - 20MB

### 3 PART 1: LAB207 Computer

#### 3.1 Profiling information

Here we have described the profiling information of the Lab207 Computer.

Call graph (explanation follows)

granularity: each sample hit covers 2 byte(s) for 1.51% of 0.66 seconds

index	% time	self	children	called	name
					<spontaneous>
[1]	100.0	0.66	0.00		main [1]
		0.00	0.00	2/2	diff [2]
-----					
		0.00	0.00	2/2	main [1]
[2]	0.0	0.00	0.00	2	diff [2]
-----					

Figure 1: Profiling information - PC

#### 3.2 Graph

Below we have depicted the Mean execution time vs problem size for Lab207 Computer.




Figure 2: Algorithm time vs problem size - PC




Figure 3: End-to-end execution time vs problem size - PC

## 4 PART 2: Cluster

### 4.1 Profiling information

Here we have described the profiling information of the Cluster.




Figure 4: Profiling information - Cluster

### 4.2 Graph

Below we have depicted the Mean execution time vs problem size for Cluster.




Figure 5: Algorithm time vs problem size - Cluster




Figure 6: End-to-end execution time vs problem size - Cluster