| Reporting Period 2021 Q4 Oct - Dec 2021 | | | | | | |
|---|----------|------------|------------------------|------------------------|-------------------------|----------|
| Dedicated Interface | | | | | | |
| Dedicated interface | | | | | | |
| Availability Statistics | | | | | | |
| Date | % Uptime | % Downtime | Average in ms for AISP | Average in ms for PISP | Average in ms for CBPII | % errors |
| 1 | 100.00% | 0.00% | 125.625 | 93.193 | - | 0.00% |
| 2 | 100.00% | 0.00% | 121.969 | 87.354 | - | 0.00% |
| 3 | 100.00% | 0.00% | 121.132 | 85.832 | - | 0.00% |
| 4 | 100.00% | 0.00% | 134.36 | 98.558 | - | 0.00% |
| 5 | 99.99% | 0.01% | 139.615 | 91.609 | - | 0.01% |
| 6 | 99.99% | 0.01% | 132.089 | 87.818 | - | 0.00% |
| 7 | 100.00% | 0.00% | 132.188 | 89.349 | - | 0.00% |
| 8 | 100.00% | 0.00% | 136.003 | 89.459 | - | 0.00% |
| 9 | 100.00% | 0.00% | 133.603 | 89.429 | - | 0.00% |
| 10 | 100.00% | 0.00% | 132.185 | 84.063 | - | 0.00% |
| 11 | 100.00% | 0.00% | 139.32 | 96.4 | - | 0.00% |
| 12 | 100.00% | 0.00% | 143.494 | 93.723 | - | 0.00% |
| 13 | 99.97% | 0.03% | 164.229 | 91.686 | - | 0.01% |
| 14 | 100.00% | 0.00% | 144.285 | 90.098 | - | 0.00% |
| 15 | 100.00% | 0.00% | 135.032 | 86.158 | - | 0.00% |
| 16 | 100.00% | 0.00% | 135.102 | 86.387 | - | 0.00% |
| 17 | 100.00% | 0.00% | 135.086 | 88.603 | - | 0.00% |
| 18 | 100.00% | 0.00% | 136.09 | 90.313 | - | 0.00% |
| 19 | 99.99% | 0.01% | 130.78 | 94.362 | - | 0.00% |
| 20 | 99.98% | 0.02% | 144.866 | 95.989 | - | 0.01% |
| 21 | 100.00% | 0.00% | 180.122 | 91.031 | - | 0.00% |
| 22 | 99.99% | 0.01% | 224.013 | 91.632 | - | 0.00% |
| 23 | 99.98% | 0.02% | 130.843 | 93.827 | - | 0.01% |
| 24 | 99.99% | 0.01% | 129.835 | 87.994 | - | 0.00% |
| 25 | 99.99% | 0.01% | 128.671 | 95.329 | - | 0.00% |
| 26 | 99.96% | 0.04% | 128.449 | 94.458 | - | 0.02% |

| 27 | 99.99% | 0.01% | 137.123 | 90.968 | - 0.01% |
|----|---------|-------|---------|--------|---------|
| 28 | 100.00% | 0.00% | 131.769 | 90.47 | - 0.00% |
| 29 | 100.00% | 0.00% | 136.119 | 87.934 | - 0.00% |
| 30 | 100.00% | 0.00% | 127.812 | 84.06 | - 0.00% |
| 31 | 100.00% | 0.00% | 128.898 | 84.591 | - 0.00% |
| 32 | 100.00% | 0.00% | 139.983 | 92.537 | - 0.00% |
| 33 | 100.00% | 0.00% | 129.679 | 95.498 | - 0.00% |
| 34 | 99.98% | 0.02% | 129.174 | 91.743 | - 0.01% |
| 35 | 99.98% | 0.02% | 132.183 | 91.391 | - 0.01% |
| 36 | 99.96% | 0.04% | 138.329 | 94.836 | - 0.01% |
| 37 | 100.00% | 0.00% | 131.104 | 89.829 | - 0.00% |
| 38 | 100.00% | 0.00% | 127.819 | 90.507 | - 0.00% |
| 39 | 98.37% | 1.63% | 334.549 | 98.533 | - 0.56% |
| 40 | 99.99% | 0.01% | 133.469 | 93.92 | - 0.00% |
| 41 | 99.07% | 0.93% | 183.974 | 93.014 | - 0.29% |
| 42 | 99.99% | 0.01% | 113.805 | 78.805 | - 0.01% |
| 43 | 98.67% | 1.33% | 84.407 | 85.21 | - 0.31% |
| 44 | 97.79% | 2.21% | 58.752 | 81.026 | - 0.42% |
| 45 | 98.39% | 1.61% | 59.58 | 78.067 | - 0.39% |
| 46 | 97.49% | 2.51% | 58.024 | 84.607 | - 0.56% |
| 47 | 97.52% | 2.48% | 56.205 | 89.642 | - 0.67% |
| 48 | 97.88% | 2.12% | 58.163 | 87.078 | - 0.41% |
| 49 | 97.24% | 2.76% | 58.472 | 83.433 | - 0.58% |
| 50 | 98.70% | 1.30% | 58.148 | 82.05 | - 0.28% |
| 51 | 97.84% | 2.16% | 57.374 | 78.582 | - 0.53% |
| 52 | 97.22% | 2.78% | 56.316 | 78.788 | - 0.67% |
| 53 | 96.07% | 3.93% | 60.183 | 87.655 | - 0.87% |
| 54 | 96.99% | 3.01% | 57.538 | 86.598 | - 0.54% |
| 55 | 96.98% | 3.02% | 60.101 | 86.62 | - 0.52% |
| 56 | 96.89% | 3.11% | 59.537 | 90.175 | - 0.52% |
| 57 | 98.03% | 1.97% | 58.975 | 93.01 | - 0.42% |
| 58 | 98.37% | 1.63% | 57.163 | 82.72 | - 0.35% |

| 59 | 97.89% | 2.11% | 57.364 | 79.275 | - 0.46% |
|----|---------|-------|--------|---------|---------|
| 60 | 96.26% | 3.74% | 59.683 | 95.583 | - 0.71% |
| 61 | 97.18% | 2.82% | 59.262 | 91.277 | - 0.60% |
| 62 | 98.37% | 1.63% | 61.297 | 93.737 | - 0.36% |
| 63 | 98.03% | 1.97% | 61.942 | 95.212 | - 0.41% |
| 64 | 97.27% | 2.73% | 60.565 | 82.761 | - 0.53% |
| 65 | 97.37% | 2.63% | 59.472 | 76.639 | - 0.61% |
| 66 | 98.44% | 1.56% | 59.255 | 78.951 | - 0.32% |
| 67 | 98.42% | 1.58% | 63.12 | 90.246 | - 0.34% |
| 68 | 98.29% | 1.71% | 61.167 | 91.517 | - 0.36% |
| 69 | 97.89% | 2.11% | 59.153 | 91.71 | - 0.45% |
| 70 | 97.03% | 2.97% | 59.523 | 84.244 | - 0.69% |
| 71 | 97.51% | 2.49% | 59.639 | 85.968 | - 0.53% |
| 72 | 97.11% | 2.89% | 59.661 | 86.016 | - 0.73% |
| 73 | 98.99% | 1.01% | 60.625 | 87.272 | - 0.32% |
| 74 | 97.90% | 2.10% | 65.173 | 93.607 | - 0.49% |
| 75 | 99.41% | 0.59% | 57.172 | 94.554 | - 0.23% |
| 76 | 98.06% | 1.94% | 57.786 | 90.488 | - 0.44% |
| 77 | 98.47% | 1.53% | 59.402 | 88.68 | - 0.42% |
| 78 | 98.52% | 1.48% | 57.696 | 99.14 | - 0.39% |
| 79 | 99.99% | 0.01% | 59.075 | 88.221 | - 0.00% |
| 80 | 100.00% | 0.00% | 57.176 | 88.685 | - 0.00% |
| 81 | 100.00% | 0.00% | 58.986 | 106.741 | - 0.01% |
| 82 | 100.00% | 0.00% | 58.117 | 93.944 | - 0.00% |
| 83 | 99.99% | 0.01% | 58.725 | 96.547 | - 0.00% |
| 84 | 99.99% | 0.01% | 58.015 | 92.8 | - 0.01% |
| 85 | 99.99% | 0.01% | 57.265 | 89.759 | - 0.00% |
| 86 | 99.99% | 0.01% | 57.394 | 86.84 | - 0.00% |
| 87 | 99.99% | 0.01% | 57.817 | 87.585 | - 0.00% |
| 88 | 99.99% | 0.01% | 57.932 | 92.739 | - 0.00% |
| 89 | 99.98% | 0.02% | 58.423 | 91.942 | - 0.01% |
| 90 | 99.98% | 0.02% | 55.866 | 94.859 | - 0.01% |

| 91 | 99.99% | 0.01% | 57.021 | 95.949 | - | 0.00% |
|-------------------------|---------|------------|---------------|--------|---|-------|
| | | | | | | |
| | | | | | | |
| PSU Interface | | | | | | |
| Availability Statistics | | | | | | |
| Date | | % Downtime | Average in ms | | | |
| 1 | | 0.00% | 104.371 | | | |
| 2 | | 0.00% | 100.36 | | | |
| 3 | | 0.00% | 97.556 | | | |
| 4 | 100.00% | 0.00% | 104.512 | | | |
| 5 | | 0.00% | 106.855 | | | |
| 6 | | 0.00% | 105.744 | | | |
| 7 | 100.00% | 0.00% | 104.793 | | | |
| 8 | 100.00% | 0.00% | 108.059 | | | |
| 9 | 100.00% | 0.00% | 103.587 | | | |
| 10 | | 0.00% | 101.004 | | | |
| 11 | | 0.00% | 108.797 | | | |
| 12 | | 0.00% | 107.692 | | | |
| 13 | 100.00% | 0.00% | 107.541 | | | |
| 14 | 100.00% | 0.00% | 108.442 | | | |
| 15 | 98.46% | 1.54% | 110.605 | | | |
| 16 | 100.00% | 0.00% | 108.58 | | | |
| 17 | 100.00% | 0.00% | 107.842 | | | |
| 18 | 100.00% | 0.00% | 109.868 | | | |
| 19 | 100.00% | 0.00% | 107.088 | | | |
| 20 | 100.00% | 0.00% | 106.46 | | | |
| 21 | 100.00% | 0.00% | 102.57 | | | |
| 22 | 100.00% | 0.00% | 105.273 | | | |
| 23 | 100.00% | 0.00% | 102.924 | | | |
| 24 | 100.00% | 0.00% | 103.995 | | | |
| 25 | 100.00% | 0.00% | 105.601 | | | |
| 26 | 100.00% | 0.00% | 106.053 | | | |

| 27 | 100.00% | 0.00% | 107.489 | |
|----|---------|-------|---------|--|
| 28 | 100.00% | 0.00% | 109.287 | |
| 29 | 100.00% | 0.00% | 112.447 | |
| 30 | 100.00% | 0.00% | 109.639 | |
| 31 | 100.00% | 0.00% | 108.973 | |
| 32 | 100.00% | 0.00% | 117.549 | |
| 33 | 100.00% | 0.00% | 109.622 | |
| 34 | 100.00% | 0.00% | 110.815 | |
| 35 | 100.00% | 0.00% | 110.524 | |
| 36 | 99.48% | 0.52% | 111.622 | |
| 37 | 100.00% | 0.00% | 105.555 | |
| 38 | 100.00% | 0.00% | 104.076 | |
| 39 | 100.00% | 0.00% | 111.832 | |
| 40 | 100.00% | 0.00% | 111.041 | |
| 41 | 100.00% | 0.00% | 106.832 | |
| 42 | 100.00% | 0.00% | 102.441 | |
| 43 | 100.00% | 0.00% | 101.926 | |
| 44 | 100.00% | 0.00% | 102.316 | |
| 45 | 100.00% | 0.00% | 101.602 | |
| 46 | 100.00% | 0.00% | 102.809 | |
| 47 | 100.00% | 0.00% | 100.429 | |
| 48 | 100.00% | 0.00% | 101.1 | |
| 49 | 100.00% | 0.00% | 99.274 | |
| 50 | 100.00% | 0.00% | 99.704 | |
| 51 | 100.00% | 0.00% | 97.734 | |
| 52 | 100.00% | 0.00% | 96.961 | |
| 53 | 100.00% | 0.00% | 98.106 | |
| 54 | 100.00% | 0.00% | 94.417 | |
| 55 | 100.00% | 0.00% | 90.749 | |
| 56 | 100.00% | 0.00% | 91.578 | |
| 57 | 100.00% | 0.00% | 95.083 | |
| 58 | 100.00% | 0.00% | 90.473 | |
| | | | | |

| 59 | 100.00% | 0.00% | 89.687 | | |
|----|---------|-------|---------|--|--|
| 60 | 100.00% | 0.00% | 95.856 | | |
| 61 | 99.48% | 0.52% | 98.385 | | |
| 62 | 100.00% | 0.00% | 99.758 | | |
| 63 | 100.00% | 0.00% | 99.173 | | |
| 64 | 100.00% | 0.00% | 97.199 | | |
| 65 | 100.00% | 0.00% | 94.437 | | |
| 66 | 100.00% | 0.00% | 94.76 | | |
| 67 | 100.00% | 0.00% | 97.971 | | |
| 68 | 100.00% | 0.00% | 96.592 | | |
| 69 | 100.00% | 0.00% | 93.515 | | |
| 70 | 100.00% | 0.00% | 92.722 | | |
| 71 | 100.00% | 0.00% | 95.152 | | |
| 72 | 100.00% | 0.00% | 97.283 | | |
| 73 | 100.00% | 0.00% | 96.328 | | |
| 74 | 100.00% | 0.00% | 99.627 | | |
| 75 | 100.00% | 0.00% | 98.413 | | |
| 76 | 100.00% | 0.00% | 98.59 | | |
| 77 | 100.00% | 0.00% | 90.86 | | |
| 78 | 100.00% | 0.00% | 93.766 | | |
| 79 | 100.00% | 0.00% | 96.945 | | |
| 80 | 100.00% | 0.00% | 96.681 | | |
| 81 | 100.00% | 0.00% | 100.088 | | |
| 82 | 100.00% | 0.00% | 99.06 | | |
| 83 | 100.00% | 0.00% | 98.889 | | |
| 84 | 100.00% | 0.00% | 97.682 | | |
| 85 | 100.00% | 0.00% | 96.148 | | |
| 86 | 100.00% | 0.00% | 94.493 | | |
| 87 | 100.00% | 0.00% | 94.772 | | |
| 88 | 100.00% | 0.00% | 97.548 | | |
| 89 | 100.00% | 0.00% | 98.622 | | |
| 90 | 100.00% | 0.00% | 97 | | |
| | | | | | |

| 91 | 100.00% | 0.00% | 96.616 | | |
|----|---------|-------|--------|--|--|
| 92 | 100.00% | 0.00% | 95.326 | | |