



Database Best Practices

Project Astra

Ben Cammett, Erika Barcott
November 11, 2020

This PDF was generated from <https://docs.netapp.com/us-en/project-astra/solutions/database-best-practices.html> on November 17, 2020. Always check docs.netapp.com for the latest.

Table of Contents

- Database Best Practices 1
 - Avoid a Single Point of Failure 1
 - Check Your Persistent Volume Allocation and Size 1
 - Set a Reclaim Policy 1

Database Best Practices

The following suggestions are considered "best practices" for deploying a database on Kubernetes, regardless of which database system you choose to deploy. These tips can help you plan ahead to avoid the most common causes of data loss.

Avoid a Single Point of Failure



The Astra alpha release only supports a single database instance.

If there's one thing you can count on, it's unexpected failures. We recommend the following steps to help limit the scope of a failure.

- Use live replicas that automatically share changes.
- Create and implement a backup strategy.
- Put your data copies in different zones. Ideally, in different geographic zones, not just different availability zones.



Use the [Kubernetes affinity/anti-affinity feature](#) to lock your data copies to the zones you set up. This ensures your data copies stay where you want them to be.

Check Your Persistent Volume Allocation and Size

After you provision a cluster, it's important to verify that your Persistent Volume (PV) has been correctly allocated.

In some cases, a PV can silently fail to be allocated. If this happens, everything can seem fine right up until the pod fails – at which point you lose all your data.

We also recommend you check your pods to verify that the file system mount points match the persistent volume size.



To help ensure success, use a [Kubernetes operator](#) designed for your database system. Use this operator to allocate and manage your cluster's storage.

Set a Reclaim Policy

To protect your data against accidental deletion, set "Retain" as the [reclaim policy](#) for your PV.

"Delete" is the default reclaim policy. This means if you accidentally delete the Persistent Volume Claim (PVC), the corresponding PV is automatically deleted, along with all the data stored there.

If you set "Retain" as the reclaim policy, the PV is not deleted if the PVC is deleted. Instead, the PV is

moved to the **Released** phase, which lets you manually recover all of its data.

You may also want to add tags to your PVs. This makes the PVs easier to find and reattach if you have to recreate the cluster.

Copyright Information

Copyright © 2020 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.