

## INITIAL VISIT PACKET NACC UNIFORM DATA SET (UDS)

## Form B5: BEHAVIORAL ASSESSMENT Neuropsychiatric Inventory Questionnaire (NPI-Q1)

INSTRUCTIONS: This form is to be completed by the clinician or other trained health professional based on co-participant interview, as described by the training video. (This is not to be completed by the subject as a paper-and-pencil self-report.) For information on NPI-Q Interviewer Certification, see UDS Coding Guidebook for Initial Visit Packet, Form B5. Check only one box for each category of response.												
CORRECTED INSTRUCTIONS: Please answer the following questions based on changes that have occurred since the patient first began to experience memory (i.e., cognitive) problems. Select 1=Yes only if the symptom(s) has been present in the last month. Otherwise, select 0=No. (NOTE: for the UDS, please administer the NPI-Q to all subjects.)												
For each item marked <b>1=Yes</b> , rate the SEVERITY of the symptom (how it affects the patient):  1= <b>Mild</b> (noticeable, but not a significant change) 2= <b>Moderate</b> (significant, but not a dramatic change) 3= <b>Severe</b> (very marked or prominent; a dramatic change)												
1. NPI CO-PARTICIPANT: 1 Spouse 2 Child 3 Other (SPECIFY):	_						SI					
<ol> <li>Delusions — Does the patient have false beliefs, such as thinking that others are stealing from him/her or planning to harm him/her in some way?</li> </ol>	2a.	Yes 1	<b>No</b> □ 0	Unknown  9		2b.	Mild	Mod	Severe 3	Unknown  9		
3. <b>Hallucinations</b> — Does the patient have hallucinations such as false visions or voices? Does he or she seem to hear or see things that are not present?	За.		О	<u> </u>		3b.	□ 1	☐ 2	□ 3	9		
4. <b>Agitation/aggression</b> — Is the patient resistive to help from others at times, or hard to handle?	4a.		О	□ 9		4b.	□ 1	☐ 2	Пз	<u> </u>		
<ol><li>Depression/dysphoria — Does the patient seem sad or say that he/she is depressed?</li></ol>	5a.		□ o	<u> </u>		5b.		☐ 2	□ 3	9		

Subject ID: \_\_ \_ \_ \_ \_ Examiner's initials: \_\_ \_ \_ \_ Visit #: \_\_ \_ \_ Examiner's initials: \_\_ \_ \_

<sup>&</sup>lt;sup>1</sup>Copyright© Jeffrey L. Cummings, MD. Reproduced by permission.

 Subject ID:
 \_\_\_\_\_\_
 \_\_\_\_\_\_
 \_\_\_\_\_\_
 \_\_\_\_\_\_
 \_\_\_\_\_\_
 \_\_\_\_\_\_\_
 Visit #: \_\_\_\_\_\_

**CORRECTED INSTRUCTIONS:** Please answer the following questions based on <u>changes</u> that have occurred since the patient first began to experience memory (i.e., cognitive) problems. **Select 1=Yes** <u>only</u> if the symptom(s) has been present <u>in the last month</u>. **Otherwise**, select **0=No**. (*NOTE:* for the UDS, please administer the *NPI-Q* to all subjects.)

For each item marked **1=Yes**, rate the SEVERITY of the symptom (how it affects the patient):

1=**Mild** (noticeable, but not a significant change) 2=**Moderate** (significant, but not a dramatic change) 3=**Severe** (very marked or prominent; a dramatic change)

								SEVERITY			
			Yes	No	Unknown			Mild	Mod	Severe	Unknown
6.	<b>Anxiety</b> — Does the patient become upset when separated from you? Does he/she have any other signs of nervousness such as shortness of breath, sighing, being unable to relax, or feeling excessively tense?	6a.		□ o	9		6b.	□ 1	2	□ 3	9
7.		7a.	□ 1	О	<u> </u>		7b.	□ 1	☐ 2	□ 3	<u> </u>
8.	<b>Apathy/ indifference</b> — Does the patient seem less interested in his/her usual activities or in the activities and plans of others?	8a.		О	9		8b.	□ 1	2	□ 3	9
9.	<b>Disinhibition</b> — Does the patient seem to act impulsively, for example, talking to strangers as if he/she knows them, or saying things that may hurt people's feelings?	9a.	□ 1	О	<u> </u>		9b.	□ 1	☐ 2	□ 3	9
10.		10a.	□ 1	□ o	9		10b.	□ 1	□ 2	□ 3	<u> </u>
11.		11a.	□ 1	О	<u> </u>		11b.	□ 1	☐ 2	□ 3	☐ 9
12.		12a.	□ 1	□ o	<u> </u>		12b.	□ 1	☐ 2	□ 3	<u> </u>
13.	<b>Appetite/eating</b> — Has the patient lost or gained weight, or had a change in the type of food he/she likes?	13a.		О	□ 9		13b.	□ 1	☐ 2	Пз	□ 9