INITIAL VISIT PACKET

UNIFORM DATA SET (UDS) VERSION 4.0



Form B8: EVALUATION FORM - Neurological Examination Findings

| ADRC name: Participant ID: | | Form date: / / / | | | | | |
|---|---|-------------------|----------------|------------------------|-------------------------------------|--------------------------------------|-----------------|
| Visi | Visit #: Examiner's initials: | | | | | | |
| INSTRUCTIONS: This form should be completed by a clinician with experience in performing a comprehensive neurologic examination, assessing the presence/absence of neurological signs, and rating the degree of any abnormalities. Additionally, the clinician should have experience in completing each of the assessment measures associated with the gateway questions if any key neurologic findings are present. For additional clarification and examples, see UDS Coding Guidebook for Initial Visit Packet , Form B8 . Check only one box per question. | | | | | | | |
| Sect | ion 1 – Examiner & Exan | nination Question | ıs | | | | |
| 1. | 1. Which of the following was completed on this participant? □ 0 No neurologic examination (END FORM HERE) □ 1 Comprehensive neurologic examination as suggested in the UDS Coding Guidebook □ 2 Focused or partial neurologic examination performed in-person □ 3 Focused or partial neurologic examination performed via telehealth | | | | | | |
| 2. | Were there abnormal neurological exam findings? □ 0 No abnormal findings (END FORM HERE; If this box is checked, all items will default to 0 = Absent in the database) □ 1 Yes | | | | | | |
| Section 2 - Specific Clinical Findings | | | | | | | |
| Section 2A – Parkinsonian Signs | | | | | | | |
| 3. | 3. O No abnormal signs in this section are present (SKIP TO SECTION 2B; If this box is checked, Q3a through Q3n will default to 0 = Absent in the database) 1 Yes (IF YES - complete questions 3a-3n and consider completing additional measures as described on page 4) 1 Not assessed (SKIP TO SECTION 2B; If this box is checked, Q3a through Q3n will default to 8 = Not Assessed in the database) | | | | | | |
| FIN | DING: | | Absent | Focal or Unilateral | Bilateral & Largely Symmetric | Bilateral & Largely Asymmetric | Not Assessed |
| 3a. | Slowing of fine motor movement | :s | О | □ ₁ | □ 2 | □ 3 | □8 |
| 3b. | Limb tremor at rest | | □ o | □ ₁ | \square_2 | □ 3 | 8 |
| 3c. | Limb tremor - postural | | О | □ ₁ | \square_2 | □ 3 | □8 |
| 3d. | Limb tremor - kinetic | | О | □ ₁ | \square_2 | □ 3 | □8 |
| 3e. | Limb rigidity - arm | | О | □ ₁ | □ 2 | □ 3 | □8 |
| 3f. | Limb rigidity - leg | | □ o | □ ₁ | □ ₂ | □ 3 | 8 |
| 3g. | Limb dystonia - arm | | □ o | □ ₁ | \square_2 | □ 3 | □8 |
| 3h. | Limb dystonia - leg | | □ ₀ | □ ₁ | □ ₂ | □ 3 | □8 |
| 2; | Choroa | | | \Box . | | | |

| Participant ID: Form date: / / Visit #: | | | | 1 / 1 · / |
|---|-----------------|------------|---|-----------|
| | Participant ID: | Form date: | / | Visit #: |

| Section 2 - Specific Clinical Findings continued | | | | | | |
|--|--|-------------------------------------|--------------------------------------|------------------|-----------------------|-----------------|
| Section 2A – Parkinsonian Signs | | | | | | |
| FINDING: | | | | | Present | Not Assessed |
| 3j. | Decrement in amplitude of fine motor movements | | | О | □ 1 | □8 |
| 3k. | Axial rigidity | | | О | □ ₁ | □8 |
| 31. | Postural instability | | | О | □ 1 | □8 |
| 3m. | Facial masking | | | О | □ ₁ | □8 |
| 3n. | Stooped posture | | | □о | □ 1 | □8 |
| Section | on 2B – Cortical/Pyramidal/Other Signs | | | | | |
| 4. | 0 No abnormal signs in this section are present (SKIP TO | SECTION 2C | ; If this box is c | hecked, Q4a thro | ugh Q4q will dei | fault to 0 = |
| | \Box 1 Yes (<i>IF YES</i> – complete questions 4a–4q and consider con | mpleting add | ditional meas | ures as describ | ed on page 4) | |
| | 8 Not assessed (SKIP TO SECTION 2C; If this box is checked, Q | 1a through Q4 | q will default to | 8 = Not Assessed | in the database | ?) |
| FINI | DING: | Bilateral & Largely Symmetric | Bilateral & Largely Asymmetric | Not Assessed | | |
| 4a. | Limb apraxia \square_0 \square_1 | | | | □ ₃ | □8 |
| 4b. | Face or limb findings in UMN distribution* | | | | □ 3 | □8 |
| 4c. | Face or limb findings in an LMN distribution* | | | | □ 3 | □8 |
| 4d. | Visual field cut | | | | \square_3 | □8 |
| 4e. | Limb ataxia | □ 2 | □ 3 | □8 | | |
| 4f. | Myoclonus \square_0 \square_1 | | | | □ 3 | □8 |
| FINE | DING: | Absent | Present | Not Assessed | | |
| 4g. | Unilateral Somatosensory Loss (localized to the brain; disregard sensory changes localized to the spinal cord or peripheral nerves) | | | □0 | □ 1 | □8 |
| 4h. | Aphasia (disregard complaints of mild dysnomia if not viewed as reflecting a clinically significant change) | | | □0 | □ 1 | □8 |
| 4i. | Alien limb phenomenon | | | О | □ 1 | □8 |
| 4j. | Hemispatial neglect | | | □ o | □ 1 | □8 |
| 4k. | Prosopagnosia | | | О | □ 1 | □8 |
| 41. | Simultanagnosia | | | □0 | □1 | □8 |
| 4m. | Optic ataxia | | | О | □ ₁ | □8 |
| 4n. | Apraxia of gaze | | | | | □8 |

| Participa | nt ID: Form date: | / | / | Visit #: | | |
|--|---|--|------------------|----------|----------------|-----------|
| Sect | ion 2 – Specific Clinical Findings | | | | | continued |
| | on 2B – Cortical/Pyramidal/Other Signs | | | | | |
| | DING: | | | Absort | Durant | Not |
| | Vertical +/- horizontal gaze palsy** | | | Absent 0 | Present | Assessed |
| 4p. | Dysarthria* | | | По | □ ₁ | □8 |
| 4q. | Apraxia of speech | | | □о | □ 1 | □8 |
| LMN fii could b | *UMN findings could include weakness in a pyradmidal pattern, hyper-reflexia, Babinski or Hoffman sign present, or spasticity; LMN findings could include weakness due to neuromuscular dysfunction, muscle wasting/atrophy, or fasciculations. These findings could be consistent with a cerebrovascular insult or with a degenerative disorder such as ALS, PLS, SMA, PSP, CBS, etc. **Do not mark Present if only reduction of upgaze is present. | | | | | |
| Section | on 2C – Gait | | | | | |
| 5. | 5. | | | | | |
| 5a. | Finding (check the most appropriate box): 1 Hemiparetic gait (spastic) 2 Foot drop gait (lower motor neuron) 3 Ataxic gait 4 Apractic magnetic gait 5 Hypokinetic/parkinsonian gait 6 Antalgic gait | | □7 Other (SPECII | FY): | | |
| Section | on 2D – Additional Measures | | | | | |
| There are several additional clinical measures to consider for completion depending on the findings and the suspicion of the clinical syndrome; these include, but are not limited to, the following: a) If there are any features of a movement disorder (e.g., bradykinesia, tremor, rigidity, postural instability, etc.): Consider completing Form B3 UPDRS, or the MDS-UPDRS b) If there are any features of ALS (e.g., upper motor neuron dysfunction and/or lower motor neuron dysfunction): Consider completing the ALSFRS-R c) If there are any features of PSP- Richardson's syndrome (e.g., parkinsonism, postural instability, supranuclear gaze palsy, etc.): Consider completing the PSPRS | | d) If there are any features of corticobasal syndrome (e.g., limb rigidity, limb apraxia, myoclonus, dystonia, corticol sensory loss, alien limb phenomenon, etc.): Consider completing the PSPRS and/or the CBFS e) If there are any features of complex visual processing dysfunction (e.g. hemineglect, visual agnosia, simultanagnosia, string the latest and the continuous and | | | | |
| | | optic ataxia, ocular apraxia, apraxia of eyelid opening, etc.): Consider completing a standardized measure assessing PCA f) If there are any features of aphasia or apraxia of speech (e.g., NIH Stroke Scale, Progressive Aphasia Severity Scale, Western Aphasia Battery, etc.): Consider completing a standardized measure assessing | | | | |
| | | g) If there are clinical and/or imaging findings suggesting a vascular contribution to the clinical presentation: Consider completing NIH Stroke Scale, Hachinski Ischemic Scale, etc. | | | | |

| Participant ID: | Form date: | / / | Visit #: |
|-----------------|------------|-----|----------|
| | | | |

Section 2 - Specific Clinical Findings

continued...

Section 2E – Glossary of Abbreviations

ALS = Amyotrophic Lateral Sclerosis

ALSFRS-R = Amyotrophic Lateral Sclerosis Functional Rating Scale–Revised

CBS = Corticobasal Syndrome

CBFS = Cortical Basal ganglia Functional Scale

LMN = Lower Motor Neuron

MDS-UPDRS = Movement Disorders Society - Unified Parkinson's Disease Rating Scale

PCA = Posterior Cortical Atrophy

PLS = Primary Lateral Sclerosis

PSP = Progressive Supranuclear Palsy

PSPRS = Progressive Supranuclear Palsy Rating Scale

SMA = Spinal Muscular Atrophy

UMN = Upper Motor Neuron

UPDRS = Unified Parkinson's Disease Rating Scale