INITIAL VISIT PACKET UNIFORM DATA SET (UDS) VERSION 4.0



Form A5-D2: Participant Health History / Clinician-assessed Medical Conditions

ADRC:		PTID:	Fe	orm date:	_/	_/	Visit #:	initials:
Language □1 Engli □2 Span	ish	Mode: ☐ 1 In-person ☐ 2 Remote (reason): ☐ 1 Telephone ☐ 2 Video	Key (remote reas	2=Too phy	rsically i ound or	mpaired rnursing home		
and co- included per ques	-part d on stion	DNS : This form is to be completed by to icipant, as well as review of any medic the form. For additional clarification of the sound of the contraction of the sound of the contraction of the sound of the contraction of th	cal records that ar and examples, see	e available. A UDS Codin	ny cor	nditions ident	ified during the v	isit should be
Sectio	on 1	- Cigarette smoking, alcoho	l, and substai	nce use				
Cigare	ette	smoking						
1a.		s the participant smoked <u>more than</u> 1 heir life — (IF NO OR UNKNOWN,SKIP]₀No	□1 Yes	□9 UNK
1b.	Tot	al years smoked (99 = Unknown)					_	
1c.	Ave	erage number of packs smoked per d	2 1/2	igarette to le pack to less to pack to less tl	han 1	pack	☐ 4 1½ packs to☐ 5 2 packs or m☐ 9 Unknown	less than 2 packs nore
1d.	Has	s the participant smoked within the la	st 30 days?			0 No	☐ 1 Yes	☐9 UNK
1e.		ne participant quit smoking, specify t , quit) (888 = N/A, 999 = unknown)	he age at which t	hey last smol	ked			
Alcoh	ol u	se						
1f.	had	he past 12 months, how often has th d a drink containing alcohol? NEVER OR UNKNOWN, SKIP TO QUEST		0 Never 1 Month 2 2-4 tim	-		3 2-3 times a v	
1g.	be\ par	a day when the participant drinks ald verages, how many standard drinks d ticipant typically consume? (Standar ular beer, 5oz of wine, 1.5oz of distilled	oes the d drink: 12oz of	1 1 or 2 2 3 to 4 3 5 to 6			4 7 to 9 5 10 or more 9 Unknown	
1h.		he past 12 months, how often did the ve six or more drinks containing alcoh		0 Never 1 Less th			☐3 Weekly ☐4 Daily or almo ☐9 Unknown	ost daily
Substa	ance	e use						
1i.		s the participant used substances incl more of the following areas: work, dri			onal di	rugs that cau	sed significant im	pairment in one
	1i1.	Within the past 12 months				0 No	☐1 Yes	□9 UNK
	1i2.	Prior to 12 months ago]₀No	☐1 Yes	□9 UNK
1j.		he past 12 months, how often has the sumed cannabis (edibles, smoked, or		0 Never 1 Month 2 2-4 tim			3 2-3 times a v	

NATIONAL ALZHEIMER'S COORDINATING CENTER naccmail@uw.edu naccdata.org

Participant ID:	Form date:	/	/	Visit #:	

In the following sections (pages 2-7) record the presence or absence of a <u>history of these conditions</u>, as determined by the clinician's best judgment following the medical history interview with the participant and co-participant, as well as review of any medical records that are available.

A CONDITION SHOULD BE CONSIDERED ...

Absent: Recent/Active:		Recent/Active:	Remote/	Inactive:	Unknown (UNK)		
year or still requires active management.			It existed or occ the past (more t ago) but was re is no treatment under way.	curred in There is insufficient information available to assessolved or there this condition.			
Section	2 - Cardiovascula	ar disease					
			ABSENT	RECENT/ACTIVE	REMOTE/ INACTIVE	UNKNOWN	
2a.	Heart attack (heart arter	ry blockage) — VN, SKIP TO QUESTION 2b)	О	□ 1	_2	9	
2a	1. More than one hea	rt attack?		□o No	□1 Yes	☐9 UNK	
2a	2. Age at most recent	heart attack (999 = Unknown)					
	Cardiac arrest (heart sto (IF ABSENT OR UNKNOW	opped) — v n, SKIP TO QUESTION 2c)	□ ₀	□ 1	<u></u>	<u> </u>	
2b	Age at most recent	cardiac arrest (999 = Unknown)					
2c. /	Atrial fibrillation		o	<u> </u>	_2	9	
	Coronary artery angiop stenting	lasty / endarterectomy /	О	□ ₁	\square_2	9	
	Coronary artery bypass (IF ABSENT OR UNKNOW	procedure — VN, SKIP TO QUESTION 2f)	О	□ 1	\square_2	9	
2e	1. Age at most recent	surgery (999 = Unknown)					
		orillator implantation — VN, SKIP TO QUESTION 2g)	О	□ 1	□ 2	<u></u> 9	
2f	1. Age at first implant	ation (999 = Unknown)					
2g. (Congestive heart failure	e (including pulmonary edema)	□ ₀	□ 1	\square_2	<u></u> 9	
	Heart valve replacemer (IF ABSENT OR UNKNOW	nt or repair — VN, SKIP TO QUESTION 2i)	О	□ 1	_2	<u></u> 9	
2h	1. Age at most recent	procedure (999 = Unknown)					
2i. (Other cardiovascular di	sease (SPECIFY):	□ ₀	□ 1	2	<u></u> 9	
Section	3 – Cerebrovascu	ılar disease					
			ABSENT	RECENT/ACTIVE	REMOTE/ INACTIVE	UNKNOWN	
	• •	xam (imaging is not required) — VN, SKIP TO QUESTION 3b)	О	<u> </u>	_2	9	
3a	1. More than one stro	ke?		□o No	□1 Yes	☐9 UNK	
3a	2. Age at most recent	stroke (999 = Unknown)					
			NEVER IMPROVED	PARTIALLY IMPROVED	IMPROVED / BACK TO NORMAL	UNKNOWN	
3a	3. What is the status of	of stroke symptoms?	□ ₀	□ ₁	\square_2	□ 9	

Sectio	n 3	- Cerebrovascular disease					continued
3	8a4.	Carotid artery surgery or stenting?			□o No	□1 Yes	□9 UNK
3	a5.	Age at most recent carotid artery surgery or s (999 = Unknown)	stenting				
				ABSENT	RECENT/ACTIVE	REMOTE/ INACTIVE	UNKNOWN
3b.		nsient ischemic attack (TIA) — ABSENT OR UNKNOWN, SKIP TO QUESTION 4a)		□о	□ 1	\square_2	<u></u> 9
3	b1.	Age at most recent TIA (999 = Unknown)					
Sectio	n 4	– Neurologic conditions					
				ABSENT	RECENT/ACTIVE	REMOTE/ INACTIVE	UNKNOWN
4a.		kinson's disease (PD) — ABSENT OR UNKNOWN, SKIP TO QUESTION 4b)		□ ₀	□ 1		<u></u> 9
4	a1.	Age at estimated PD symptom onset (999 = 1	Jnknowr	1)			
4b.		ner parkinsonism disorder (e.g., DLB) — ABSENT OR UNKNOWN, SKIP TO QUESTION 4c)		□ ₀			9
4	b1.	Age at parkinsonism disorder diagnosis (999	= Unkno	own)			
4c.	feb (IF	lepsy and/or history of seizures (excluding chil rile seizures) — REMOTE/INACTIVE, SKIP TO QUESTION 4c2, IF A UNKNOWN, SKIP TO QUESTION 4d)		О	□1	\square_2	<u> </u>
4	lc1.	How many seizures has the participant had in the past 12 months?					
4	lc2.	Age at first seizure (excluding childhood febri (999 = Unknown)	ile seizu	res)			
4d.	Chi	ronic headaches		□ ₀	□1	\square_2	□ 9
4e.	Mu	ltiple sclerosis		\square_0	□ 1	\square_2	<u></u> 9
4f.	No	rmal–pressure hydrocephalus		□ ₀		\square_2	<u></u> 9
4g.	vio	petitive head impacts (e.g. from contact sports lence, or military duty), regardless of whether i NO OR UNKNOWN, SKIP TO QUESTION 4h)		•	□o No	□1 Yes	☐9 UNK
4	g1.	Indicate the source(s) of exposure for repeated hits to the head: (Check all that apply)	4g1a. 4g1b. 4g1c. 4g1d. 4g1e. 4g1f. 4g1g. 4g1h. 4g1i.	1 Other con	mixed martial arts tact sport artner violence rvice sault		
4	g2.	Indicate the total length of time in years that exposed to repeated hits to the head (e.g. playing American football for 7 years) (99)	the part 99 = Unk				

____ Form date: ____ / ___ / ___ / ___ __ Visit #: _

Participant ID: ____

Section	4 – Neurologic conditions				continued			
4h. H properties the properties th								
4h1	. After a head injury, what was the longest period of time that the participant was unconscious?	0 Less than 5 minute 1 5 minutes to less th 2 30 minutes to less 1 3 1 day to less than 7	nan 30 minutes E than 24 hours	4 7 days or more 8 Not applicable consciousness 9 Unknown dura	, no loss of			
4h2	After a head injury, what was the longest period that the participant was "dazed or confused" or unable to recall details of the injury?	0 Less than 5 minute 1 5 minutes to less th 2 30 minutes to less 3 1 day to less than 7	nan 30 minutes Ethan 24 hours	4 7 days or more 8 Not applicable and confused 9 Unknown dura	, never dazed			
4h3	Total number of head injuries in which the participant felt "dazed or confused", unable to recall details of the injury or experienced loss of consciousness?	□ 0 None □ 1 1-2 □ 2 3-5] [3 6-12 4 13 or more 9 Unknown				
4h4	h4. Age of <u>first</u> head injury that resulted in a period of feeling "dazed or confused," being unable to recall details of the injury, or loss of consciousness: (999 = Unknown)							
4h5	4h5. Age of most recent head injury that resulted in a period of feeling "dazed or confused," being unable to recall details of the injury, or loss of consciousness: (999 = Unknown)							
Section	Section 5 – Medical conditions							
If any of th	e conditions still require active management ar	nd/or medications, pleas	se select " Recent /	Active."				
		ABSENT	RECENT/ACTIVE	REMOTE/	UNKNOWN			
	iabetes — F ABSENT OR UNKNOWN, SKIP TO QUESTION 5b)	По	<u></u> 1	2	<u></u> 9			
5a1	. Which type?		tional diabetes, pre	itent autoimmune ediabetes)	diabetes/type			
5a2	. Treated with (Check all that apply)	5a2b.	njection medicati	non-GLP-1 recep	tor activator			
5a3	. Age at diabetes diagnosis (999 = Unknown)							
	ypertension (or taking medication for hypertensi F ABSENT OR UNKNOWN, SKIP TO QUESTION 5c)	on) — 🔲 o		\square_2	<u>9</u>			
5b1	. Age at hypertension diagnosis (999 = Unkno	wn)						
cl	ypercholesterolemia (or taking medication for hi holesterol) — F ABSENT OR UNKNOWN, SKIP TO QUESTION 5d)	gh □o	□ 1	\square_2	9			
5c1	. Age at hypercholesterolemia diagnosis (999	= Unknown)						

____ Form date: ____ / ___ / ___ / ___ ___ Visit #: _

Participant ID:

5e. T	hyroid disease	□ ₀		\square_2	<u></u> 9		
Section	5 – Medical conditions				continued		
		ABSENT	RECENT/ACTIVE	REMOTE/ INACTIVE	UNKNOWN		
	rthritis — IF ABSENT OR UNKNOWN, SKIP TO QUESTION 5g)	□ ₀	<u> </u>	\square_2	9		
5 f 1	Check all that apply)	5f1b.	neumatoid steoarthritis ther (SPECIFY): nknown				
5f2	2. Regions affected (Check all that apply)	5f2b.	oper extremity ower extremity oine oknown				
5g. li	ncontinence — urinary (occurring at least weekly)	□0	□ 1	\square_2	<u></u> 9		
5h. li	ncontinence — bowel (occurring at least weekly)	□ ₀	□ 1	\square_2	9		
	leep apnea — (IF ABSENT, REMOTE/INACTIVE, OR INKNOWN, SKIP TO QUESTION 5j)	О	□1	\square_2	9		
5i1	Typical use of breathing machine (e.g. CPAP) at night over the past 12 months	0 None 1 < 4 hours p 2 > 4 hours p Unknown					
5i2	2. Typical use of an oral device or implanted breathing pacemaker for sleep apnea at night over the past 12 months?	□ 0 None □ 1 < 4 hours per night □ 2 > 4 hours per night □ 9 Unknown					
5j. F	EM sleep behavior disorder (RBD)	□ ₀		\square_2	9		
	lyposomnia/Insomnia (occurring at least weekly or equiring medication)	О	□ 1	□ ₂	9		
51. C	Other sleep disorder (SPECIFY):	□ ₀	□ 1	\square_2	9		
(1	iancer, primary or metastatic — Report all known diagnoses. Exclude non-melanoma skin ancer. IF ABSENT OR UNKNOWN, SKIP TO QUESTION 5n)	По	□ 1	2	<u> </u>		
5m1	Check all that apply)	5m1b.	imary/non-metast etastatic (CHECK A n1b1.	LL THAT APPLY) tatic to brain	er than brain		
5m2	2. Primary site of cancer: (Check all that apply)		east olon				
5m3	3. Type of cancer treatment (Check all that apply)	5m3b.	ndiation urgical Resection nmunotherapy one marrow transp nemotherapy ormone therapy ther (SPECIFY): _	olant			

Participant ID: _____ Form date: ___ / ___ / ___ / ___ __ Visit #: __

Participan	t ID: Form date:	/ /	Vi	sit #:	
	4. Age at most recent cancer diagnosis (999 = Unknown15 - Medical conditions	n)			continued
Jection	13 Medical conditions			DEMOTE!	continued
		ABSENT	RECENT/ACTIVE	REMOTE/ INACTIVE	UNKNOWN
	COVID-19 infection — (IF ABSENT OR UNKNOWN, SKIP TO QUESTION 50)	□ ₀	□ ₁	\square_2	□ 9
	1. Requiring hospitalization?		□o No	□1 Yes	□9 UNK
5o. /	Asthma/COPD/pulmonary disease	□ ₀	□ 1	\square_2	□ 9
-	Chronic kidney disease — (IF ABSENT OR UNKNOWN, SKIP TO QUESTION 5q)	□0	□ 1	\square_2	<u></u> 9
5p	1. Age at diagnosis (999 = Unknown)				
•	Liver disease — (IF ABSENT OR UNKNOWN, SKIP TO QUESTION 5r)	□ ₀	□ 1	<u>2</u>	<u></u> 9
5q	1. Age at diagnosis (999 = Unknown)				
	Peripheral vascular disease — (IF ABSENT OR UNKNOWN, SKIP TO QUESTION 5s)	О	<u> </u>	\square_2	<u></u> 9
5r	1. Age at diagnosis (999 = Unknown)				
	Human Immunodeficiency Virus (HIV) — (IF ABSENT OR UNKNOWN, SKIP TO QUESTION 5t)	О	□ 1	\square_2	<u></u> 9
5s	1. Age at diagnosis (999 = Unknown)				
	Other medical conditions or procedures (SPECIFY):	□0	□ 1	\square_2	<u></u> 9
Section	n 6 – Psychiatric conditions				
	to diagnose a disorder, DSM-5-TR criteria require that s				
occupatio	onal, or other important areas of functioning. For more g	uldance see the C	obs Coding Guide	REMOTE/	DZ.
		ABSENT	RECENT/ACTIVE	INACTIVE	UNKNOWN
	Depressive disorder 1. Major depressive disorder (DSM-5-TR criteria*)	o		\square_2	П9
	Other specified depressive disorder (DSM-5-TR				_
	criteria*)	0	□ ₁	_2	9
6a	 If Recent/Active depressive disorder (Q6a1 or Q6a2), choose if treated or untreated. 	0 Untreated 1 Treated wi	l ith medication and	or counseling	
6b.	Bipolar disorder (DSM-5-TR criteria*)	□ ₀	□ ₁	\square_2	□ 9
	Schizophrenia or other psychosis disorder (DSM-5-TR criteria*)	О	□ 1	<u>2</u>	<u></u> 9
	Anxiety disorder (DSM-5-TR criteria*) (IF ABSENT OR UNKNOWN, SKIP TO QUESTION 6e)	О	□ 1	\square_2	<u> </u>
6d	1. Generalized Anxiety Disorder	□ ₀	□ 1	\square_2	9
6d	2. Panic Disorder	□ ₀	□ ₁	\square_2	<u></u> 9
	3. Obsessive–compulsive disorder (OCD)	□ ₀	1	\square_2	9
6d	4. Other (SPECIFY):	□ ₀	□ 1	\square_2	9

Participa	nt ID	:	Form date:		/ /	Vi	sit #:		
6e.		t-traumatic stress disorder eria*)	(PTSD) (DSM-5-TR		□ ₀			<u></u> 9	
Sectio	n 6	 Psychiatric conditi 	ons					continued	
					ABSENT	RECENT/ACTIVE	REMOTE/ INACTIVE	UNKNOWN	
6f.	spe	velopmental neuropsychia ctrum disorder [ASD], attent order [ADHD], dyslexia)			□o		\square_2	<u></u> 9	
6g.		ner psychiatric disorders ECIFY):			□0	<u> </u>	□ ₂	<u></u> 9	
Sectio	n 7	– Menstrual and rep	roductive healt	th					
If question	ons c	about menstrual and reprod	uctive health are rele	vant to t	his participant, co	ontinue to questior	n 7a. Otherwise, I	END FORM HERE.	
7a.	How old was the participant when they had their first menstrual period? (88 = Never had a menstrual period, 99 = Unknown) (IF NEVER HAD A MENSTRUAL PERIOD, SKIP TO 7d)				nstrual period?				
7b.	How old was the participant when they had their last menstrual period? (88 = Still menstruating, 99 = Unknown) (IF STILL MENSTRUATING, SKIP TO QUESTION 7d)				nstrual period?				
7c.	If the participant has stopped having menstrual periods, please indicate the reason. (Check all that apply) 7c1. 1 Natural menopause 7c2. 1 Hysterectomy (surgic 1 Surgical removal of b 7c3. 1 Surgical removal of b 7c4. 1 Chemotherapy for ca 7c5. 1 Radiation treatment 7c6. 1 Hormonal supplement 7c7. 1 Anti-estrogen medical exemestane (Aromatical Total Chemotherapy for ca 7c5. 1 Hormonal supplement 7c7. 1 Unsure				rectomy (surgica cal removal of bo notherapy for can tion treatment o onal supplemen estrogen medica nestane (Aromasi	oth ovaries ncer or another co r other damage/ir ts (e.g. the Pill, inje tion such as Tamo:	ndition njury to reprodu ections, Mirena, xifen, anostrozo	HRT)	
7d.	(e.g	the participant taken fem . estrogen)? NO OR UNKNOWN, SKIP TO	·	ement p	ills or patches	□o No	□1 Yes	□9 UNK	
7	d1.	How many years in total?	(99 = Unknown)						
7	d2.	Age at first use	(99 = Unknown)						
7	d3.	Age at last use	(88= Still presently	using, 9	9 = Unknown)				
7e.		the participant ever taker				□o No	☐1 Yes	□9 UNK	
7	'e1.	How many years in total?	(99 = Unknown)						
7	e2.	Age at first use	(99 = Unknown)						
7	'e3.	Age at last use	(88= Still presently	using, 99	9 = Unknown)				