# **Module 2 Cheat Sheet - Introduction to Linux Commands**

# **Getting information**

Return your user name:

Return your user and group id:

1. whoami

Copied!

1. 1

1. id

Copied!

Return operating system name, username, and other info:
1. 1
1. uname -a
Copied!
Display reference manual for a command:
1. 1
1. man top
Copied!
List available man pages, including a brief description for each command:
1. 1
1. man -k .
Copied!
Get help on any command (for eg: curl):
1. 1
1. curlhelp
Copied!
This provides a brief overview of the curl command's usage and options.

Return	the	current	date	and	time:

- 1. 1
- 1. date

# Navigating and working with directories

# List files and directories by date, newest to last:

- 1. 1
- 1. ls -lrt

Copied!

## Find files in directory tree that end in .sh:

- 1. 1
- 1. find -name \'\\*.sh\'

Copied!

# Return path to present working directory:

- 1. 1
- 1. pwd

Copied!

## Make a new directory:

- 1. 1
- mkdir new\_folder

Copied!

# Change the current directory:

# Up one level:

- 1. 1
- 1. cd ../

Copied!

# To home:

- 1. 1
- cd ~` or `cd

Co	-:-	ا لـ
L O	nie	nı
$\sim$	$\rho$ i $\sim$	u.

To some other directory: cd path\_to\_directory

# Remove directory verbosely:

- 1. 1
- rmdir temp\_directory -v

Copied!

# Monitoring system performance and status

# List selection of/all running processes and their PIDs:

- 1. 1
- 1. ps

# Copied!

- 1. 1
- 1. ps -e

Copied!

# Display resource usage:

- 1. 1
- 1. top

Copied!

## List mounted file systems and usage:

- 1. 1
- 1. df

Copied!

# Creating, copying, moving, and deleting files:

# Create an empty file or update existing file's timestamp:

- 1. 1
- 1. touch a\_new\_file.txt

Copied!

#### Copy a file:

- 1. 1
  1. cp file.txt new\_path/new\_name.txt
- Copied!

## Change file name or path:

- 1. 1
- 1. mv this\_file.txt that\_path/that\_file.txt

Copied!

# Remove a file verbosely:

- 1. 1
- rm this\_old\_file.txt -v

Copied!

# Working with file permissions

# Change/modify file permissions to 'execute' for all users:

- 1. 1
- 1. chmod +x my\_script.sh

Copied!

# Change/modify file permissions to 'execute' only for you, the current user:

- 1. 1
- 1. chmod u+x my\_file.txt

Copied!

# Remove 'read' permissions from group and other users:

- 1. 1
- 1. chmod go-r

Copied!

# Displaying file and string contents

# Display file contents:

- 1. 1
- 1. cat my\_shell\_script.sh

## Display file contents page-by-page:

- 1. 1
- more ReadMe.txt

# Copied!

# Display first 10 lines of file:

- 1. 1
- 1. head -10 data\_table.csv

# Copied!

# Display last 10 lines of file:

- 1. 1
- 1. tail -10 data\_table.csv

# Copied!

# Display string or variable value:

- 1. 1
- 2. 2
- 1. echo "I am not a robot"
- 2. echo "I am \$USERNAME"

# Copied!

# Basic text wrangling

# Sorting lines and dropping duplicates:

#### Sort and display lines of file alphanumerically:

- 1. 1
- 1. sort text\_file.txt

## Copied!

#### In reverse order:

- 1. 1
- 1. sort -r text\_file.txt

# Copied!

#### Drop consecutive duplicated lines and display result:

- 1. 1
- uniq list\_with\_duplicated\_lines.txt

# Displaying basic stats:

Display the count of lines, words, or characters in a file:

#### Lines:

- 1. 1
- wc -l table\_of\_data.csv

Copied!

#### Words:

- 1. 1
- wc -w my\_essay.txt

Copied!

#### **Characters:**

- 1. 1
- 1. wc -m some\_document.txt

Copied!

# Extracting lines of text containing a pattern:

Some frequently used options for grep:

## **Option**

## **Description**

- -n Print line numbers along with matching lines
- -c Get the count of matching lines
- -i Ignore the case of the text while matching
- -v Print all lines which do not contain the pattern
- -w Match only if the pattern matches whole words

Extract lines containing the word "hello", case insensitive and whole words only:

- 1. 1
- grep -iw hello a\_bunch\_of\_hellos.txt

Copied!

Extract lines containing the pattern "hello" from all files in the current directory ending in .txt:

```
 1. 1
 1. grep -l hello *.txt
```

# Merge two or more files line-by-line, aligned as columns:

Suppose you have three files containing the first and last names of your customers, plus their phone numbers.

Use paste to align file contents into a Tab-delimited table, one row for each customer:

```
1. 1
```

```
1. paste first_name.txt last_name.text phone_number.txt
```

Copied!

Use a comma as a delimiter instead of the default Tab delimiter:

```
1. 1
```

```
1. paste -d "," first_name.txt last_name.text phone_number.txt
```

Copied!

#### Use the cut command to extract a column from a table-like file:

Suppose you have a text file whos rows consist of first and last names of customers, delimited by a comma.

**Extract first names, line-by-line:** 

```
1. 1
```

Copied!

Extract the second to fifth characters (bytes) from each line of a file:

```
1. 1
```

```
1. cut -b 2-5 my_text_file.txt
```

Copied!

Extract the characters (bytes) from each line of a file, starting from the 10th byte to the end of the line:

```
1. 1
```

```
 cut -b 10- my_text_file.txt
```

Copied!

# Compression and archiving

#### Archive a set of files:

- 1. 1
- 1. tar -cvf my\_archive.tar.gz file1 file2 file3

## Copied!

#### Compress a set of files:

- 1. 1
- 2. 2
- 1. zip my\_zipped\_files.zip file1 file2
- 2. zip my\_zipped\_folders.zip directory1 directory2

# Copied!

#### Extract files from a compressed zip archive:

- 1. 1
- 2. 2
- unzip my\_zipped\_file.zip
- 2. unzip my\_zipped\_file.zip -d extract\_to\_this\_direcory

Copied!

# Working with networking commands

## **Print hostname:**

- 1. 1
- 1. hostname

#### Copied!

#### Send packets to URL and print response:

- 1. 1
- 1. ping www.google.com

Copied!

# Display or configure system network interfaces:

- 1. 1
- 2. 2
- 1. ifconfig
- 2. ip

## Copied!

## Display contents of file at a URL:

- 1. 1
- 1. curl <url>

#### Download file from a URL:

- 1. 1
- 1. wget <url>

Copied!

# **Authors**

Jeff Grossman Sam Propupchuk

# **Other Contributors**

Rav Ahuja



9 of 9