

Data table metadata				
File name	Arbutus menziesii Areas			
Date created	2008			
Date last updated	23-06-2020			
Number of records	9			
Projection	EPSG:3005 - NAD83 - BC Albers			
Data table structure and attribute description				
Attribute name	Definition	Unit	Type	Attribute description
<i>Id</i>	Identification code of polygons for areas where <i>Arbutus menziesii</i> occurred.		Integer	Numeric value for each polygon.
<i>Year</i>	Year the data was recorded.	Date	String	<u>Values:</u> yyyy. E.g. 2008. NULL = neither the original meta-data nor accompanying report provided the year of creation.
<i>Month</i>	Month the data was recorded.	Date	String	<u>Values:</u> 1-12. E.g. 2=February. NULL = neither the original meta-data nor accompanying report provided the month of creation.
<i>Day</i>	Day the data was recorded.	Date	String	<u>Values:</u> 1-31. E.g. 15=the 15th day of a month. NULL = neither the original meta-data nor accompanying report provided the day of creation.
<i>Species</i>	Species recorded.		String	All points describe Arbutus trees(s) (<i>Arbutus menziesii</i>).
<i>Site</i>	General site location the point was recorded (Figure 2, Harrop-Archibald, 2008).		String	<u>Values:</u> CaMea = Garry Oak and Camas Meadow Area; HaWoods = Haro Woods; SoWoods = South Woods; LHobCreek = Lower Hobbs Creek/Mystic Vale; CJVI = CJVI Property FiRa = Finerty Ravine).
<i>Ivy</i>	Visual estimate on a scale of 1 to 5 based on the coverage of ivy on the tree or object (Harrop-Archibald, 2008, pg.51).		Integer	<u>Ivy coverage values:</u> 1=individual tendrils of ivy; 2=quarter covered; 3=half covered; 4=three quarters covered; 5=completely covered
<i>Comments</i>	Comments recorded about the point.		String	