

Data table metadata				
File name	Arbutus menziesii Points			
Date created	2008			
Date last updated	23-06-2020			
Number of records	9			
Projection	EPSG:3005 - NAD83 - BC Albers			
Data table structure and attribute description				
Attribute name	Definition	Unit	Type	Attribute description
<i>Id</i>	Identification code of polygons for areas where <i>Arbutus menziesii</i> occurred.		Integer	Numeric value for each polygon.
<i>Year</i>	Year the data was recorded.	Date	String	Values: yyyy. e.g. 2008. NULL = neither the original meta-data nor accompanying report provided the year of creation.
<i>Month</i>	Month the data was recorded.	Date	String	Values: 1-12. e.g. 2 = February. NULL = neither the original meta-data nor accompanying report provided the month of creation.
<i>Day</i>	Day the data was recorded.	Date	String	Values: 1-31. e.g. 15 = the 15th day of a month. NULL = neither the original meta-data nor accompanying report provided the day of creation.
<i>Species</i>	Species recorded.		String	All points describe Arbutus trees(s) ( <i>Arbutus menziesii</i> ).
<i>Site</i>	General site location the point was recorded (Figure 2, Harrop-Archibald, 2008).		String	Values: CaMea = Garry Oak and Camas Meadow Area; HaWoods = Haro Woods; SoWoods = South Woods; LHobCreek = Lower Hobbs Creek/Mystic Vale; CJVI = CJVI Property FiRa = Finerty Ravine.
<i>Ivy</i>	Visual estimate on a scale of 1 to 5 based on the coverage of ivy on the tree or object (Harrop-Archibald, 2008, pg.51).		Integer	Ivy coverage values: 1 = individual tendrils of ivy; 2 = quarter covered; 3 = half covered; 4 = three quarters covered; 5 = completely covered
<i>Comments</i>	Comments recorded about the point.		String	