
nappydevelopment

Nappy, the ingenious
Use-Case Specification: View Info

Nappy, the ingenious	Version: 1.5
Use-Case Specification: View Info	Date: 17/06/2016

Revision History

Date	Version	Description	Author
21/11/2015	1.0	Initial Version	Mehmet Ali Incekara
26/11/2015	1.1	Finishing touches and create PDF	Mehmet Ali Incekara
30/11/2015	1.2	Add SikuliX	Mehmet Ali Incekara
19/04/2016	1.3	Update UC (grammer, style, ...)	Mehmet Ali Incekara
06/06/2016	1.4	Fix FP	Mehmet Ali Incekara
17/06/2016	1.5	Add Screenshot	Mehmet Ali Incekara

Nappy, the ingenious	Version: 1.5
Use-Case Specification: View Info	Date: 17/06/2016

Table of Contents

1.	Use-Case View Info	4
1.1	Brief Description	4
2.	Flow of Events	5
2.1	Basic Flow	5
2.2	Alternative Flows	6
3.	Special Requirements	6
4.	Preconditions	6
5.	Postconditions	6
6.	Extension Points	7
6.1	Function Points	7

Nappy, the ingenious	Version: 1.5
Use-Case Specification: View Info	Date: 17/06/2016


Use-Case Specification: View Info

1. Use-Case View Info

1.1 Brief Description

Dieser Use-Case ermöglicht es dem Benutzer Informationen über das Spiel (Entwickler und Kontaktmöglichkeiten) nachzulesen.

Erstes Bild: Mockup | Zweites Bild: Screenshot




Info - Fenster



Nappy, the ingenious	Version: 1.5
Use-Case Specification: View Info	Date: 17/06/2016

2. Flow of Events


2.1 Basic Flow




Nappy, the ingenious	Version: 1.5
Use-Case Specification: View Info	Date: 17/06/2016

Aufgrund der Tatsache, dass Cucumber nicht für Desktop-Apps unterstützt wird, werden die Tests mit SikuluX 1.1.0 durchgeführt

Scenario 1: Öffne Info



Scenario 2: Schließe Info



SikuliX-Directory: <https://github.com/nappydevelopment/docs/tree/master/sikulix>

2.2 Alternative Flows

(n/a)

3. Special Requirements

(n/a)

4. Preconditions

(n/a)

5. Postconditions

(n/a)

Nappy, the ingenious	Version: 1.5
Use-Case Specification: View Info	Date: 17/06/2016

6. Extension Points

6.1 Function Points = 28,22

MEASUREMENT PARAMETER	COUNT (value >= 0)	WEIGHTING FACTOR		
		Simple	Average	Complex
Number of User Input	<input type="text" value="2"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Number of User Outputs	<input type="text" value="0"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Number of User Inquiries	<input type="text" value="0"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Number of Files	<input type="text" value="4"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Number of External Interfaces	<input type="text" value="0"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>

Transaction	DET's	FTR's RET's	Complexity
EI Open Browser	1	1	Low
EI Open Mail Client	1	1	Low
ILF	4	1	Low