## Chapter-11- Limits, Continuity and Differentiability

## EE24BTECH11051 - Prajwal

## I. Subjective Problems

- 1) Let f(x) be a function satisfying the condition f(-x) = f(x) for real x.If f'(0) exists, find its (1987 - 2 Marks) value.
- 2) Find the values of a and b so that the function

$$f(x) = \begin{cases} x + a\sqrt{2}\sin x & \text{if } 0 \le x < 4\\ 2x\cot x + b & \text{if } \frac{\pi}{4} \le x \le \frac{\pi}{2}\\ a\cos 2x - b\sin x & \text{if } \frac{\pi}{2} < x \le \pi \end{cases}$$

is continuous for  $0 \le x \le \pi$ . (1989 - 2 Marks)

- 3) Draw a graph of the function y = [x] + |1 y| $x|_{1}$ ,  $-1 \le x \le 3$ . Determine the points, if any, where this function is not differentiable. (1989) - 4 Marks)
- 4) Let  $f(x) = \begin{cases} \frac{1-\cos 4x}{x^2} & \text{if } x < 0\\ a & \text{if } x = 0\\ \frac{\sqrt{x}}{\sqrt{16+\sqrt{x}}-4} & \text{if } x > 0 \end{cases}$ Determine the

the function is continuous at x = 0. (1990 - 4 Marks)

- 5) A function  $f: R \to R$  satisfies the equation f(x+y) = f(x)f(y) for all x, y in R and  $f(x) \neq 0$ for any x in R. Let the function be differentiable at x = 0 and f'(0) = 2. Show that f'(x) = 2f(x)for all x in R. Hence, determine f(x). (1990 -4 Marks)

6) Find 
$$\lim_{x\to 0} \{\tan(\frac{\pi}{4} + x)\}^{\frac{1}{x}}$$
 (1993 - 2 Marks)  
7) Let  $f(x) = \begin{cases} \{1 + |\sin x|\}^{\frac{a}{|\sin x|}} & \text{if } -\frac{\pi}{6} < x < 0 \\ b & \text{if } x = 0 \\ e^{\frac{\tan 2x}{\tan 3x}} & \text{if } 0 < x < \frac{\pi}{6} \end{cases}$ 

Determine a and b such that f(x) is continuous (1994 - 4 Marks)

- 8) Let  $f\left(\frac{x+y}{2}\right) = \frac{f(x)+f(y)}{2}$  for real x and y. If f'(0) exists and equals -1 and f(0) = 1, find f(2). (1995 - 5 Marks)
- 9) Determine the values of x for which the following function fails to be continuous or diffferentiable:

$$f(x) = \begin{cases} 1 - x, & \text{if } x < 1\\ (1 - x)(2 - x), & \text{if } 1 \le x \le 2\\ 3 - x, & \text{if } x > 2 \end{cases}$$

Justify your answer. (1997 - 5 Marks)

1

- 10) Let  $f(x), x \ge 0$ , be a non-negative continuous function, and let  $F(x) = \int_0^x f(t) dt$ ,  $x \ge 0$ . If for some c > 0,  $f(x) \le cF(x)$  for all  $x \ge 0$ , then show that f(x) = 0 for all  $x \ge 0$ . (2001 - 5)Marks)
- 11) Let  $\alpha \in R$ . Prove that a function  $f; R \to R$  is differentiable at  $\alpha$  if and only if there is a function  $g: R \to R$  is differentiable at continuous at  $\alpha$  and satisfies  $f(x) - f(\alpha) = g(x)(x - \alpha)$  for all  $x \in R$ .
- 12) Let  $f(x) = \begin{cases} x+a & \text{if } x < 0 \\ |x+a| & \text{if } x \ge 0 \end{cases}$  and  $g(x) = \begin{cases} x+1 & \text{if } x < 0 \\ (x-1)^2 + b & \text{if } x \text{ } geq0, \end{cases}$  where a and b are non-negative real numbers. Determine the composite function  $(g \circ f)(x)$  is continuous for all real x, determine the values of a and b. Further, for these values of a and b, is gof is differentiable at x = 0? Justify your answer. (2002 - 5 Marks)
- 13) If a function  $[-2a, 2a] \rightarrow R$  is an function such that f(x) = f(2a - x) for  $x \in [a, 2a]$  and the left hand derivatives at x = a is 0 then find the left hand derivative at x = -a. (2003 - 2 Marks)
- 14)  $f'(0) = \lim_{n\to\infty} nf(\frac{1}{n})$  and f(0) = 0. Using this  $\lim_{x \to \infty} \left( (n+1) \frac{2}{\pi} \cos^{-1}(\frac{1}{n}) - n \right) , \left| \cos^{-1} \frac{1}{n} \right| < \frac{\pi}{2}$ (2004 - 2 Marks)
- 15) If  $|c| \le \frac{1}{2}$  and f(x) is a differentiable function

$$f(x) = \begin{cases} b \sin^{-1}\left(\frac{c+x}{2}\right) & \text{if } -\frac{1}{2} < x < 0\\ \frac{1}{2} & \text{if } x = 0\\ \frac{e^{\frac{ax}{2}-1}}{x} & \text{if } 0 < x < \frac{1}{2} \end{cases}$$
  
Find the value of 'a' and prove that  $b^2 = 4 - c^2$ .

(2004 - 4 Marks)